Tilburg University

Linear stationary point problems on unbounded polyhedra

Dai, Y.; Talman, A.J.J.

Publication date:
1994

[Link to publication in Tilburg University Research Portal](#)

Citation for published version (APA):

Dai, Y., & Talman, A. J. J. (1994). *Linear stationary point problems on unbounded polyhedra*. (Reprint series / CentER for Economic Research; Vol. 154). Unknown Publisher.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

CBM
R R

enter

for

omic Research

8823
8823
9 1994
NR.154

REPRINT

Linear Stationary Point Problems on Unbounded Polyhedra

by

Yang Dai and Dolf Talman

Reprinted from Mathematics and Operations
Research, Vol. 18, No. 3, August 1993

Copyright (1993), the Operations Research
Society of America and The Institute of
Management Sciences, 290 Westminister
Street, Providence, Rhode Island 02903 USA.

Reprint Series
no. 154

CENTER FOR ECONOMIC RESEARCH

Board

Harry Barkema
Helmut Bester
Eric van Damme, Chairman
Frank van der Duyn Schouten
Jeffrey James

Management

Jeffrey James (Director of Graduate Studies)
Arie Kapteyn (Scientific Director)
Marie-Louise Kemperman (Managing Director)

Scientific Council

Anton Barten	Université Catholique de Louvain
Eduard Bomhoff	Erasmus University Rotterdam
Willem Buiters	Yale University
Jacques Drèze	Université Catholique de Louvain
Jack Kleijnen	Tilburg University
Theo van de Klundert	Tilburg University
Jean-Jacques Laffont	Université des Sciences Sociales de Toulouse
Merton Miller	University of Chicago
Piet Moerland	Tilburg University
Philippe Naert	Nijenrode University
Pieter Ruys	Tilburg University

Residential Fellows

Hans Bloemen	Center
Lans Bovenberg	Center, Erasmus University Rotterdam
Hans Carlsson	Gothenburg University and Lund University
Jay Pil Choi	Columbia University
Jan Magnus	Center, LSE
Andrew Mountford	Center
Bezael Peleg	Hebrew University of Jerusalem
Mark Steel	Center/Department of Econometrics, Tilburg University
Frank Verboven	Center
Oscar Volij	Hebrew University of Jerusalem
Karl-Erik Wärneryd	Stockholm School of Economics

Address : P.O. Box 90153, 5000 LE Tilburg, The Netherlands
Phone : +31 13 663102
Telex : 52426 kub nl
Telefax : +31 13 663066
E-mail : center@kub.nl

ISSN 0924-7874

**Linear Stationary Point Problems
on Unbounded Polyhedra**

by
Yang Dai and Dolf Talman

Reprinted from Mathematics and Operations
Research, Vol. 18, No. 3, August 1993

Copyright (1993), the Operations Research
Society of America and The Institute of
Management Sciences, 290 Westminster
Street, Providence, Rhode Island 02903 USA.

Reprint Series
no. 154

K.U.B.
BIBLIOTHEEK
TILBURG

LINEAR STATIONARY POINT PROBLEMS ON UNBOUNDED POLYHEDRA

YANG DAI AND DOLF TALMAN

In this paper we propose a complementary pivoting algorithm for finding a stationary point of an affine function on an unbounded polyhedron. Under some mild conditions there is a piecewise linear path from an arbitrarily chosen point in the polyhedron leading to a solution of the problem. By exploiting fully the linearity of the problem, each linear piece of the path is followed in principle by making just one linear programming pivoting step.

1. Introduction. Given a polyhedron K in the n -dimensional Euclidian space R^n and an affine function f from K into R^n , we consider the problem of finding a point x^* in K such that

$$x^T f(x^*) \leq (x^*)^T f(x^*) \quad \text{for all } x \in K.$$

This problem is called the linear stationary point problem and the point x^* is called a stationary point of f on K . Yamamoto (1987) proposed a path following algorithm for solving the linear stationary point problem on a polytope, i.e., on a bounded polyhedron. The algorithm starts with an arbitrary point in the polytope and generates a piecewise linear path which leads to a stationary point. The Dantzig-Wolfe decomposition method for linear programming problems is used for tracing the path. In Dai et al. (1991) the basic idea of path-following was introduced for solving the linear stationary problem on an unbounded, pointed polyhedron. However, the decomposition technique used in these algorithms may result in unnecessary linear programming pivoting steps for following a linear piece of the path. To avoid the inefficiency, Kamiya and Talman (1990) recently proposed a new algorithm for solving the linear stationary point problem on a polytope. In their algorithm each linear piece of the path is followed by making, in principle, just one linear programming pivoting step.

The main purpose of this paper is to generalize their algorithm to the linear stationary point problem on an unbounded polyhedron. This problem is frequently met in mathematical programming, for example, finding a Karush-Kuhn-Tucker point for a quadratic programming problem with linear constraints.

The organization of this paper is as follows. In §2 we show the existence of the path of the algorithm. Section 3 describes the steps of the algorithm.

2. The path of the algorithm. Throughout this paper we assume that the polyhedron K is unbounded and pointed, i.e., K has at least one vertex, and that K is represented by the set $\{x \in R^n | Ax \leq b\}$, where A is an $n \times m$ -matrix and b an m -vector. Moreover we assume that K is simple, i.e., each vertex of K lies on n edges. Without loss of generality we assume that none of the constraints in determin-

Received October 13, 1990; revised March 19, 1992.

AMS 1980 subject classification. Primary: 90C30; Secondary: 90C33.

IAOR 1973 subject classification. Main: Programming; Nonlinear.

OR/MS Index 1978 subject classification. Primary: 653 Programming/Nonlinear; Secondary: 622 Programming/Complementarity.

Key words. Complementary pivoting, stationary point problem, linearity.

ing K is redundant and that $\dim(K) = n$. Let f be an affine function from K into R^n , i.e., $f(x) = Cx + d$ for some $n \times n$ -matrix C and n -vector d . Let w be an arbitrary point in K . In the algorithm proposed below for solving the stationary point problem on K the point w will be the starting point. For some strictly positive m -vector γ let $a^0 = -A\gamma$ and let $H^0 = \{x | (a^0)^T x = b_0\}$ be a hyperplane for some positive b_0 . We can see that if b_0 is sufficiently large this hyperplane intersects every unbounded face of K , while the negative halfspace $H^- = \{x | (a^0)^T x \leq b_0\}$ contains in its interior all vertices of K as well as w and hence also all bounded faces of K .

We denote the i th n -dimensional column vector of A by a^i , $i = 1, \dots, m$. Let $H^+ = \{x | (a^0)^T x \geq b_0\}$ be the positive halfspace of H^0 . Then for a given subset $I \subset \{0, 1, \dots, m\}$ let the set F_I be defined by

$$F_I = H^- \cap \{x \in K | (a^i)^T x = b_i \text{ for } i \in I\},$$

and when $0 \in I$ let the set F_I^+ be defined by

$$F_I^+ = H^+ \cap \{x \in K | (a^i)^T x = b_i \text{ for } i \in I \setminus \{0\}\}.$$

Remark that $F_I = F_{I \setminus \{0\}} \cap H^0$ and $F_I = F_I^+ \cap H^0$ if $0 \in I$. An example is illustrated in Figure 1.

The normal cone of F_I for $I \subset \{0, 1, \dots, m\}$, denoted by $N(F_I)$, is defined by

$$N(F_I) = \left\{ y \in R^n | y = \sum_{i \in I} \mu_i a^i, \mu_i \geq 0 \text{ for } i \in I \right\}.$$

The following lemma describes the characterization of a solution to the linear stationary point problem (LSPP) on K .

LEMMA 2.1. *The point x in K is a stationary point of f on K if and only if for some $I \subset \{0, 1, \dots, m\}$ both $x \in F_I$ and $f(x) \in N(F_I)$ when $0 \notin I$ or both $x \in F_I^+$ and $f(x) \in N(F_{I \setminus \{0\}})$ when $0 \in I$.*

To find a stationary point of f on K , the algorithm will follow, starting at $x = w$, a piecewise linear path S in K such that for each point x on the path S one of the

FIGURE 1.

following two cases holds for some $I \subset \{0, 1, \dots, m\}$:

- (1.i) $x = (1 - \lambda)w + \lambda z$ for some $\lambda \in [0, 1]$ and some $z \in F_I$,
- (ii) $f(x) \in N(F_I)$;
- (2.i) $x \in F_I^+$,
- (ii) $f(x) \in N(F_I)$.

Clearly, in case (1) if $\lambda = 1$ and $0 \notin I$ or in case (2) if $f(x) \in N(F_{I \setminus \{0\}})$ then x is a stationary point of f on K . The starting point $x = w$ satisfies case (1) for $\lambda = 0$ and F_I corresponding to a vertex of $K \cap H^-$. Assuming nondegeneracy, for a given index set $I \subset \{0, 1, \dots, m\}$ the points, if any, satisfying either (1.i) and (1.ii) or (2.i) and (2.ii) form a line segment. In the next section we describe how such a line segment can be followed by making just one pivot step. As in [2] these line segments can be linked for different index sets I to form piecewise linear loops and paths, one path being the path S having w as an end point. All other end points of these paths are stationary points of f on K .

Since the polyhedron K is unbounded, the path S may diverge to infinity. We need some condition on the function f under which the path S is bounded and therefore leads from the starting point w to a stationary point. Like for other complementary pivoting algorithms for solving linear complementarity problems it can be shown that if the matrix C is copositive plus on a polyhedral cone consisting of the directions of all rays in K and if the problem has a solution, then the path S cannot diverge to infinity and consequently leads to one of the stationary points of f on K . See Dai et al. (1991) for details.

3. Following the path. In this section we describe the steps of the algorithm to follow the path S in such a way that each linear piece of S is followed in just one linear programming pivoting step.

To initiate the algorithm for following the path S from $x = w$, we first need to determine the vertex w^1 of the set $K \cap H^-$ for which $f(w) \in N(\{w^1\})$. To do so we solve a linear programming problem given by

$$\begin{aligned} \text{(Primal)} \quad & \max. \quad (Cw + d)^T x \\ & \text{s.t.} \quad A^T x \leq b \\ & \quad (a^o)^T x \leq b_o, \end{aligned}$$

or

$$\begin{aligned} \text{(Dual)} \quad & \min. \quad b^T \mu + b_o \mu_o \\ & \text{s.t.} \quad A\mu + \mu_o a^o = Cw + d \\ & \quad \mu \geq 0, \mu_o \geq 0. \end{aligned}$$

Solving the Primal yields a vertex w^1 of $K \cap H^-$. From the Dual it immediately follows that $f(w) \in N(\{w^1\})$. From Lemma 2.1 we obtain that if $w = w^1$ then w is a stationary point of f on K . Note that w^1 does not lie in H^o when $w = w^1$. Suppose that $w \neq w^1$. Then the first linear piece of the path S lies on the line segment between w and w^1 . Let the index set I be defined by

$$I = \{i | (a^i)^T w^1 = b_i \text{ for } i \in \{0, 1, \dots, m\}\}.$$

The set I is equal to the set $\{i | \mu_i^o > 0 \text{ for } i \in \{0, 1, \dots, m\}\}$, where μ_i^o is the optimal value of μ_i in the Dual. Assuming nondegeneracy, the set I consists of n elements. Let D^{-1} be the inverse of the basis matrix at the solution of the Dual, i.e.,

$D = (a^i, i \in I)$. In order to follow the first linear piece of the path S from w , we make a linear programming (l.p.) pivoting step in the Dual with the vector $C(w^1 - w)$ having incoming variable λ_1 as follows. From $r = D^{-1}(C(w^1 - w))$ we obtain for $i \in I$ the direction $\bar{\mu}_i$ into which μ_i moves from μ_i^0 when λ_1 is increased from 0. Suppose that λ_1 becomes 1 before some of the μ_i 's becomes negative, then w^1 is a stationary point of f on $K \cap H^-$. If $0 \notin I$ in this case, then w^1 is a stationary point of f on K . Otherwise the second linear piece of the path S lies in the set F_I^+ . Now we need a point w^0 to determine the direction into which the algorithm will move next. We take $w^0 = w^1 + (D^T)^{-1}e(\bar{h})$, where $\bar{h}$ is the index of the row $(a^0)^T$ in D^T and $e(\bar{h})$ is the $\bar{h}$ th unit vector in R^n . So w^0 is a point in R^n such that $(a^i)^T w^0 = b_i$ for all $i \in I \setminus \{0\}$ and $(a^0)^T w^0 > b_0$. The points w^0 and w^1 are such that their affine hull contains F_I^+ . From $w^1 - w^0$ we can derive the direction into which the algorithm moves next as will be described in subsection 3.2 for the general case.

Suppose now that $\mu_{i'}$ becomes first 0 before λ_1 becomes 1, for some $i' \in I$. If $w \in F_{I \setminus \{i'\}}$ and $0 \notin I \setminus \{i'\}$, then $x = (1 - \lambda_1)w + \lambda_1 w^1$ lies in $F_{I \setminus \{i'\}}$ and $f(x) \in N(F_{I \setminus \{i'\}})$, and x is a stationary point of f on K . Otherwise, the second linear piece of the path S lies in the convex hull of w and the face $F_{I \setminus \{i'\}}$ of $K \cap H^-$, where $(a^{i'})^T x$ is allowed to become less than $b_{i'}$. To determine in which direction the algorithm will move next we need a point w^2 such that $(a^i)^T w^2 = b_i$ for all $i \in I \setminus \{i'\}$ and $(a^{i'})^T w^2 < b_{i'}$ for $i = i'$, for example, take $w^2 = w^1 - (D^T)^{-1}e(\bar{h})$, where $\bar{h}$ is the index of the row $(a^{i'})^T$ in D^T and $e(\bar{h})$ is again the $\bar{h}$ th unit vector in R^n . The points w^1 and w^2 are such that their affine hull contains $F_{I \setminus \{i'\}}$. Note that the dimension of $F_{I \setminus \{i'\}}$ is equal to one. Now the index set I becomes equal to $I \setminus \{i'\}$ and we make a pivoting step in the matrix D^{-1} with $C(w^1 - w)$ in order to replace $a^{i'}$. This concludes the initialization of the algorithm.

In general the algorithm follows the subsequent linear pieces of the path S by making a sequence of l.p. pivoting steps. A linear piece of S consists of points x such that for some I either case (1) x lies in $wF_I = \{x \in R^n | x = (1 - \lambda_1)w + \lambda_1 z, z \in F_I, 0 \leq \lambda_1 \leq 1\}$ for some face F_I of $K \cap H^-$ and $f(x) \in N(F_I)$, or case (2) x lies in F_I^+ for some face F_I^+ of $K \cap H^+$ and $f(x) \in N(F_I)$. Let $\text{Aff}(X)$ denote the affine hull of a set X . In case (1), let k be such that $\dim(wF_I) = k$; then we represent F_I through k affinely independent points $w^1, \dots, w^k$ in R^n such that

$$\text{Aff}(\{w^1, \dots, w^k\}) = \text{Aff}(F_I).$$

In case (2), let k be such that $\dim(F_I^+) = k$. Then we represent F_I^+ through $k + 1$ affinely independent points $w^0, w^1, \dots, w^k$ in R^n such that

- (1) $\text{Aff}\{w^1, \dots, w^k\} = \text{Aff}(F_I)$;
- (2) $\text{Aff}\{w^0, w^1, \dots, w^k\} = \text{Aff}(F_I^+)$.

This representation of F_I or F_I^+ by affinely independent points allows us to follow a linear piece of the path S in wF_I or F_I^+ by making just one l.p. pivoting step. This avoids the subsequent steps of column generations for following one linear segment as done in Yamamoto (1987).

3.1. Tracing the path in wF_I . Suppose that after the initiation the algorithm is moving for some $I \subset \{0, 1, \dots, m\}$ in the convex hull of w and F_I . Let $|I| = n - k + 1$, so that $\dim(wF_I) = k$. Let $w^1, \dots, w^k$ be affinely independent points in the affine hull of F_I . Then a point x on the path S in wF_I can be written as

- (i) $x = (1 - \lambda_1)w + \lambda_1 w^1 + \sum_{j=2}^k \lambda_j (w^j - w^1)$ for some $\lambda_1 \in [0, 1]$ and $\lambda_j \in R$ for $j = 2, \dots, k$;
- (ii) $Cx + d = \sum_{i \in I} \mu_i a^i$ for some $\mu_i \in R_+$, $i \in I$.

Hence, if x lies on the path S in wF_I , then the system of linear equations

$$(1) \quad \lambda_1 C(w^1 - w) + \sum_{j=2}^k \lambda_j C(w^j - w^1) - \sum_{i \in I} \mu_i a^i = -d - Cw$$

has a solution (λ, μ) such that $\lambda_1 \in [0, 1]$, $\lambda_j \in R$ for $j = 2, \dots, k$, $\mu_i \in R$, for $i \in I$, and x is as in (i). A linear piece of S in wF_I can be generated by making an l.p. pivoting step in (1) with one of the μ_i 's or with λ_k . Let the $n \times n$ basis matrix D consist of the n column vectors in (1) not corresponding to the pivoting variable. When we make an l.p. pivoting step in (1) with, say the column vector p , then we first compute the vector $r = D^{-1}p$. From r we obtain the direction $\bar{\lambda}_j$ for $j = 1, \dots, k$ and $\bar{\mu}_i$ for $i \in I$ into which the variables in (1) will move when we pivot the vector p into the system (1).

The next step is to determine how far we can move from the current solution. Let (λ'', μ'') be the current value of (λ, μ) , i.e., $(\lambda'', \mu'') = -D^{-1}(Cw + d)$, disregarding the pivoting variable. Then $x'' = (1 - \lambda''_1)w + \lambda''_1 z''$ is the current end point of the linear piece of the path S in wF_I , where $z'' \in F_I$ is given by

$$z'' = w^1 + \sum_{j=2}^k \frac{\lambda''_j}{\lambda''_1} (w^j - w^1).$$

Clearly, for small enough $t \geq 0$, the point $x(t)$ lies on the path in wF_I , where

$$x(t) = (1 - \lambda''_1 - t\bar{\lambda}_1)w + (\lambda''_1 + t\bar{\lambda}_1)w^1 + \sum_{j=2}^k (\lambda''_j + t\bar{\lambda}_j)(w^j - w^1).$$

For $t \geq 0$, let $z(t)$ be such that $x(t) = (1 - \lambda''_1 - t\bar{\lambda}_1)w + (\lambda''_1 + t\bar{\lambda}_1)z(t)$, i.e.,

$$(2) \quad z(t) = w^1 + \sum_{j=2}^k \frac{\lambda''_j + t\bar{\lambda}_j}{\lambda''_1 + t\bar{\lambda}_1} (w^j - w^1).$$

Then the point $z(t)$ lies in F_I for small enough t , and $z(0) = z''$. From (2) we easily derive how far t can be increased from 0 until $z(t)$ lies in the boundary of F_I . As soon as for some $t_1 > 0$ we have that $(a^h)^T z(t_1) = b_h$ for some $h \notin I$, then $z(t_1)$ lies in the boundary of F_I . From (2) it follows that

$$t_1 = \min_{i \notin I} \frac{(b_i - (a^i)^T z'') \lambda''_1}{\bar{\lambda}_1 (a^i)^T w^1 + \sum_{j=2}^k \bar{\lambda}_j (a^i)^T (w^j - w^1) - b_i \bar{\lambda}_1},$$

where the minimum is taken over the positive denominators. We allow t_1 to be equal to plus infinity. Now let t_2 be such that the first $\mu_i = \mu''_i + t_2 \bar{\mu}_i$ becomes zero when we increase t from 0, i.e.,

$$t_2 = \min_{\bar{\mu}_i < 0} \left\{ -\frac{\mu''_i}{\bar{\mu}_i} \right\}.$$

When $\bar{\mu}_i \geq 0$ for all $i \in I$ we set t_2 equal to plus infinity. Let $t^* = \min\{t_1, t_2\}$ and $\lambda_1^* = \lambda''_1 + t^* \bar{\lambda}_1$. First suppose that $\lambda_1^* \geq 1$. Then for $t = (1 - \lambda''_1)/\bar{\lambda}_1$ we obtain a

stationary point x^* on $K \cap H^-$, where

$$x^* = w^1 + \sum_{j=2}^k \left(\lambda_j^o + \frac{1 - \lambda_1^o}{\bar{\lambda}_1} \bar{\lambda}_j \right) (w^j - w^1).$$

If $0 \notin I$, then x^* is a solution of the LSPP on K . If $0 \in I$, then the next linear piece of the path S lies in F_I^+ . We will discuss how to trace such a piece in subsection 3.2.

Secondly, suppose that $\lambda_1^* < 1$ and $t_2 = t^*$, i.e., $\mu_{i'}$ becomes first zero for some $i' \in I$. If $w \in F_{I \setminus \{i'\}}$ and $0 \notin I \setminus \{i'\}$ then

$$x^* = (1 - \lambda_1^o - t^* \bar{\lambda}_1) w + (\lambda_1^o + t^* \bar{\lambda}_1) w^1 + \sum_{j=2}^k (\lambda_j^o + t^* \bar{\lambda}_j) (w^j - w^1)$$

is a solution of the LSPP on K . Otherwise, we delete i' from I , set k equal to $k + 1$, and determine a point w^k for which $(a^i)^\top w^k < b_i$ for $i = i'$ and $(a^i)^\top w^k = b_i$ for $i \in I$. This can be done by taking w^k equal to $w^k = w^1 - (D^\top)^{-1} e(\bar{h})$ with $\bar{h}$ being the index of the row $(a^{i'})^\top$ in the matrix $D^\top$. Now the algorithm continues by first pivoting in the vector p to replace the vector $a^{i'}$ in the matrix D^{-1} . Then a new l.p. pivoting step is made with the column vector $C(w^k - w^1)$.

Finally, suppose that $\lambda_1^* < 1$ and $t_1 = t^*$, then the point

$$z(t^*) = w^1 + \sum_{j=2}^k \frac{\lambda_j^o + t^* \bar{\lambda}_j}{\lambda_1^*} (w^j - w^1)$$

lies in the boundary of F_I . More precisely $(a^h)^\top z(t^*) = b_h$ for some $h \notin I$. We add h to I , set k equal to $k - 1$, and we move all the w^j 's parallel to $z(t^*) - z^o$ onto the affine hull of the new F_I , i.e., for $j = 1, \dots, k$, w^j becomes equal to $\hat{w}^j = w^j + \delta_j(z(t^*) - z^o)$, where

$$\delta_j = \frac{b_h - (a^h)^\top w^j}{b_h - (a^h)^\top z^o}.$$

Without loss of generality (see Kremers and Talman 1991), the points $\hat{w}^1, \dots, \hat{w}^k$ are affinely independent. We now first have to make pivoting steps in D^{-1} to replace the column vector $C(w^1 - w)$ by $C(\hat{w}^1 - w)$, $C(w^j - w^1)$ by $C(\hat{w}^j - \hat{w}^1)$ for $j = 2, \dots, k$, and, if necessary, $C(w^{k+1} - w^1)$ by the vector p . The new basis inverse matrix can be obtained by making two pivoting steps as follows.

Suppose $p = C(w^{k+1} - w^1)$. We first make a pivoting step by the vector $C(z(t^*) - z^o)$ to replace the vector $C(w^k - w^1)$ in the matrix D^{-1} . Note that $z(t^*) - z^o$ and $w^j - w^1$, $j = 2, \dots, k$, are linearly independent vectors. Otherwise, $\hat{w}^1, \dots, \hat{w}^k$ will be affinely dependent points in $\text{Aff}(F_I)$. Denote

$$D_1 = [C(w^1 - w)C(w^2 - w^1) \cdots C(w^{k-1} - w^1)C(z(t^*) - z^o) \ a^i | i \in I],$$

$$D_1^{-1} = [d^1 \ d^2 \ \cdots \ d^{k-1} \ d^k \ \cdots]^\top$$

and

$$D_2 = [C(\hat{w}^1 - w)C(\hat{w}^2 - \hat{w}^1) \cdots C(\hat{w}^{k-1} - \hat{w}^1)C(z(t^*) - z^o) \ \cdots].$$

Since

$$C(\hat{w}^1 - w) = C(w^1 - w) + \delta_1 C(z(t^*) - z^o)$$

and

$$C(\hat{w}^j - \hat{w}^1) = C(w^j - w^1) + (\delta_j - \delta_1)C(z(t^*) - z^o) \quad \text{for } j = 2, \dots, k,$$

we have

$$D_2^{-1} = \begin{bmatrix} d^1 & d^2 & \dots & d^{k-1} & d^k - \delta_1 d^1 - \sum_{j=2}^{k-1} (\delta_j - \delta_1) d^j & \dots \end{bmatrix}^T.$$

Then we make another pivoting step by the vector $C(\hat{w}^k - \hat{w}^1)$ to replace the vector $C(z(t^*) - z^o)$ in D_2^{-1} and obtain the new inverse matrix D^{-1} .

When $p \neq C(w^{k+1} - w^1)$, i.e., $p = a^h$ for some $h \notin I$, the updating of D^{-1} is similar to the above except that at the first pivoting step the replaced vector is $C(w^{k+1} - w^1)$ and at the second pivoting step the pivoting vector is the vector p . We have shown that in both cases we need only two pivoting steps to update the matrix D^{-1} . Now we continue to trace the next linear piece of the path S by making an l.p. pivoting step with the column vector a^h .

3.2. Tracing the path in F_I^+ . Suppose that an end point x^* of a linear piece of the path S in wF_I lies in F_I for some I with $|I| = n - k + 1$ and is a solution of the LSPP on $K \cap H^-$, but not a solution of the LSPP on K . Then I must contain 0 and the next linear piece of the path S lies in F_I^+ with $\dim(F_I^+) = k$. Let the point w^o be given by $w^o = w^1 + (D^T)^{-1}e(\bar{h})$ with $\bar{h}$ the row index corresponding to $(a^o)^T$ in the transpose of the current basis matrix D . Then a point x on the path S in F_I^+ can be written as

$$(i) \quad x = w^1 + (\lambda_1 - 1)(w^1 - w^o) + \sum_{j=2}^k \lambda_j (w^j - w^1);$$

$$(ii) \quad Cx + d = \sum_{i \in I} \mu_i a^i \text{ for some } \mu_i \in R_+, i \in I,$$

where $\lambda_1 \leq 1$ and $\lambda_j \in R$ for $j = 2, \dots, k$, and where $w^1, \dots, w^k$ are affinely independent points in $\text{Aff}(F_I)$ and $w^o, w^1, \dots, w^k$ affinely independent points in $\text{Aff}(F_I^+)$. It should be noted that the points $w^1, \dots, w^k$ lie on the hyperplane H^o and w^o lies in the interior of the halfspace H^+ . We next change $-d - Cw$ into $-d - Cw^o$ in the right-hand side of the system (1) and make an l.p. pivoting step with the column vector $C(w^1 - w^o)$ in the new system by decreasing λ_1 from 1. In general, if x lies on the path S in F_I^+ , then the system of linear equations

$$(3) \quad \lambda_1 C(w^1 - w^o) + \sum_{j=2}^k \lambda_j C(w^j - w^1) - \sum_{i \in I} \mu_i a^i = -d - Cw^o$$

has a solution (λ, μ) such that $\lambda_1 \leq 1$, $\lambda_j \in R$ for $j = 2, \dots, k$, $\mu_i \in R_+$ for $i \in I$, and x as in (i). Therefore a linear piece of S in F_I^+ can be generated by making an l.p. pivoting step in (3) with λ_k or one of the μ_i 's. The w^j 's are such that they represent F_I^+ in the way described before. To describe an l.p. pivoting step, let D be the basis matrix for system (3) without the pivoting vector and let p be the pivoting vector. Let λ_j^o for $j = 1, \dots, k$ and μ_i^o for $i \in I$ be the current values of the variables. From $r = D^{-1}p$ we obtain the directions $\bar{\lambda}_j$ for $j = 1, \dots, k$, and $\bar{\mu}_i$ for $i \in I$ into which the variables will move when we pivot the vector p into system (3). Now let t_2

be such that for $t = t_2$ the first $\mu_i = \mu_i^o + t\bar{\mu}_i$ becomes zero when we increase t from 0, i.e.,

$$t_2 = \min_{\bar{\mu}_i < 0} \left\{ -\frac{\mu_i^o}{\bar{\mu}_i} \right\}.$$

When $\bar{\mu}_i \geq 0$ for all $i \in I$, we set t_2 equal to plus infinity. Let $x(t)$ be defined by

$$(4) \quad x(t) = w^1 + (\lambda_1^o + t\bar{\lambda}_1 - 1)(w^1 - w^o) + \sum_{j=2}^k (\lambda_j^o + t\bar{\lambda}_j)(w^j - w^1).$$

Then the point $x(t)$ lies in F_I^+ for small enough $t \geq 0$. From (4) we easily derive how far t can be increased from 0 until $x(t)$ lies on the boundary of F_I^+ . As soon as for some $t_1 > 0$ we have $(a^h)^\top x(t_1) = b_h$ for some $h \notin I$, then the point $x(t_1)$ lies in the boundary of F_I^+ . From (4) it follows that

$$t_1 = \min_{i \notin I} \frac{b_i - (a^i)^\top x(0)}{\sum_{j=2}^k \bar{\lambda}_j (a^i)^\top (w^j - w^1) - \bar{\lambda}_1 (a^i)^\top (w^1 - w^o)},$$

where the minimum is taken over the positive denominators. We allow t_1 to be equal to plus infinity. Let $t^* = \min\{t_1, t_2\}$ and $\lambda_1^* = \lambda_1^o + t^*\bar{\lambda}_1$.

Suppose $t_2 = t^*$ and $\lambda_{i'}^* < 1$, i.e., $\mu_{i'}$ becomes first zero for some $i' \in I$. When $i' = 0$ then the point

$$x^* = w^1 + (\lambda_1^o + t^*\bar{\lambda}_1 - 1)(w^1 - w^o) + \sum_{j=2}^k (\lambda_j^o + t^*\bar{\lambda}_j)(w^j - w^1)$$

solves the LSPP on K . When $i' \neq 0$ we update the set I by deleting i' from I and set k equal to $k + 1$. We have to determine a point w^k for which $(a^i)^\top w^k < b_i$ for $i = i'$ and $(a^i)^\top w^k = b_i$ for $i \in I$. In order to do this we take the point $w^k = w^1 - (D^\top)^{-1}e(\bar{h})$, where $\bar{h}$ corresponds to the index of the row $(a^{i'})^\top$ in the matrix $D^\top$. Note that the new point w^k also lies on the hyperplane H^o because $(a^o)^\top$ is a row vector of $D^\top$. Now the algorithm continues by first pivoting in the column vector p to replace the vector $a^{i'}$ in the matrix D^{-1} . Then a new l.p. pivoting step is made with the column vector $C(w^k - w^1)$ to trace the next linear piece of the path S .

Next suppose that $t_1 = t^*$ and $\lambda_1^* < 1$; then the point $x(t^*)$ lies in the boundary of F_I^+ , i.e., $(a^h)^\top x(t^*) = b_h$ for some $h \notin I$. We add h to I and set k equal to $k - 1$. Let ν_o be such that the point $\bar{y}^o = (1 - \nu_o)w + \nu_o x(0)$ lies in H^o and let ν_1 be such that the point $\bar{y}^1 = (1 - \nu_1)w + \nu_1 x(t^*)$ lies in H^o , i.e.,

$$\nu_o = \frac{b_o - (a^o)^\top w}{(a^o)^\top (x(0) - w)} \quad \text{and} \quad \nu_1 = \frac{b_o - (a^o)^\top w}{(a^o)^\top (x(t^*) - w)}.$$

Then we move $w^o, w^1, \dots, w^k$ parallel to the direction $\bar{y}^1 - \bar{y}^o$ until they lie on the hyperplane $(a^h)^\top x = b_h$, i.e., w^j becomes equal to

$$\hat{w}^j = w^j + \frac{b_h - (a^h)^\top w^j}{(a^h)^\top (\bar{y}^1 - \bar{y}^o)} (\bar{y}^1 - \bar{y}^o) \quad \text{for } j = 0, 1, \dots, k.$$

Now update D by replacing $C(w^1 - w^n)$ by $C(\hat{w}^1 - \hat{w}^n)$, $C(w^j - w^1)$ by $C(\hat{w}^j - \hat{w}^1)$ for $j = 2, \dots, k$, and if necessary $C(w^{k+1} - w^1)$ by p . The updating of D^{-1} is similar to the description in subsection 3.1 except for the use of $C(\bar{y}^1 - \bar{y}^n)$ instead of $C(z(t^*) - z^n)$. The algorithm continues by pivoting into the system the column a^h .

Finally if $\lambda_1^* \geq 1$, then for $t^* = (1 - \lambda_1^*)/\bar{\lambda}_1$ the point x^* given by

$$x^* = w^1 + \sum_{j=2}^k (\lambda_j'' + t^* \bar{\lambda}_j)(w^j - w^1)$$

is a solution of the LSPP on $K \cap H^-$. The next linear piece of the path S lies in wF_I . We replace $-d - Cw^n$ by $-d - Cw$ in the right-hand side of the system (3) and make an l.p. pivoting step with the column vector $C(w^1 - w)$ in this new system by decreasing λ_1 from 1. Note that we return to the system (1) again.

The path S leading from the arbitrary point w to a solution to the LSPP on K consists of a finite number of linear pieces. Each piece lies in wF_I or in F_I^+ for some index set I and can be followed by making just one linear programming pivoting step in the way described above. Under the condition stated at the end of §2 the algorithm solves the problem within a finite number of steps.

REMARK 1. If K is not simple, then at a solution (λ^n, μ^n) of (1) or (3) the set $I = \{i | \mu_i^n > 0\}$ might be a proper subset of the set G defined by $G = \{i | (a^i)^T x = b_i \text{ for all } x \in F_I\}$ in case of (1) or $G = \{0\} \cup \{i | (a^i)^T x = b_i \text{ for all } x \in F_I^+\}$ in case of (3). If in such a case after a ratio test $\mu_{i'}$ becomes 0 for some $i' \in I$ and the end point x is not a solution, then we should first check whether some $\mu_{j'}$, $j' \in G \setminus I$, can be increased from 0 to extend the linear piece of the path. If so, then a pivoting step is made with $a^{j'}$ and the algorithm continues as described above. If not, the algorithm continues as above in the set $wF_{I \setminus \{i'\}}$ or in $F_{I \setminus \{i'\}}^+$ having one dimension higher.

REMARK 2. The homotopy behind the algorithm can be interpreted by the concept of an expanding set (see van der Laan and Talman 1986 and Yamamoto 1987). This set expands from the starting point to the set K and the algorithm traces a path of stationary points on the set as it expands. For $t \geq 0$ let

$$K(t) = \left\{ x | x = (1-t)^+ w + (1 + (t-1)^-) z \right. \\ \left. \text{for } z \in K, (a^n)^T z \leq b_n + (t-1)^+ b_n \right\},$$

where $\alpha^+ = \max(0, \alpha)$ and $\alpha^- = \min(0, \alpha)$ for $\alpha \in R$. For $t \geq 0$, let us consider the stationary point problem on $K(t)$ with respect to the function f . Then we have

- (a) $x = w$ is the unique stationary point of f on $K(0)$;
- (b) if x is a stationary point of f on $K(t)$ for some $t < 1$, then $x = (1-t)w + tz$ for some $z \in F_I$ with I such that $f(x) \in N(F_I)$;
- (c) if x is a stationary point of f on $K(t)$ for some $t \geq 1$, then $x \in F_I^+$ and $f(x) \in N(F_I)$ for some I .

By tracing the solution path of the stationary point problem on $K(t)$ for $t \geq 0$ from $(z, t) = (w, 0)$ we therefore obtain the path generated by the algorithm.

Acknowledgement. The authors would like to thank one of the referees for his helpful comments. Part of this research was done when the first author was visiting the Center for Economic Research (CentER), Tilburg University, Tilburg, The Netherlands. The author is grateful to CentER for the invitation and hospitality.

References

- [1] Dai, Y., van der Laan, G., Talman, A. J. J., and Yamamoto, Y. (1991). A Simplicial Algorithm for the Nonlinear Stationary Point Problem on an Unbounded Polyhedron. *SIAM J. Control Optim.* **1** 151–165.
- [2] Kamiya, K. and Talman, A. J. J. (1990). *Linear Stationary Point Problems*. Discussion Paper No. 9022, Center for Economic Research, Tilburg University, Tilburg, The Netherlands.
- [3] Kremers, J. A. W. M. and Talman, A. J. J. (1991). *A SLSP-algorithm to Compute an Equilibrium in an Economy with Linear Production Technologies*, FEW 496, Department of Econometrics, Tilburg University, Tilburg, The Netherlands.
- [4] van der Laan, G. and Talman, A. J. J. (1986). On the Computation of Fixed Points in the Product Space of Unit Simplices and an Application to Noncooperative N -person Games. *J. Optim. Theory Appl.* **50** 262–281.
- [5] Yamamoto, Y. (1987). A Path Following Algorithm for Stationary Point Problems. *J. Oper. Res. Soc. Japan* **30** 181–198.

Y. Dai: Department of Management Science, Kobe University of Commerce, Nishi-ku, Kobe 651-21, Japan

D. Talman: Department of Econometrics, Tilburg University, P.O. Box 90153, 5000 LE Tilburg, The Netherlands

- No. 1 G. Marini and F. van der Ploeg, Monetary and fiscal policy in an optimising model with capital accumulation and finite lives, *The Economic Journal*, vol. 98, no. 392, 1988, pp. 772 - 786.
- No. 2 F. van der Ploeg, International policy coordination in interdependent monetary economies, *Journal of International Economics*, vol. 25, 1988, pp. 1 - 23.
- No. 3 A.P. Barten, The history of Dutch macroeconomic modelling (1936-1986), in W. Driehuis, M.M.G. Fase and H. den Hartog (eds.), *Challenges for Macroeconomic Modelling*, Contributions to Economic Analysis 178, Amsterdam: North-Holland, 1988, pp. 39 - 88.
- No. 4 F. van der Ploeg, Disposable income, unemployment, inflation and state spending in a dynamic political-economic model, *Public Choice*, vol. 60, 1989, pp. 211 - 239.
- No. 5 Th. ten Raaij and F. van der Ploeg, A statistical approach to the problem of negatives in input-output analysis, *Economic Modelling*, vol. 6, no. 1, 1989, pp. 2 - 19.
- No. 6 E. van Damme, Renegotiation-proof equilibria in repeated prisoners' dilemma, *Journal of Economic Theory*, vol. 47, no. 1, 1989, pp. 206 - 217.
- No. 7 C. Mulder and F. van der Ploeg, Trade unions, investment and employment in a small open economy: a Dutch perspective, in J. Muysken and C. de Neubourg (eds.), *Unemployment in Europe*, London: The Macmillan Press Ltd, 1989, pp. 200 - 229.
- No. 8 Th. van de Klundert and F. van der Ploeg, Wage rigidity and capital mobility in an optimizing model of a small open economy, *De Economist*, vol. 137, nr. 1, 1989, pp. 47 - 75.
- No. 9 G. Dhaene and A.P. Barten, When it all began: the 1936 Tinbergen model revisited, *Economic Modelling*, vol. 6, no. 2, 1989, pp. 203 - 219.
- No. 10 F. van der Ploeg and A.J. de Zeeuw, Conflict over arms accumulation in market and command economies, in F. van der Ploeg and A.J. de Zeeuw (eds.), *Dynamic Policy Games in Economics*, Contributions to Economic Analysis 181, Amsterdam: Elsevier Science Publishers B.V. (North-Holland), 1989, pp. 91 - 119.
- No. 11 J. Driffill, Macroeconomic policy games with incomplete information: some extensions, in F. van der Ploeg and A.J. de Zeeuw (eds.), *Dynamic Policy Games in Economics*, Contributions to Economic Analysis 181, Amsterdam: Elsevier Science Publishers B.V. (North-Holland), 1989, pp. 289 - 322.
- No. 12 F. van der Ploeg, Towards monetary integration in Europe, in P. De Grauwe et al., *De Europese Monetaire Integratie: vier visies*, Wetenschappelijke Raad voor het Regeringsbeleid V 66, 's-Gravenhage: SDU uitgeverij, 1989, pp. 81 - 106.

- No. 13 R.J.M. Alessie and A. Kapteyn, Consumption, savings and demography, in A. Wenig, K.F. Zimmermann (eds.), *Demographic Change and Economic Development*, Berlin/Heidelberg: Springer-Verlag, 1989, pp. 272 - 305.
- No. 14 A. Hoque, J.R. Magnus and B. Pesaran, The exact multi-period mean-square forecast error for the first-order autoregressive model, *Journal of Econometrics*, vol. 39, no. 3, 1988, pp. 327 - 346.
- No. 15 R. Alessie, A. Kapteyn and B. Melenberg, The effects of liquidity constraints on consumption: estimation from household panel data, *European Economic Review*, vol. 33, no. 2/3, 1989, pp. 547 - 555.
- No. 16 A. Holly and J.R. Magnus, A note on instrumental variables and maximum likelihood estimation procedures, *Annales d'Économie et de Statistique*, no. 10, April-June, 1988, pp. 121 - 138.
- No. 17 P. ten Hacken, A. Kapteyn and I. Woittiez, Unemployment benefits and the labor market, a micro/macro approach, in B.A. Gustafsson and N. Anders Klevmarken (eds.), *The Political Economy of Social Security*, Contributions to Economic Analysis 179, Amsterdam: Elsevier Science Publishers B.V. (North-Holland), 1989, pp. 143 - 164.
- No. 18 T. Wansbeek and A. Kapteyn, Estimation of the error-components model with incomplete panels, *Journal of Econometrics*, vol. 41, no. 3, 1989, pp. 341 - 361.
- No. 19 A. Kapteyn, P. Kooreman and R. Willemse, Some methodological issues in the implementation of subjective poverty definitions, *The Journal of Human Resources*, vol. 23, no. 2, 1988, pp. 222 - 242.
- No. 20 Th. van de Klundert and F. van der Ploeg, Fiscal policy and finite lives in interdependent economies with real and nominal wage rigidity, *Oxford Economic Papers*, vol. 41, no. 3, 1989, pp. 459 - 489.
- No. 21 J.R. Magnus and B. Pesaran, The exact multi-period mean-square forecast error for the first-order autoregressive model with an intercept, *Journal of Econometrics*, vol. 42, no. 2, 1989, pp. 157 - 179.
- No. 22 F. van der Ploeg, Two essays on political economy: (i) The political economy of overvaluation, *The Economic Journal*, vol. 99, no. 397, 1989, pp. 850 - 855; (ii) Election outcomes and the stockmarket, *European Journal of Political Economy*, vol. 5, no. 1, 1989, pp. 21 - 30.
- No. 23 J.R. Magnus and A.D. Woodland, On the maximum likelihood estimation of multivariate regression models containing serially correlated error components, *International Economic Review*, vol. 29, no. 4, 1988, pp. 707 - 725.
- No. 24 A.J.J. Talman and Y. Yamamoto, A simplicial algorithm for stationary point problems on polytopes, *Mathematics of Operations Research*, vol. 14, no. 3, 1989, pp. 383 - 399.
- No. 25 E. van Damme, Stable equilibria and forward induction, *Journal of Economic Theory*, vol. 48, no. 2, 1989, pp. 476 - 496.

- No. 26 A.P. Barten and L.J. Bettendorf, Price formation of fish: An application of an inverse demand system, *European Economic Review*, vol. 33, no. 8, 1989, pp. 1509 - 1525.
- No. 27 G. Noldeke and E. van Damme, Signalling in a dynamic labour market, *Review of Economic Studies*, vol. 57 (1), no. 189, 1990, pp. 1 - 23.
- No. 28 P. Kop Jansen and Th. ten Raa, The choice of model in the construction of input-output coefficients matrices, *International Economic Review*, vol. 31, no. 1, 1990, pp. 213 - 227.
- No. 29 F. van der Ploeg and A.J. de Zeeuw, Perfect equilibrium in a model of competitive arms accumulation, *International Economic Review*, vol. 31, no. 1, 1990, pp. 131 - 146.
- No. 30 J.R. Magnus and A.D. Woodland, Separability and aggregation, *Economica*, vol. 57, no. 226, 1990, pp. 239 - 247.
- No. 31 F. van der Ploeg, International interdependence and policy coordination in economies with real and nominal wage rigidity, *Greek Economic Review*, vol. 10, no. 1, June 1988, pp. 1 - 48.
- No. 32 E. van Damme, Signaling and forward induction in a market entry context, *Operations Research Proceedings 1989*, Berlin-Heidelberg: Springer-Verlag, 1990, pp. 45 - 59.
- No. 33 A.P. Barten, Toward a levels version of the Rotterdam and related demand systems, *Contributions to Operations Research and Economics*, Cambridge: MIT Press, 1989, pp. 441 - 465.
- No. 34 F. van der Ploeg, International coordination of monetary policies under alternative exchange-rate regimes, in F. van der Ploeg (ed.), *Advanced Lectures in Quantitative Economics*, London-Orlando: Academic Press Ltd., 1990, pp. 91 - 121.
- No. 35 Th. van de Klundert, On socioeconomic causes of 'wait unemployment', *European Economic Review*, vol. 34, no. 5, 1990, pp. 1011 - 1022.
- No. 36 R.J.M. Alessie, A. Kapteyn, J.B. van Lochem and T.J. Wansbeek, Individual effects in utility consistent models of demand, in J. Hartog, G. Ridder and J. Theeuwes (eds.), *Panel Data and Labor Market Studies*, Amsterdam: Elsevier Science Publishers B.V. (North-Holland), 1990, pp. 253 - 278.
- No. 37 F. van der Ploeg, Capital accumulation, inflation and long-run conflict in international objectives, *Oxford Economic Papers*, vol. 42, no. 3, 1990, pp. 501 - 525.
- No. 38 Th. Nijman and F. Palm, Parameter identification in ARMA Processes in the presence of regular but incomplete sampling, *Journal of Time Series Analysis*, vol. 11, no. 3, 1990, pp. 239 - 248.
- No. 39 Th. van de Klundert, Wage differentials and employment in a two-sector model with a dual labour market, *Metroeconomica*, vol. 40, no. 3, 1989, pp. 235 - 256.

- No. 40 Th. Nijman and M.F.J. Steel, Exclusion restrictions in instrumental variables equations, *Econometric Reviews*, vol. 9, no. 1, 1990, pp. 37 - 55.
- No. 41 A. van Soest, I. Woittiez and A. Kapteyn, Labor supply, income taxes, and hours restrictions in the Netherlands, *Journal of Human Resources*, vol. 25, no. 3, 1990, pp. 517 - 558.
- No. 42 Th.C.M.J. van de Klundert and A.B.T.M. van Schaik, Unemployment persistence and loss of productive capacity: a Keynesian approach, *Journal of Macro-economics*, vol. 12, no. 3, 1990, pp. 363 - 380.
- No. 43 Th. Nijman and M. Verbeek, Estimation of time-dependent parameters in linear models using cross-sections, panels, or both, *Journal of Econometrics*, vol. 46, no. 3, 1990, pp. 333 - 346.
- No. 44 E. van Damme, R. Selten and E. Winter, Alternating bid bargaining with a smallest money unit, *Games and Economic Behavior*, vol. 2, no. 2, 1990, pp. 188 - 201.
- No. 45 C. Dang, The D_1 -triangulation of $\mathbb{R}^n$ for simplicial algorithms for computing solutions of nonlinear equations, *Mathematics of Operations Research*, vol. 16, no. 1, 1991, pp. 148 - 161.
- No. 46 Th. Nijman and F. Palm, Predictive accuracy gain from disaggregate sampling in ARIMA models, *Journal of Business & Economic Statistics*, vol. 8, no. 4, 1990, pp. 405 - 415.
- No. 47 J.R. Magnus, On certain moments relating to ratios of quadratic forms in normal variables: further results, *Sankhya: The Indian Journal of Statistics*, vol. 52, series B, part. 1, 1990, pp. 1 - 13.
- No. 48 M.F.J. Steel, A Bayesian analysis of simultaneous equation models by combining recursive analytical and numerical approaches, *Journal of Econometrics*, vol. 48, no. 1/2, 1991, pp. 83 - 117.
- No. 49 F. van der Ploeg and C. Withagen, Pollution control and the ramsey problem, *Environmental and Resource Economics*, vol. 1, no. 2, 1991, pp. 215 - 236.
- No. 50 F. van der Ploeg, Money and capital in interdependent economies with overlapping generations, *Economica*, vol. 58, no. 230, 1991, pp. 233 - 256.
- No. 51 A. Kapteyn and A. de Zeeuw, Changing incentives for economic research in the Netherlands, *European Economic Review*, vol. 35, no. 2/3, 1991, pp. 603 - 611.
- No. 52 C.G. de Vries, On the relation between GARCH and stable processes, *Journal of Econometrics*, vol. 48, no. 3, 1991, pp. 313 - 324.
- No. 53 R. Alessie and A. Kapteyn, Habit formation, interdependent preferences and demographic effects in the almost ideal demand system, *The Economic Journal*, vol. 101, no. 406, 1991, pp. 404 - 419.
- No. 54 W. van Groenendaal and A. de Zeeuw, Control, coordination and conflict on international commodity markets, *Economic Modelling*, vol. 8, no. 1, 1991, pp. 90 - 101.

- No. 55 F. van der Ploeg and A.J. Markink, Dynamic policy in linear models with rational expectations of future events: A computer package, *Computer Science in Economics and Management*, vol. 4, no. 3, 1991, pp. 175 - 199.
- No. 56 H.A. Keuzenkamp and F. van der Ploeg, Savings, investment, government finance, and the current account: The Dutch experience, in G. Alogoskoufis, L. Papademos and R. Portes (eds.), *External Constraints on Macroeconomic Policy: The European Experience*, Cambridge: Cambridge University Press, 1991, pp. 219 - 263.
- No. 57 Th. Nijman, M. Verbeek and A. van Soest, The efficiency of rotating-panel designs in an analysis-of-variance model, *Journal of Econometrics*, vol. 49, no. 3, 1991, pp. 373 - 399.
- No. 58 M.F.J. Steel and J.-F. Richard, Bayesian multivariate exogeneity analysis - an application to a UK money demand equation, *Journal of Econometrics*, vol. 49, no. 1/2, 1991, pp. 239 - 274.
- No. 59 Th. Nijman and F. Palm, Generalized least squares estimation of linear models containing rational future expectations, *International Economic Review*, vol. 32, no. 2, 1991, pp. 383 - 389.
- No. 60 E. van Damme, Equilibrium selection in 2×2 games, *Revista Espanola de Economia*, vol. 8, no. 1, 1991, pp. 37 - 52.
- No. 61 E. Bennett and E. van Damme, Demand commitment bargaining: the case of apex games, in R. Selten (ed.), *Game Equilibrium Models III - Strategic Bargaining*, Berlin: Springer-Verlag, 1991, pp. 118 - 140.
- No. 62 W. Güth and E. van Damme, Gorby games - a game theoretic analysis of disarmament campaigns and the defense efficiency - hypothesis -, in R. Avenhaus, H. Karkar and M. Rudnianski (eds.), *Defense Decision Making - Analytical Support and Crisis Management*, Berlin: Springer-Verlag, 1991, pp. 215 - 240.
- No. 63 A. Roell, Dual-capacity trading and the quality of the market, *Journal of Financial Intermediation*, vol. 1, no. 2, 1990, pp. 105 - 124.
- No. 64 Y. Dai, G. van der Laan, A.J.J. Talman and Y. Yamamoto, A simplicial algorithm for the nonlinear stationary point problem on an unbounded polyhedron, *Siam Journal of Optimization*, vol. 1, no. 2, 1991, pp. 151 - 165.
- No. 65 M. McAleer and C.R. McKenzie, Keynesian and new classical models of unemployment revisited, *The Economic Journal*, vol. 101, no. 406, 1991, pp. 359 - 381.
- No. 66 A.J.J. Talman, General equilibrium programming, *Nieuw Archief voor Wiskunde*, vol. 8, no. 3, 1990, pp. 387 - 397.
- No. 67 J.R. Magnus and B. Pesaran, The bias of forecasts from a first-order autoregression, *Econometric Theory*, vol. 7, no. 2, 1991, pp. 222 - 235.

- No. 68 F. van der Ploeg, Macroeconomic policy coordination issues during the various phases of economic and monetary integration in Europe, *European Economy - The Economics of EMU*, Commission of the European Communities, special edition no. 1, 1991, pp. 136 - 164.
- No. 69 H. Keuzenkamp, A precursor to Muth: Tinbergen's 1932 model of rational expectations, *The Economic Journal*, vol. 101, no. 408, 1991, pp. 1245 - 1253.
- No. 70 L. Zou, The target-incentive system vs. the price-incentive system under adverse selection and the ratchet effect, *Journal of Public Economics*, vol. 46, no. 1, 1991, pp. 51 - 89.
- No. 71 E. Bomhoff, Between price reform and privatization: Eastern Europe in transition, *Finanzmarkt und Portfolio Management*, vol. 5, no. 3, 1991, pp. 241 - 251.
- No. 72 E. Bomhoff, Stability of velocity in the major industrial countries: a Kalman filter approach, *International Monetary Fund Staff Papers*, vol. 38, no. 3, 1991, pp. 626 - 642.
- No. 73 E. Bomhoff, Currency convertibility: when and how? A contribution to the Bulgarian debate, *Kredit und Kapital*, vol. 24, no. 3, 1991, pp. 412 - 431.
- No. 74 H. Keuzenkamp and F. van der Ploeg, Perceived constraints for Dutch unemployment policy, in C. de Neubourg (ed.), *The Art of Full Employment - Unemployment Policy in Open Economies*, Contributions to Economic Analysis 203, Amsterdam: Elsevier Science Publishers B.V. (North-Holland), 1991, pp. 7 - 37.
- No. 75 H. Peters and E. van Damme, Characterizing the Nash and Raiffa bargaining solutions by disagreement point axioms, *Mathematics of Operations Research*, vol. 16, no. 3, 1991, pp. 447 - 461.
- No. 76 P.J. Deschamps, On the estimated variances of regression coefficients in misspecified error components models, *Econometric Theory*, vol. 7, no. 3, 1991, pp. 369 - 384.
- No. 77 A. de Zeeuw, Note on 'Nash and Stackelberg solutions in a differential game model of capitalism', *Journal of Economic Dynamics and Control*, vol. 16, no. 1, 1992, pp. 139 - 145.
- No. 78 J.R. Magnus, On the fundamental bordered matrix of linear estimation, in F. van der Ploeg (ed.), *Advanced Lectures in Quantitative Economics*, London-Orlando: Academic Press Ltd., 1990, pp. 583 - 604.
- No. 79 F. van der Ploeg and A. de Zeeuw, A differential game of international pollution control, *Systems and Control Letters*, vol. 17, no. 6, 1991, pp. 409 - 414.
- No. 80 Th. Nijman and M. Verbeek, The optimal choice of controls and pre-experimental observations, *Journal of Econometrics*, vol. 51, no. 1/2, 1992, pp. 183 - 189.
- No. 81 M. Verbeek and Th. Nijman, Can cohort data be treated as genuine panel data?, *Empirical Economics*, vol. 17, no. 1, 1992, pp. 9 - 23.

- No. 82 E. van Damme and W. Güth, Equilibrium selection in the Spence signaling game, in R. Selten (ed.), *Game Equilibrium Models II - Methods, Morals, and Markets*, Berlin: Springer-Verlag, 1991, pp. 263 - 288.
- No. 83 R.P. Gilles and P.H.M. Ruys, Characterization of economic agents in arbitrary communication structures, *Nieuw Archief voor Wiskunde*, vol. 8, no. 3, 1990, pp. 325 - 345.
- No. 84 A. de Zeeuw and F. van der Ploeg, Difference games and policy evaluation: a conceptual framework, *Oxford Economic Papers*, vol. 43, no. 4, 1991, pp. 612 - 636.
- No. 85 E. van Damme, Fair division under asymmetric information, in R. Selten (ed.), *Rational Interaction - Essays in Honor of John C. Harsanyi*, Berlin/Heidelberg: Springer-Verlag, 1992, pp. 121 - 144.
- No. 86 F. de Jong, A. Kemna and T. Klock, A contribution to event study methodology with an application to the Dutch stock market, *Journal of Banking and Finance*, vol. 16, no. 1, 1992, pp. 11 - 36.
- No. 87 A.P. Barten, The estimation of mixed demand systems, in R. Bewley and T. Van Hoa (eds.), *Contributions to Consumer Demand and Econometrics, Essays in Honour of Henri Theil*, Basingstoke: The Macmillan Press Ltd., 1992, pp. 31 - 57.
- No. 88 T. Wansbeek and A. Kapteyn, Simple estimators for dynamic panel data models with errors in variables, in R. Bewley and T. Van Hoa (eds.), *Contributions to Consumer Demand and Econometrics, Essays in Honour of Henri Theil*, Basingstoke: The Macmillan Press Ltd., 1992, pp. 238 - 251.
- No. 89 S. Chib, J. Osiewalski and M. Steel, Posterior inference on the degrees of freedom parameter in multivariate-*t* regression models, *Economics Letters*, vol. 37, no. 4, 1991, pp. 391 - 397.
- No. 90 H. Peters and P. Wakker, Independence of irrelevant alternatives and revealed group preferences, *Econometrica*, vol. 59, no. 6, 1991, pp. 1787 - 1801.
- No. 91 G. Alogoskoufis and F. van der Ploeg, On budgetary policies, growth, and external deficits in an interdependent world, *Journal of the Japanese and International Economies*, vol. 5, no. 4, 1991, pp. 305 - 324.
- No. 92 R.P. Gilles, G. Owen and R. van den Brink, Games with permission structures: The conjunctive approach, *International Journal of Game Theory*, vol. 20, no. 3, 1992, pp. 277 - 293.
- No. 93 J.A.M. Potters, I.J. Curiel and S.H. Tijs, Traveling salesman games, *Mathematical Programming*, vol. 53, no. 2, 1992, pp. 199 - 211.
- No. 94 A.P. Jurg, M.J.M. Jansen, J.A.M. Potters and S.H. Tijs, A symmetrization for finite two-person games, *Zeitschrift für Operations Research - Methods and Models of Operations Research*, vol. 36, no. 2, 1992, pp. 111 - 123.

- No. 95 A. van den Nouweland, P. Borm and S. Tijs, Allocation rules for hypergraph communication situations, *International Journal of Game Theory*, vol. 20, no. 3, 1992, pp. 255 - 268.
- No. 96 E.J. Bomhoff, Monetary reform in Eastern Europe, *European Economic Review*, vol. 36, no. 2/3, 1992, pp. 454 - 458.
- No. 97 F. van der Ploeg and A. de Zeeuw, International aspects of pollution control, *Environmental and Resource Economics*, vol. 2, no. 2, 1992, pp. 117 - 139.
- No. 98 P.E.M. Borm and S.H. Tijs, Strategic claim games corresponding to an NTU-game, *Games and Economic Behavior*, vol. 4, no. 1, 1992, pp. 58 - 71.
- No. 99 A. van Soest and P. Kooreman, Coherency of the indirect translog demand system with binding nonnegativity constraints, *Journal of Econometrics*, vol. 44, no. 3, 1990, pp. 391 - 400.
- No. 100 Th. ten Raa and E.N. Wolff, Secondary products and the measurement of productivity growth, *Regional Science and Urban Economics*, vol. 21, no. 4, 1991, pp. 581 - 615.
- No. 101 P. Kooreman and A. Kapteyn, On the empirical implementation of some game theoretic models of household labor supply, *The Journal of Human Resources*, vol. 25, no. 4, 1990, pp. 584 - 598.
- No. 102 H. Bester, Bertrand equilibrium in a differentiated duopoly, *International Economic Review*, vol. 33, no. 2, 1992, pp. 433 - 448.
- No. 103 J.A.M. Potters and S.H. Tijs, The nucleolus of a matrix game and other nucleoli, *Mathematics of Operations Research*, vol. 17, no. 1, 1992, pp. 164 - 174.
- No. 104 A. Kapteyn, P. Kooreman and A. van Soest, Quantity rationing and concavity in a flexible household labor supply model, *Review of Economics and Statistics*, vol. 72, no. 1, 1990, pp. 55 - 62.
- No. 105 A. Kapteyn and P. Kooreman, Household labor supply: What kind of data can tell us how many decision makers there are?, *European Economic Review*, vol. 36, no. 2/3, 1992, pp. 365 - 371.
- No. 106 Th. van de Klundert and S. Smulders, Reconstructing growth theory: A survey, *De Economist*, vol. 140, no. 2, 1992, pp. 177 - 203.
- No. 107 N. Rankin, Imperfect competition, expectations and the multiple effects of monetary growth, *The Economic Journal*, vol. 102, no. 413, 1992, pp. 743 - 753.
- No. 108 J. Greenberg, On the sensitivity of von Neumann and Morgenstern abstract stable sets: The stable and the individual stable bargaining set, *International Journal of Game Theory*, vol. 21, no. 1, 1992, pp. 41 - 55.
- No. 109 S. van Wijnbergen, Trade reform, policy uncertainty, and the current account: A non-expected-utility approach, *American Economic Review*, vol. 82, no. 3, 1992, pp. 626 - 633.

- No. 110 M. Verbeek and Th. Nijman, Testing for selectivity bias in panel data models, *International Economic Review*, vol. 33, no. 3, 1992, pp. 681 - 703.
- No. 111 Th. Nijman and M. Verbeek, Nonresponse in panel data: The impact on estimates of a life cycle consumption function, *Journal of Applied Econometrics*, vol. 7, no. 3, 1992, pp. 243 - 257.
- No. 112 I. Bonize and E. van Damme, A dynamical characterization of evolutionarily stable states, *Annals of Operations Research*, vol. 37, 1992, pp. 229 - 244.
- No. 113 P.J. Deschamps, Expectations and intertemporal separability in an empirical model of consumption and investment under uncertainty, *Empirical Economics*, vol. 17, no. 3, 1992, pp. 419 - 450.
- No. 114 K. Kamiya and D. Talman, Simplicial algorithm for computing a core element in a balanced game, *Journal of the Operations Research*, vol. 34, no. 2, 1991, pp. 222 - 228.
- No. 115 G.W. Imbens, An efficient method of moments estimator for discrete choice models with choice-based sampling, *Econometrica*, vol. 60, no. 5, 1992, pp. 1187 - 1214.
- No. 116 P. Borm, On perfectness concepts for bimatrix games, *OR Spektrum*, vol. 14, no. 1, 1992, pp. 33 - 42.
- No. 117 A.P. Jurg, I. Garcia Jurado and P.E.M. Borm, On modifications of the concepts of perfect and proper equilibria, *OR Spektrum*, vol. 14, no. 2, 1992, pp. 85 - 90.
- No. 118 P. Borm, H. Keiding, R.P. McLean, S. Oortwijn and S. Tijs, The compromise value for NTU-games, *International Journal of Game Theory*, vol. 21, no. 2, 1992, pp. 175 - 189.
- No. 119 M. Maschler, J.A.M. Potters and S.H. Tijs, The general nucleolus and the reduced game property, *International Journal of Game Theory*, vol. 21, no. 1, 1992, pp. 85 - 106.
- No. 120 K. Wärneryd, Communication, correlation and symmetry in bargaining, *Economics Letters*, vol. 39, no. 3, 1992, pp. 295 - 300.
- No. 121 M.R. Baye, D. Kovenock and C.G. de Vries, It takes two to tango: equilibria in a model of sales, *Games and Economic Behavior*, vol. 4, no. 4, 1992, pp. 493 - 510.
- No. 122 M. Verbeek, Pseudo panel data, in L. Mátyás and P. Sevestre (eds.), *The Econometrics of Panel Data*, Dordrecht: Kluwer Academic Publishers, 1992, pp. 303 - 315.
- No. 123 S. van Wijnbergen, Intertemporal speculation, shortages and the political economy of price reform, *The Economic Journal*, vol. 102, no. 415, 1992, pp. 1395 - 1406.
- No. 124 M. Verbeek and Th. Nijman, Incomplete panels and selection bias, in L. Mátyás and P. Sevestre (eds.), *The Econometrics of Panel Data*, Dordrecht: Kluwer Academic Publishers, 1992, pp. 262 - 302.

- No. 125 J.J. Sijben, Monetary policy in a game-theoretic framework, *Jahrbücher für Nationalökonomie und Statistik*, vol. 210, no. 3/4, 1992, pp. 233 - 253.
- No. 126 H.A.A. Verbon and M.J.M. Verhoeven, Decision making on pension schemes under rational expectations, *Journal of Economics*, vol. 56, no. 1, 1992, pp. 71 - 97.
- No. 127 L. Zou, Ownership structure and efficiency: An incentive mechanism approach, *Journal of Comparative Economics*, vol. 16, no. 3, 1993, pp. 399 - 431.
- No. 128 C. Fershtman and A. de Zeeuw, Capital accumulation and entry deterrence: A clarifying note, in G. Feichtinger (ed.), *Dynamic Economic Models and Optimal Control*, Amsterdam: Elsevier Science Publishers B.V. (North-Holland), 1992, pp. 281 - 296.
- No. 129 L. Bovenberg and C. Petersen, Public debt and pension policy, *Fiscal Studies*, vol. 13, no. 3, 1992, pp. 1 - 14.
- No. 130 R. Gradus and A. de Zeeuw, An employment game between government and firms, *Optimal Control Applications & Methods*, vol. 13, no. 1, 1992, pp. 55 - 71.
- No. 131 Th. Nijman and R. Beetsma, Empirical tests of a simple pricing model for sugar futures, *Annales d'Économie et de Statistique*, no. 24, 1991, pp. 121 - 131.
- No. 132 F. Groot, C. Withagen and A. de Zeeuw, Note on the open-loop Von Stackelberg equilibrium in the Cartel versus Fringe model, *The Economic Journal*, vol. 102, no. 415, 1992, pp. 1478 - 1484.
- No. 133 S. Eijffinger and N. Gruijters, On the effectiveness of daily intervention by the Deutsche Bundesbank and the Federal Reserve System in the US dollar - deutsche mark exchange market, in Baltensperger/Sinn (eds), *Exchange-Rate Regimes and Currency Unions*, Basingstoke: The Macmillan Press Ltd., 1992, pp. 131 - 156.
- No. 135 A. K. Bera and S. Lee, Information matrix test, parameter heterogeneity and ARCH: a synthesis, *Review of Economic Studies*, 60, 1993, pp. 229 - 240.
- No. 136 H. G. Bloemen and A. Kapteyn, The joint estimation of a non-linear labour supply function and a wage equation using simulated response probabilities, *Annales d'Économie et de Statistique*, No. 29, 1993, pp. 175 - 205.
- No. 137 H. Bester, Bargaining versus price competition in markets with quality uncertainty, *The American Economic Review*, Vol. 83, No. 1, March 1993, pp. 278 - 288.
- No. 138 K. Wärneryd, Anarchy, uncertainty, and the emergence of property rights, *Economics and Politics*, Vol. 5, No. 1, March 1993, pp. 1 - 14.
- No. 139 A. L. Bovenberg and L.H. Goulder, Promoting investment under international capital mobility: an intertemporal general equilibrium analysis, *The Scandinavian Journal of Economics*, Vol. 95, No. 2, 1993, pp. 133 - 156.
- No. 140 S. Eijffinger and E. Schaling, Central bank independence in twelve industrial countries, *Banca Nazionale del Lavoro Quarterly Review*, No. 184, March 1993, pp. 49 - 89.

- No. 141 S. Eijffinger and A. van Rixtel, The Japanese financial system and monetary policy: a descriptive review, *Japan and the World Economy*, Vol. 4, No. 4, 1992, pp 291-309.
- No. 142 A. L. Bovenberg, Investment-promoting policies in open economies: the importance of intergenerational and international distributional effects, *Journal of Public Economics*, Vol. 51, 1993, North Holland, pp. 3-54 .
- No. 143 A. Özcam, G. Judge, A. Bera and T. Yancey, The risk properties of a pre-test estimator for Zellner's seemingly unrelated regression model, *Journal of Quantitative Economics*, Vol. 9, No. 1, January 1993, pp. 41-52.
- No. 144 F. C. Drost and T. E. Nijman, Temporal aggregation of garch processes, *Econometrica*, Vol. 61, No. 4, July 1993, pp. 909-927.
- No. 145 J. J. G. Lemmen and S.C.W. Eijffinger, The degree of financial integration in the European Community, *De Economist*, Vol. 141, No. 2, 1993, pp. 189-213.
- No. 146 R. Sarin and P. Wakker, A simple axiomatization of nonadditive expected utility, *Econometrica*, Vol. 60, No. 6, November 1992, pp. 1255-1272.
- No. 147 S. Muto, On licensing policies in bertrand competition, *Games and Economic Behaviour*, 5, 1993, pp. 257-267.
- No. 148 M. Verbeek and T. Nijman, Minimum MSE estimation of a regression model with fixed effects from a series of cross-sections, *Journal of Econometrics*, 59, 1993, pp. 125-136.
- No. 149 R. de Groof and M. van Tuijl, Financial integration and fiscal policy in interdependent two-sector economies with real and nominal wage rigidity, *European Journal of Political Economy*, Vol. 9, 1993, North Holland, pp. 209-232.
- No. 150 A. van Soest, A. Kapteyn and P. Kooreman, Coherency and regularity of demand systems with equality and inequality constraints, *Journal of Econometrics*, Vol. 57, 1993, North- Holland, pp. 161-188.
- No. 151 W. Härdle and A.B. Tsybakov, How sensitive are average derivatives?, *Journal of Econometrics*, Vol. 58, 1993, North-Holland, pp. 31-48.
- No. 152 H. Bester, The role of collateral in a model of debt renegotiation, *Journal of Money, Credit and Banking*, Vol. 26, No. 1, February 1994, pp. 72-86.
- No. 153 J. J. Sijben, Credit markets, financial fragility, and the real economy, *Kredit und Kapital*, Vol. 26, No. 4, 1993, pp. 481-515.
- No. 154 Y. Dai and D. Talman, Linear stationary point problems on unbounded polyhedra, *Mathematics of Operations Research*, Vol. 18, No. 3, August 1993, pp. 635-644.

P.O. BOX 90153 5000 LE TILBURG THE NETHERLANDS

Bibliotheek K. U. Brabant

17 000 01158989 3