

Tilburg University

Does a 7-day restriction on the use of social media improve cognitive functioning and emotional well-being?

van Wezel, Marloes; Abrahamse, Elger; Vanden Abeele, Mariek

Published in:
Addictive Behaviors Reports

DOI:
[10.1016/j.abrep.2021.100365](https://doi.org/10.1016/j.abrep.2021.100365)

Publication date:
2021

Document Version
Publisher's PDF, also known as Version of record

[Link to publication in Tilburg University Research Portal](#)

Citation for published version (APA):

van Wezel, M., Abrahamse, E., & Vanden Abeele, M. (2021). Does a 7-day restriction on the use of social media improve cognitive functioning and emotional well-being? Results from a randomized controlled trial. *Addictive Behaviors Reports*, 14, Article 100365. <https://doi.org/10.1016/j.abrep.2021.100365>

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.



Does a 7-day restriction on the use of social media improve cognitive functioning and emotional well-being? Results from a randomized controlled trial

Marloes M.C. van Wezel^{a,*}, Elger L. Abrahamse^{a,b}, Mariek M.P. Vanden Abeele^{a,c}

^a Department of Cognition and Communication, School of Humanities and Digital Sciences, Tilburg University, Postbus 90153, 5000 LE Tilburg, Netherlands

^b Department of Educational Sciences, Atlántico Medio University, Spain

^c imec-mict-Ugent, Ghent University, Korte Meer 9-11, 9000 Gent, Belgium

ARTICLE INFO

Keywords:

Screen time
Screen time intervention
Sustained attention
Cognitive performance
Emotional well-being
Self-report bias

ABSTRACT

Introduction: Screen time apps that allow smartphone users to manage their screen time are assumed to combat negative effects of smartphone use. This study explores whether a social media restriction, implemented via screen time apps, has a positive effect on emotional well-being and sustained attention performance.

Methods: A randomized controlled trial ($N = 76$) was performed, exploring whether a week-long 50% reduction in time spent on mobile Facebook, Instagram, Snapchat and YouTube is beneficial to attentional performance and well-being as compared to a 10% reduction.

Results: Unexpectedly, several participants in the control group pro-actively reduced their screen time significantly beyond the intended 10%, dismantling our intended screen time manipulation. Hence, we analyzed both the effect of the original manipulation (i.e. treatment-as-intended), and the effect of participants' relative reduction in screen time irrespective of their condition (i.e. treatment-as-is). Neither analyses revealed an effect on the outcome measures. We also found no support for a moderating role of self-control, impulsivity or Fear of Missing Out. Interestingly, across all participants behavioral performance on sustained attention tasks remained stable over time, while perceived attentional performance improved. Participants also self-reported a decrease in negative emotions, but no increase in positive emotions.

Conclusion: We discuss the implications of our findings in light of recent debates about the impact of screen time and formulate suggestions for future research based on important limitations of the current study, revolving among others around appropriate control groups as well as the combined use of both subjective and objective (i.e., behavioral) measures.

1. Introduction

Smartphones are a valuable addition to modern life: They provide unlimited access to information and facilitate social interactions at all places, at all times (Vanden Abeele, 2020; Vanden Abeele, Beullens, & Roe, 2013). Despite these valuable assets, smartphone use is under scrutiny as research suggests that (over-)use adversely is associated with, among others, reduced emotional well-being (e.g., Twenge & Campbell, 2018, 2019; Twenge, Martin, & Campbell, 2018) and reduced capacity for sustained attention (e.g., Ophir, Nass, & Wagner, 2009; Ralph, Thomson, Chayne, & Smilek, 2014). Screen time apps promise help to individuals in countering these negative effects by helping them

to better manage their 'screen time'. Screen time apps such as MyTime (Hiniker et al., 2016), but also the Screen Time and Digital Well-being features embedded in iOS and Android temporarily limit the use of the phone, often by placing time restrictions on a selection of apps. They log usage and enable users to set timers that limit their usage (Rooksby, Asadzadeh, Rost, Morrison, & Chalmers, 2016). They operate under the idea that self-imposed limits may – at least temporarily – reverse some of the adverse consequences of smartphone use.

Research shows that screen time apps are typically perceived as effective: On average, users report that screen time app use reduces the use of the 'time-wasting apps' by 21% (Hiniker, Hong, Kohno, & Kientz, 2016). Moreover, a handful of recent studies suggest that intervention-

* Corresponding author.

E-mail addresses: m.m.c.vanwezel@tilburguniversity.edu (M.M.C. van Wezel), e.l.abrahamse@tilburguniversity.edu (E.L. Abrahamse), mariek.vandenabeele@ugent.be (M.M.P. Vanden Abeele).

<https://doi.org/10.1016/j.abrep.2021.100365>

Received 18 February 2021; Received in revised form 20 May 2021; Accepted 8 June 2021

Available online 15 June 2021

2352-8532/© 2021 The Authors.

Published by Elsevier Ltd.

This is an open access article under the CC BY-NC-ND license

(<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

induced change in smartphone and social media use leads to self-perceived improvements in well-being (e.g., Brailovskaia, Ströse, Schillack, & Margraf, 2020; Tromholt, 2016; Stieger & Lewetz, 2018). However, experimental studies of this type remain scarce, even though they are critical in exposing causality. Moreover, the majority have zoomed in only on emotional well-being, while few have explored impacts on dedicated cognitive functions. This is unfortunate, given that mobile social media use has been related to reduced attentional and memory performance (e.g., Uncapher et al., 2017; Rosen, Carrier, & Cheever, 2013; Judd, 2014). Intervention-induced changes in mobile social media use can be predicted to lead to improved attentional performance, but such causality has not yet been intensely tested.

The central goal of the current study is to explore in a randomized controlled trial whether restricting social media use through a screen time app affects sustained attention (RQ1), and whether personality traits such as self-control, impulsivity and Fear of Missing Out (FoMO) moderate this effect (RQ2). Additionally, we replicate prior research by also exploring the impact on emotional well-being (RQ3), as prior research shows mixed findings (e.g., Brailovskaia et al., 2020; Tromholt, 2016; Stieger & Lewetz, 2018 versus Hall, Xing, Ross, & Johnson, 2021; Przybylski, Thuy-ve, Law, & Weinstein, 2021). To address these questions, participants in an experimental group underwent a 7-day 50% reduction in their use of four popular social media apps: Facebook, Instagram, Snapchat and YouTube (de Best, 2019). This was compared to a control group undergoing a 7-day screen time intervention of only 10%. The choice for a 10% reduction (rather than no reduction at all) in the control group was opted in an attempt to avoid Hawthorne-like effects (cf. McCambridge, Witton, & Elbourne, 2014; Taylor, 2004), making sure that the control group also underwent an active demand. In addition, given that prior research links active use of social media to positive rather than negative well-being outcomes (e.g., Escobar-Viera et al., 2018) and posits that total abstinence may force individuals to 'throw out the good with the bad' (Vanden Abeele, 2020), the experimental group was exposed to a 50% reduction rather than a 100% reduction. As such, participants could potentially still benefit from active social media use, which is generally positively linked to well-being, while reducing their passive social media use, which is negatively linked to well-being (e.g., Escobar-Viera et al., 2018). Anticipating the results, these choices in manipulation did not have the expected effect and this will be discussed in the Discussion section.

1.1. Social media use and attention

Sustained attention refers to our ability to maintain focused on a specific task over longer periods of time, without getting distracted (Esterman & Rothlein, 2019). Studies suggest that smartphone use impedes people's attentional performances (e.g., Kushlev, Proulx, & Dunn, 2016; Rosen et al., 2013; Uncapher et al., 2017; Ward, Duke, Gneezy, & Bos, 2017; Wei, Wang, & Klausner, 2012). This has been attributed to the fact that smartphones – and the social media platforms they give access to – promote multi-tasking. Such smartphone multi-tasking may have both immediate and enduring effects on sustained attention.

Various experiments, cross-sectional surveys and observational studies have found immediate distraction effects of smartphone use taking place during the execution of tasks that require sustained attention (e.g., Rosen et al., 2013; Kushlev et al., 2016; Ward et al., 2017; Wei et al., 2012). Especially social media are a culprit: They form a source of external distraction via their push notifications (see Kushlev et al., 2016) and give way to internal distractions (e.g., smartphone related thoughts, see Ward et al., 2017), occupying attention needed for tasks ahead. Studies point at activity in the brain's reward center in response to social media use (Montag et al., 2017; Wilmer & Chein, 2016; Meshi, Morawetz, & Heekeren, 2013), suggesting that social

media induce fragmented usage patterns via processes of positive intermittent reinforcement (Oulasvirta, Rattenbury, Ma, & Raita, 2012; Van Deursen, Bolle, Hegner, & Kommers, 2015), which scatter attentional focus (Monsell, 2003). It should be noted, however, that while several studies have exposed negative associations between social media use and sustained attention, the large majority of these findings was correlational in nature and focused on concurrent task performance (i.e., the impact of social media use while performing an attention task) rather than an impact of general use of social media on the longer-term *capacity* for sustained attention. That there may also be such enduring consequences of general use of social media for capacity for sustained attention, is suggested by only a few studies (Fitz et al., 2019; Madore et al., 2020). Fitz et al. (2019) found that reduced exposure to distracting smartphone notifications increases self-reported attention and productivity. Furthermore, Madore et al. (2020) found that heavy media multi-tasking relates to increased experiences of attentional lapses in general. Given these findings, one might expect that restricting mobile social media use might benefit one's capacity for sustained attention.

While research on both the immediate and enduring impact of social media use on attention is still growing, we are currently witnessing the emergence of new initiatives that aim to improve people's capacity for attention by restricting their digital media access and use. For instance, screen time apps such as ForestTM, Google Digital Wellbeing or Apple Screen Time enable individuals to restrict their access and use of the smartphone or social media, among others with the aim to re-gain or keep focus.

To date, however, evidence concerning the effectiveness of these apps, which artificially reduce one's screen time, remains limited. Indeed, the theoretical evidence for a causal relationship between reduced social media use and increased capacity for sustained attention is propitious. In order to establish causality between social media use and one's capacity for sustained attention, intervention studies are a promising tool. Social media screen time is reduced for a longer period of time, in order to examine enduring impacts on sustained attention by comparing sustained attention measures before versus after such an intervention. As such, a first aim of this study is to explore whether social media use negatively impacts one's capacity for sustained attention, when using objective, behavioral measures of attention and social media use instead of self-report measures. To that end, we perform a randomized controlled trial in which we examine the effect of social media screen time restrictions (10% versus 50% restrictions for the control and experimental groups, respectively; see Method section for elaboration) on both behavioral measures of attention and self-report measures for assessing sustained attention performance. We expect that:

H1a. A 7-day social media screen time reduction of 50% leads to a greater improvement in objective sustained attentional performance than a 7-day social media screen time reduction of 10%.

H1b. A 7-day social media screen time reduction of 50% leads to a greater improvement in self-reported sustained attentional performance than a 7-day social media screen time reduction of 10%.

1.2. Social media screen time and emotional well-being

A secondary aim of this study is to explore if a mobile social media restriction also benefits emotional well-being. The literature on this association between social media use and emotional well-being points towards both negative (Twenge & Campbell, 2018, 2019; Twenge et al., 2018) and positive effects (Przybylski & Weinstein, 2017). For instance, Twenge and Campbell (2018) found that social media screen time negatively predicts well-being outcomes such as depressive symptoms and anxiety in girls. Orben and Przybylski (2019a, 2019b), however, warn for false positives due to flexible analysis of very large data sets,




Fig. 1. Sample flow chart.

and other studies show that moderate digital technology use is not per se harmful for adolescents, but may even assist them in modern society (Przybylski & Weinstein, 2017).

Given the above, it might not be surprising that evidence on the effect of screen time restrictions on emotional well-being is also mixed. A number of studies found that a longer period of reduced social media use leads to increased emotional well-being, life satisfaction and/or the experience of positive emotions (e.g., Brailovskaia et al., 2020; Graham, Mason, Riordan, Winter, & Scarf, 2020; Stieger & Lewetz, 2018; Tromholt, 2016), as well as to decreased feelings of loneliness and depression (Hunt, Marx, Lipson, & Young, 2018). Similar results have been found in social media abstinence studies (Brown & Kuss, 2020; Turel, Cavagnaro, & Meshi, 2018). Interestingly, Fioravanti, Probst, and Casale (2020) found these effects only for women, and not for men. Other studies found no or even reversed effects (e.g., Hall et al., 2021; Przybylski, Thuy-vy, Law, & Weinstein, 2021). These mixed findings are likely in part due to differences in the interventions used (e.g., whether it focuses on general smartphone use or social media only; the length of the intervention), the mechanisms examined (e.g., complete versus partial abstinence) and the outcome measures that are focused on (e.g., generalized well-being versus anxiety). Further research is needed to help to clarify when, why, and for which outcomes these types of interventions may be beneficial.

Several scholars have suggested that complete abstinence forces people to sacrifice the ‘good’ of social media together with the ‘bad’ (cf. Vanden Abeele, 2020). Namely, participants’ passive use of social media is typically associated with negative outcomes (though recent work points at influences of persons-specific characteristics on this relationship; Valkenburg, Beyens, Pouwels, van Driel & Keijsers, 2021), while active use of social media (i.e. actively posting, commenting and interacting) is typically associated with positive outcomes (e.g., Escobar-Viera et al., 2018; Hanley, Watt, & Coventry, 2019). For this reason, a partial reduction may be more beneficial than complete abstinence,

since a partial reduction may successfully reduce participants’ passive use, while not removing opportunities for active use of social media. Consequently, we expect that:

H2. A 7-day social media screen time reduction of 50% leads to a greater improvement in emotional well-being than a 7-day social media screen time reduction of 10%.

1.3. Inter-individual variability in the effectiveness of screen time interventions

It is likely that there is inter-individual variance in the effectiveness of a social media screen time restriction. A factor that may moderate the effect on participants’ capacity for sustained attention is self-control. Self-control refers to the conscious exertion of control over responses (Baumeister, Vohs, & Tice, 2007). A construct closely, yet negatively associated with self-control is impulsivity, or the tendency to prefer short-term stimulus-driven actions (Nigg, 2017). Self-control enables a person to align their behavior with personal standards and long-term goals (Baumeister et al., 2007). Individuals high in self-control, or low in impulsivity, may be better at avoiding smartphone-induced interruptions when focusing their attention on a task. Several studies support this assumption. Wei et al. (2012), for example, found that students who were better at self-regulating, were less likely to text during class, which was in turn positively associated with their sustained attention performances. Similarly, individuals high in self-control show less habitual smartphone use and experience less difficulty to enact self-control strategies over their smartphone behavior (Brevers & Turel, 2019). Self-control and impulsivity might moderate the effectiveness of a social media screen time intervention on participants’ capacity for sustained attention. Because individuals low in self-control, and/or high in impulsivity experience more problems keeping their smartphone use under control (e.g., Brevers & Turel, 2019; Wei et al., 2012), these individuals may benefit more from an intervention:

H3a. Self-control moderates the effect of the intervention on sustained attention: The expected improvement is larger for those low in self-control compared to those high in self-control.

H3b. Impulsivity moderates the effect of the intervention on sustained attention: The expected improvement is larger for those high in impulsivity compared to those low in impulsivity.

Fear of Missing Out (FoMO) may moderate the effect of a social media screen time restriction on emotional well-being. Individuals with higher FoMO desire more strongly to stay connected and updated all the time (Przybylski, Murayama, DeHaan, & Gladwell, 2013). Social media offers a very attractive way to fulfil this desire (Przybylski et al., 2013). A social media screen time restriction may negatively impact the emotional well-being of individuals high in FoMO because it reduces their possibility to stay up to date of what others are doing (cf. Blackwell, Leaman, Tramosch, Osborne, & Liss, 2017; Franchina, Vanden Abeele, Van Rooij, Lo Coco, & De Marez, 2018). Hence, we expect that:

H4. The Fear of Missing Out (FoMO) moderates the effect of the intervention on emotional well-being: The expected improvement is larger for those low in FoMO compared to those high in FoMO.

Table 1
Demographics specified per condition.

	Experimental (N = 40)	Control (N = 36)
Age	21.42 (SD = 3.75)	20.47 (SD = 2.92)
Women	26	23
Men	14	13
Android	26	21
iPhone	14	15
Dutch	31	26
Non-Dutch	9	10
Use timers already	2	4




Fig. 2. Timeline SART showing 3 trials with digits (250 ms) and a mask (900 ms).

2. Method

2.1. Participants

The study took place over the course of 3 weeks in February 2020. In total, 102 student participants enrolled for the study, of which 101 had access to a screen time feature on their Android or iPhone and could thus participate in the study. Another five participants were excluded at the end of the baseline measurement because their screen time feature was not activated, and they could therefore not ‘donate’ their smartphone use data. Four participants were additionally excluded because of missing data, for example due to them using the mousepad instead of the mouse to respond to the Metronome Response Task (MRT), resulting in a non-response. Another sixteen participants were excluded because they used less than two of the four social media apps of interest (one of these was already excluded because the screen time feature was inactive). Excluding the latter group of participants did not affect the main findings reported below – those directly related to our hypotheses stated above¹. Finally, one participant was excluded because his data donation was incorrectly reported in the data set, leading to an extreme outlier in relative reduced screen time. The final sample used for the data analysis thus involved 76 participants ($N_{male} = 27$, $N_{female} = 49$, $M_{age} = 20.95$, $SD = 3.38$). Fig. 1 presents a CONSORT flow chart of the phases of the randomized controlled trial. Forty participants were in the experimental group and 36 were in the control group. Forty-seven individuals used an Android phone, 29 an iPhone. Six individuals already used an app timer on their phone. The demographics for each condition are specified in Table 1.

2.2. Materials and measures

2.2.1. Logged smartphone use

Because self-reports of smartphone use are notoriously inaccurate (Sewall, Bear, Merranko, & Rosen, 2020; Shaw et al., 2020; Kaye, Orben, Ellis, Hunter, & Houghton, 2020; Whitlock & Masur, 2019;), we assessed screen time by asking participants to donate their behavioral smartphone use data as collected via the Screen Time feature for iPhone and

¹ When including also the participants that used 2 or less apps of interest, the treatment-as-intended analyses (with similar Bonferroni corrections applied as in main analyses) did not change the results with respect to the hypotheses: for the attention measures (Bonferroni corrected $\alpha = 0.01$), all insignificant findings remained insignificant (p 's ≥ 0.032); and for the well-being measures (Bonferroni corrected $\alpha = 0.025$), all insignificant findings remained insignificant (p 's ≥ 0.100). For the treatment as-is analysis, for the attention measures (Bonferroni corrected $\alpha = 0.01$), all insignificant findings remained insignificant (p 's ≥ 0.061); for the well-being measures (Bonferroni corrected $\alpha = 0.025$), all insignificant findings remained insignificant (p 's ≥ 0.078). The only hypotheses-related difference with the analyses in the main text is that the interaction between self-control and relative reduction of social media screen time significantly predicted pre- to post-test-differences in cognitive errors due to attentional lapses ($b = -0.012$, $p = .008$), which is in line with the hypothesis that the screen time intervention impacts people high in self-control to a lesser extent than those low in self-control (H3a).

the Digital Well-being feature for Android. Twelve students used an alternative third-party app ($N_{Actiondash} = 3$, $N_{Digital_balance} = 6$, $N_{Digitox} = 2$). Four of these students could not set a time restriction. These were assigned to the control group². We registered average daily smartphone screen time in the form of time spent (minutes), number of pickups and number of received notifications. We collected these measures for the mobile applications of WhatsApp, Instagram, Facebook, Snapchat, YouTube, and for the participants' total screen activity³.

2.2.2. Behavioral measures of sustained attention

We administered two behavioral measures of sustained attention: the Sustained Attention to Response Task (SART) and the Metronome Response Task (MRT). The SART procedure from Robertson, Manly, Andrade, Baddeley, and Yiend (1997) was adopted and slightly adjusted. Participants were exposed to 450 randomized images of digits in different sizes and fonts (Hilbert, Nakagawa, Schuett, & Zihl, 2014) (1–9; 50 times per digit; visible for 250 ms; see Fig. 2) that were followed by a mask (900 ms), and asked to press the spacebar for every digit, except in the case of a 3. All digits were presented 45 times. A practice round was executed to get familiar with the task. Participants were told to focus on both accuracy and speed. No feedback was given during the trials. The total task took around 7 min, and provided a measure of both response time ($M_{pre} = 321.08$ ms, $SD = 68.62$, $M_{post} = 317.77$ ms, $SD = 76.36$) and response accuracy ($M_{pre} = 0.93$, $SD = 0.04$, $M_{post} = 0.92$, $SD = 0.05$).

The MRT was administered using Seli, Cheyne, and Smilek (2013) procedure. Participants were instructed to click a computer mouse in synchrony with an auditory beep tone. One trial took 1,300 ms and started off with silence (650 ms), then the beep (75 ms), followed by silence (575 ms). The total task included 450 trials (about 10 min). We calculated participant's response variability (Seli et al., 2013) by first calculating the rhythmic response times (RRTs) – the time between the tone onset and the clicking response – for each trial. Then, we calculated the variance of the absolute RRT values over a five-trial moving window to avoid outliers from influencing the overall outcome. As this variance had a skewed distribution, we used a natural logarithmic transformation to obtain a normal distribution ($M_{pre} = 6.03$, $SD = 0.62$, $M_{post} = 6.01$, $SD = 0.63$).

For the SART, lower response times indicate faster performances and higher accuracy scores indicate more accurate performances. For the

² Excluding these four participants (who thus had a 0% screen time restriction) did not impact the hypotheses-related findings: for the attention measures (Bonferroni corrected $\alpha = 0.01$), all insignificant findings remained insignificant (p 's ≥ 0.043); and for the well-being measures (Bonferroni corrected $\alpha = 0.025$), all insignificant findings remained insignificant (p 's ≥ 0.221). For the treatment as-is analysis, for the attention measures (Bonferroni corrected $\alpha = 0.01$), all insignificant findings remained insignificant (p 's ≥ 0.022); for the well-being measures (Bonferroni corrected $\alpha = 0.025$), all insignificant findings remained insignificant (p 's ≥ 0.040).

³ For some third-party apps there was no pickup or notification info available, but as the main focus of this study is on screen time these participants were still included in further analyses.

MRT, lower scores indicate greater synchrony with the beeps.

2.2.3. Self-report measures of sustained attention

We administered two self-report scales to measure participants' perceptions of attention. We assessed the perceived *frequency of experienced attentional lapses* using the 12-item MAAS-LO scale by Carriere, Cheyne, and Smilek (2008) (*pre-test: $\alpha = 0.83$, post-test: $\alpha = 0.89$* ; 1 = Never to 7 = Very often). An example item is "During the past week... I could be experiencing some emotion and not be conscious of it until sometime later". Second, we measured the *frequency of experienced cognitive errors due to attentional lapses* with Carriere et al. (2008) 12-item ARCES scale (*pre-test: $\alpha = 0.89$, post-test: $\alpha = 0.91$* ; 1 = Never to 7 = Very often). An example item is "During the past week... I have gone to the fridge to get one thing (e.g., milk) and taken something else (e.g., juice)". Higher scores on these measures indicate experiencing more attentional lapses (MAAS-LO), and more cognitive errors due to attentional lapses (ARCES).

2.2.4. Emotional well-being

To measure emotional well-being, a shortened version of the 20-item PANAS scale by Watson, Clark, and Tellegen (1988) was used with five positive affect items (*pre-test: $\alpha = 0.73$, post-test: $\alpha = 0.79$* ; 1 = Never to 7 = Very often) and five negative affect items (*pre-test: $\alpha = 0.48$, post-test: $\alpha = 0.56$* ; 1 = Never to 7 = Very often). The positive emotions used were interested, excited, proud, alert and active. The negative emotions used were distressed, upset, guilty, scared and irritable. A higher score indicated more frequent experiences of positive or negative emotions respectively.

2.2.5. Fear of Missing Out

We assessed FoMO using the 10-item scale of Przybylski et al. (2013) (*pre-test: $\alpha = 0.78$, post-test: $\alpha = 0.83$* ; 1 = Strongly disagree to 7 = Strongly agree). An example item is "I fear others have more rewarding experiences than me". A higher score indicates higher FoMO. For the moderator analysis, this variable was recoded into a dichotomous variable with the mean score of the pre-test as cut-off score ($M = 3.92$, $SD = 0.88$). Individuals scoring higher than this cut-off score were categorized as "High FoMO" (55.3% of the sample), those lower than the cut-off score were categorized as "Low FoMO" (44.7%).

2.2.6. Impulsivity

To measure impulsivity, we used the revised 30-item Barratt Impulsivity Scale version 11 (BIS-11) by Patton, Stanford, and Barratt (1995) ($\alpha = 0.83$). An example item is "I often have extraneous thoughts when thinking" (1 = Strongly disagree to 7 = Strongly agree). A higher score indicated more impulsivity. To be included in the moderator analysis, this variable was recoded into a dichotomous variable with the mean score as cut-off score ($M = 3.58$, $SD = 0.59$). Individuals scoring higher than this cut-off score were categorized as "High impulsivity" (52.6% of the sample), those lower than the cut-off score were categorized as "Low impulsivity" (47.4%).

2.2.7. Self-control

Self-control was measured using the 9-item self-regulation scale by Van Deursen and colleagues (2015) ($\alpha = 0.80$). An example item is "I can concentrate on one activity for a long time, if necessary" (1 = Strongly disagree to 7 = Strongly agree). A higher score indicates greater self-control. To be included in the moderator analysis, this variable was recoded into a dichotomous variable with the mean score as cut-off score ($M = 4.09$, $SD = 0.85$). Individuals scoring higher than this cut-off score were categorized as "High self-control" (51.3% of the sample), those lower than the cut-off score were categorized as "Low self-control" (48.7%).

We collected three additional measures that concern participants' perceptions of their own smartphone use for exploratory analyses:

2.2.8. Habitual smartphone use

We assessed self-reported habitual smartphone use with an adapted version of Verplanken and Orbell (2003) 10-item Self-Reported Habitual Index (SRHI) (*pre-test: $\alpha = 0.86$, post-test: $\alpha = 0.87$*). An example item is "My smartphone is something I use frequently" (1 = Strongly disagree to 7 = Strongly agree). A higher score indicates more habitual smartphone use.

2.2.9. Problematic smartphone use

To assess problematic smartphone use, we administered the 27-item Mobile Phone Problem Use Scale (MMPUS) by Bianchi and Phillips (2005) (*pre-test: $\alpha = 0.87$, post-test: $\alpha = 0.90$*). An example item is "I can never spend enough time on my mobile phone" (1 = Strongly disagree to 7 = Strongly agree). A higher score indicates more problematic smartphone use.

2.2.10. Self-reported smartphone use

A self-reported measure of smartphone use was included for exploratory purposes. Three open-ended questions asked for daily screen time in minutes, daily pickups and daily received notifications. These estimates were collected for smartphone use in general, and for overall social media use.

2.2.11. Self-perceived response to the intervention

Finally, we asked questions to gauge participants' perceptions of the intervention. In the post-test measure, we asked participants (1) if they had used the restricted social media apps more frequently on alternative devices (1 = Completely disagree, 7 = Completely agree), (2) whether they had deactivated and then reinstalled the timers (Yes/No/Don't want to say), and (3) how much they had struggled to respect the timers per app (1 = Completely disagree to 7 = Completely agree and 8 = Not applicable).

2.3. Procedure

Participants came to the lab, received a unique participant number and provided their informed consent to participate in a study that they were told "examines the effect of a screen time intervention on cognitive and emotional outcomes". A maximum of 10 participants participated during each timeslot ($M = 6.4$ participants per session). We randomized participants by assigning even participant numbers to the experimental and uneven numbers to the control group. Participants took place behind a table equipped with a laptop, a headphone and mouse. Tables were positioned so that there were minimal distractions from the environment or other participants. Depending on the number of enrolled participants in a session, the experiment leader was accompanied by one or two student assistants to help. The study was approved by the university's Ethical Review Board (#2019.139).

Participants first performed one of two sustained attention tasks (the order was counterbalanced across participants). Next, they completed self-report measures for sustained attention, personality, and mood. Third, they performed the remaining sustained attention task. Fourth, participants donated their smartphone use data from the 7 days preceding the baseline measurement by letting the researchers copy the information from the Apple Screen Time, respectively Android Digital Well-being feature, in an Excel sheet. Finally, the experimental manipulation was implemented: Timers were installed to limit the participant's use of Facebook, Instagram, Snapchat and YouTube for the upcoming week. The relative screen time reduction for these apps was 50% in the experimental group and 10% in the control group. We opted for a 10% reduction (as opposed to for example no reduction at all) in the control group to prevent Hawthorne(-like) effects (McCannbridge et al., 2014; Taylor, 2004).

Precisely 7 days later, participants were re-invited to the lab. They

Table 2
Independent samples *t*-test of differences in relative reduction between conditions.

	Mean relative reduction (%)	SD	95% CI Bootstrap N = 1,000	df	t	p
Facebook					1.49	0.141
Control	49.74%	26.19	40.62, 59.41			
Experimental	58.32%	20.53	51.21, 64.74	64		
Instagram				73	3.40	0.001*
Control	35.01%	27.83	25.67, 44.09			
Experimental	53.72%	19.39	47.37, 59.66			
Snapchat				63	1.00	0.322
Control	26.82%	48.73	6.86, 40.68			
Experimental	38.56%	46.07	21.26, 52.85			
YouTube				57	1.18	0.245
Control	53.76%	43.64	36.32, 68.34			
Experimental	66.29%	38.26	51.46, 78.25			
Social Media Screen Time						
Control	38.01%	25.61	29.14, 46.19	57.69	3.83	<0.001**
Experimental	56.59%	16.07	51.69, 61.55			
Total Daily Screen Time						
Control	14.59%	30.02	3.95, 23.39	74	-0.28	0.779
Experimental	12.55%	32.78	2.46, 22.78			

Note. Social media screen time is a combined measure of screen time of Facebook, Instagram, Snapchat and YouTube. Total screen time is the total daily amount of time spent on the smartphones, including all app activities.

* $p < .01$, ** $p < .001$

completed the same measures in the same location and order, using the same procedure. However, impulsivity and self-control were not re-measured, as these were considered stable over time. Finally, we asked participants how they experienced the intervention week.

2.4. Data analysis

All data analyses were performed using SPSS. We first conducted *t*-tests with the manipulation as the independent variable and the relative reduction based on the donated screen time measures (total and app-specific) as dependent variables, to examine if our manipulation had succeeded. A relative reduction score was computed by the formula $(1 - \text{post/pre}) \times 100\%$. Positive relative reductions indicate a reduced screen time at the post-test, while negative relative reductions indicate an increased screen time at the post-test as compared to the pre-test. Bootstrapping with $N = 1,000$ was applied to infer more reliable estimates. As we will elaborate in the Results and Discussion sections, these analyses indicated that the manipulation had failed.

The large standard deviations in the relative reduction of social media screen time (see Table 2 in the Results section) show that there was substantial variability between participants, independent of the condition they were in. This implies that we can meaningfully assess the effect of the relative reduction in social media screen time, independent of the condition participants were in using the intention-to-treat method (McCoy, 2017). This method is common in randomized controlled trials and offers a way to further explore both successful and failed manipulations. Below we report both the results from the treatment-as-intended (i.e., in function of the manipulation), and from the treatment-as-is.

To analyze the effect of the treatment-as-intended, we performed a series of repeated measures AN(C)OVA's with the condition and the dichotomized moderators as the fixed factors, and the outcome measures as the dependent variables⁴. To analyze the effect of the treatment-as-is, we performed multiple regression analyses, with the relative

⁴ Though the MRT variability was log-transformed, the distribution was still not normal, nor were the distributions of experienced cognitive errors, negative feelings, SART accuracy and SART response times. Despite this violation of the assumption of normality, produced *p*-values were assumed to be valid due to the relatively large sample size ($N > 30$; Hinkle, Wiersma, & Jurs, 2003).

reduction in social media screen time and the interaction term between this reduction and the moderators as predictor variables, and the outcome measures as dependent variables⁵.

3. Results

3.1. Effect of manipulation

The conducted *t*-tests with the manipulation as the independent variable and the relative reductions of screen time as dependent variables, showed that the manipulation had failed. The difference in screen time reduction between the conditions only reached significance for Instagram and overall social media screen time, and was generally not in line with the reductions that were aimed for (control -10% , experimental -50% ; see Table 2). The manipulation failed mostly because participants in the control group reduced their social media app use on average with 38%, which was much more than the intended 10% (see Table 2). Moreover, an examination of the overall screen time revealed that there were no differences between the two conditions in terms of their overall average reduction in screen time, $t(74) = -0.28$, $p = .779$ (see Table 2)⁶.

⁵ The analysis includes the data of six participants who admitted to have deactivated and then re-activated the timers during the intervention week. Excluding these participants did not yield different results with regards to the main hypotheses: for the attention measures (Bonferroni corrected $\alpha = 0.01$), all insignificant findings remained insignificant (p 's ≥ 0.099); and for the well-being measures (Bonferroni corrected $\alpha = 0.025$), all insignificant findings remained insignificant (p 's ≥ 0.124). For the treatment as-is analysis, for the attention measures (Bonferroni corrected $\alpha = 0.01$), all insignificant findings remained insignificant (p 's ≥ 0.076); for the well-being measures (Bonferroni corrected $\alpha = 0.025$), all insignificant findings remained insignificant (p 's ≥ 0.178).

⁶ We additionally explored if participants in the experimental and control group differed in their reliance on alternative devices (e.g., laptop, tablet) to access social media platforms. No difference was found (experimental: $M = 3.35$, $SD = 1.78$, control: $M = 4.17$, $SD = 1.92$; $t(74) = -1.93$, $p = .058$). The experimental group ($M = 5.20$, $SD = 2.26$) did experience more struggles with respecting the YouTube limitations as compared to the control group ($M = 4.17$, $SD = 2.22$; $t(74) = 2.01$, $p = .048$), though struggles did not differ between the groups for the other three apps (all p 's > 0.355).

Table 3
Smartphone measures pre-test vs. post-test, results from paired samples t-tests.

Measure	Pre-test M(SD)	Post-test M(SD)	t	p	Cohen's d
Overall screen time	274.79 (110.44)	226.99 (100.96)	5.60	<0.001***	0.452
Facebook screen time	25.64 (22.27)	12.15 (12.42)	8.60	<0.001***	0.748
WhatsApp screen time	50.30 (40.94)	48.51 (41.28)	0.68	0.498	0.036
Instagram screen time	49.04 (29.62)	27.16 (22.25)	10.22	<0.001***	0.835
Snapchat screen time	21.31 (23.98)	12.74 (13.84)	4.61	<0.001***	0.438
YouTube screen time	34.29 (37.73)	17.41 (27.39)	5.36	<0.001***	0.512
Overall pickups	128.47 (56.93)	131.96 (56.20)	-0.86	0.391	0.062
Facebook pickups	11.19 (15.22)	6.95 (9.40)	3.91	<0.001**	0.384
WhatsApp pickups	45.20 (49.77)	45.34 (46.20)	-0.05	0.957	0.003
Instagram pickups	19.96 (17.23)	12.63 (12.24)	4.74	<0.001***	0.490
Snapchat pickups	22.37 (37.15)	14.18 (13.80)	1.88	0.065*	0.292
YouTube pickups	3.76 (4.79)	2.17 (3.40)	3.06	0.004**	0.383
Overall notifications	376.18 (469.91)	331.01 (257.28)	0.95	0.346	0.119
Facebook notifications	3.38 (4.23)	3.12 (3.06)	0.44	0.663	0.068
WhatsApp notifications	303.72 (472.00)	217.94 (182.50)	1.53	0.131	0.240
Instagram notifications	16.92 (20.85)	8.76 (8.34)	3.31	0.002**	0.514
Snapchat notifications	102.84 (181.68)	58.48 (64.98)	2.08	0.042**	0.325
YouTube notifications	2.95 (4.87)	2.14 (2.86)	1.04	0.306	0.203
Subjective screen time	267.92 (430.39)	169.65 (106.47)	1.99	0.051*	0.313
Subjective screen time social media	185.49 (309.23)	102.32 (93.31)	2.33	0.023**	0.367
Problematic smartphone use	3.54 (0.69)	3.36 (0.78)	2.58	0.012**	0.244
Habitual smartphone use	5.37 (0.83)	5.03 (0.87)	3.86	<0.001***	0.400

Note. Screen time expressed in minutes. * $p < .10$, ** $p < .05$, *** $p < .001$

3.2. Descriptives

Before we test our hypotheses we provide some descriptive information. On average, participants used their phone for 274.79 min per day ($SD = 110.44$) in the week prior to the experiment, which is broadly in line with previous research (e.g., Andrews, Ellis, Shaw, & Piwek, 2015; Deng, Kanthawala, Meng, Peng, Kononova, Hao, & David, 2019; Ellis, Davidson, Shaw, & Geyer, 2019). We registered the use of five social media apps. At the time of the pre-test, Instagram ($M = 49.04$, $SD = 29.62$) and WhatsApp ($M = 50.30$, $SD = 40.94$) were the most used ($N_{WhatsApp} = 75$, $N_{Instagram} = 75$), followed by Facebook, YouTube and Snapchat (see Table 3).

Although participants were randomly assigned to their conditions based upon the order of entry into the experiment room (even vs. uneven numbers), an independent samples t -test revealed that the control group and the experimental group were not fully equivalent in terms of their baseline smartphone behavior before the experiment started. Appendices A and B display the descriptive information split per condition⁷, and Appendix C provides the results of independent samples t -tests to compare the smartphone use of the experimental group with the control group at times of the pre-test. These tests revealed that in the week prior to the baseline measurement participants in the control group accessed WhatsApp less frequently than participants in the experimental group did (control: $M(SD) = 33.27(25.45)$, experimental: $M(SD) = 56.32(61.79)$, $t(47.97) = 2.04$, $p = .046$). Additionally, in the week prior to the baseline measurement participants in the control group accessed Instagram more frequently (control: $M(SD) = 25.15(19.58)$, experimental: $M(SD) = 16.10(13.58)$, $t(54.38) = -2.12$, $p = .033$) and for a longer duration of time (control: $M(SD) = 58.83(32.39)$, experimental: $M(SD) = 40.01(23.83)$, $t(74) = -3.03$, $p = .003$) than participants in the experimental group. These findings suggest that Instagram might have been of greater importance to participants in the control group, which may explain why – for this platform – participants in the control group did not reduce their use as much as for their use of the other platforms, leading to a significant difference in the relative reduction in Instagram use between the control group and the experimental group. Given this non-equivalence between groups, the findings of our study need to be

⁷ All numbers are daily averages in minutes based on seven days. As some individuals had their pickup or notification information turned off, the N varies per measure. For five individuals the averages were based on 6 days.

interpreted with caution.

Appendix D shows how many participants reached and/or violated the enforced restriction⁸. Appendix E shows that participants in the experimental group reached significantly more timers than in the control group, though they did not significantly differ in the frequency of violating them. Both the number of times reaching the enforced restrictive timers and the number of times violating them, did not differ in relation to gender or operating system.

Before testing our hypotheses, we explored overall differences between the baseline and the post-measurement. These show a significant overall decrease in the time spent on the examined social media apps (except for WhatsApp), their use frequency, and – for Instagram and Snapchat – the amount of notifications received (see Table 3). However, while overall screen time decreased significantly, the overall number of pickups and notifications did not differ between pre- and post-measurement (see Table 3). Participants in both conditions reported a significant decrease in their habitual phone use (experimental: $Mdif = 0.29$, $t(39) = 2.04$, $p = .049$, control: $Mdif = 0.37$, $t(35) = 4.32$, $p < .001$). Self-reported problematic smartphone use decreased in the experimental group only (pre: $M = 3.65$, $SD = 0.67$; post: $M = 3.41$, $SD = 0.79$; $t(39) = 2.14$, $p = .038$). While self-perceived screen time was on average higher at the pre- than at the post-measurement in both the experimental (pre: $M = 305.90$ min, $SD = 580.02$; post: $M = 155.64$ min, $SD = 86.91$; $t(38) = 1.69$, $p = .099$) and the control group (pre: $M = 223.03$ min, $SD = 87.52$; post: $M = 186.21$ min, $SD = 125.14$; $t(32) = 1.64$, $p = .110$), these differences in self-reported use did not reach significance. Regardless of condition though, self-reported social media screen time was significantly lower at the post- than at the pre-measurement (pre: $M = 185.49$ min, $SD = 309.23$; post: $M = 102.32$, $SD = 83.81$, $t(71) = 2.33$, $p = .023$).

Appendix F shows the correlations between overall screen time, social media screen time and the outcome variables, as assessed during the baseline measurement. Overall, it shows that the total time that participants spend on their smartphone was unrelated to any of the outcome measures of the study. Participants' social media screen time correlated with only one of the outcome measures, but weakly and in the opposite

⁸ Because four participants could not receive the timer limitation and the daily usage data was not available for thirteen participants (i.e., only averages based on 7 days, making it impossible to analyze the frequency of reaching and violating timers), the timer analysis concerns $N=66$.

Table 4
Results from ANOVA with attention measures as dependent variables (treatment-as-intended).

Predictor	M	SD	F	p	partial η^2
SART accuracy					
Condition			0.11	0.743	0.001
Control	0.93	0.05			
Experimental	0.92	0.05			
Time			0.84	0.363	0.011
Pre-test	0.93	0.04			
Post-test	0.92	0.05			
Condition*Time			0.00	0.998	0.000
SART response time					
Condition			0.34	0.561	0.005
Control	314.92	82.34			
Experimental	323.48	62.63			
Time			0.15	0.701	0.002
Pre-test	321.08	68.62			
Post-test	317.77	76.36			
Condition*Time			0.20	0.654	0.003
MRT variability					
Condition			0.45	0.502	0.006
Control	6.08	0.67			
Experimental	5.98	0.60			
Time			0.11	0.739	0.002
Pre-test	6.03	0.62			
Post-test	6.01	0.63			
Condition*Time			3.31	0.073	0.043
Attentional lapses (MAAS-LO)					
Condition	3.32	0.87	4.45	0.038	0.057
Control	3.71	0.86			
Experimental			8.71	0.004*	0.105
Time*	3.63	0.81			
Pre-test	3.43	0.95			
Post-test			2.33	0.131	0.030
Condition*Time					
Cognitive errors (ARCES)					
Condition*		0.87	9.03	0.004*	0.109
Control	3.05	0.98			
Experimental	3.62				
Time*		0.94	79.84	<	0.519
Pre-test	3.78	0.99		0.001*	
Post-test	2.93				
Condition*Time			0.59		0.008
				0.444	

* Indicates that p-value falls below Bonferroni corrected alpha (0.05/5) = 0.01

Table 5
Results from ANOVA with emotional well-being measures as dependent variables (treatment-as-intended).

Predictor	M	SD	F	p	partial η^2
Positive emotions					
Condition			1.54	0.219	0.020
Control	4.45	0.94			
Experimental	4.67	0.73			
Time			1.52	0.221	0.020
Pre-test	4.51	0.79			
Post-test	4.62	0.88			
Condition*Time			0.01	0.932	0.000
Negative emotions					
Condition			0.00	0.998	0.000
Control	3.20	0.66			
Experimental	3.21	0.75			
Time*			5.49	0.022*	0.069
Pre-test	3.30	0.71			
Post-test	3.10	0.70			
Condition*Time			1.79	0.185	0.024

* Indicates that p-value falls below Bonferroni corrected alpha (0.05/2) = 0.025

direction of what one would expect based on the extant literature: Participants who spent more time on social media reported experiencing less attentional lapses ($r = -0.27, p = .087$).

3.3. Treatment-as-intended

3.3.1. Sustained attention

To examine whether the intervention improved participants' attentional performance (H1a, H1b), we performed repeated-measures ANOVAs with the attention measures as dependent variables, Condition (2; experimental versus control) as a between-subjects variable, and Time (2; pre-test versus post-test) as a within-subjects variable. A Bonferroni correction was applied to correct for multiple tests ($critical \alpha = 0.05/5 = 0.01$). The results showed that the intervention had no main effect on the behavioral measures of sustained attention (see Table 4). With respect to the self-report attention measures, we found a main effect of time: Compared to the week prior to the baseline measure, participants experienced significantly less attentional lapses ($Mdif = -0.20, F(1,74) = 8.71, p = .004, partial \eta^2 = 0.105$) and cognitive errors due to these lapses ($Mdif = -0.85, F(1,74) = 79.84, p < .001, partial \eta^2 = 0.519$) during the intervention week. There was also a main effect of condition for the latter measure: The experimental group experienced significantly more cognitive errors overall than the control group ($Mdif = 0.57, F(1,74) = 9.03, p = .004, partial \eta^2 = 0.109$). There was no interaction effect, however. In other words, the treatment-as-intended analyses indicate that the findings do not support H1a and H1b (see Table 4).

We explored if there was a potential moderating effect of FoMO, self-control and impulsivity on the former relationships (H3). To that end, we performed repeated-measures ANCOVAs with the attention measures as dependent variables, Group (2; intervention versus control) as a between-subjects variable, Time (2; pre-test versus post-test) as a within-subjects variable, and the dichotomized moderators as covariates. None of the included moderators showed significant moderating effects (all p 's > 0.085).

3.3.2. Emotional well-being

We expected the intervention to improve participants' emotional well-being (H2). The intervention had no main effect on participants' experienced positive emotions (all p 's > 0.221; see Table 5). There was a main effect of time: At the post-test, participants reported having experienced significantly less negative emotions during the prior week than at the pre-test ($Mdif = -0.20, F(1,74) = 5.49, p = .022, partial \eta^2 = 0.069$). Nevertheless, this effect was not contingent upon the manipulation ($F(1,74) = 1.79, p = .185, partial \eta^2 = 0.024$) – which makes sense as the manipulation was hardly effective. Again, none of the included moderators (FoMO, impulsivity and self-control) showed significant moderators effects (all p 's > 0.203).

3.3.3. Summary

Overall, the results did not support the hypotheses that a 50% social media screen time restriction leads to better attentional performance (H1) and greater emotional well-being (H2) than a 10% restriction, nor the hypotheses that self-control, impulsivity and FoMO would consistently moderate these effects (H3, H4). This may in large part have to do with the manipulation not leading to the expected behavior in participants, especially for the control group (see above).

3.4. Treatment-as-is

Because of the failed manipulation, we followed up with a second set of analyses in which we ignored the condition participants were in, but rather used participants' actual social media screen time reduction during the intervention week as a predictor for differences in attentional performance and emotional well-being. For these analyses, we used a total 'social media screen time' measure at both the pre- and the post-test that added up the measures of Facebook, Instagram, Snapchat and

YouTube screen time. Then, we computed a measure of each participant's relative reduction in social media screen time. Next, we performed a set of multiple regression analyses with the relative reduction in social media screen time as the independent variable, and the difference scores (i.e., the pre-test score minus the post-test score) of attention and well-being as the dependent variables. Because the below exploratory analyses are repeated across five different attention outcome measures, we implemented a Bonferroni correction to obtain a new critical alpha of 0.01 (0.05/5) to test the attention hypotheses. The analyses on emotional well-being are repeated across two different outcome measures, and so a Bonferroni correction to obtain a new critical alpha of 0.025 (0.05/2) was implemented.

First, we explored whether the relative reduction in social media screen time could predict any of the outcome measures. The results revealed that none of the difference scores of the attention and well-being outcomes could be predicted by a change in social media screen time (all p 's > 0.083). Next, we examined whether adding the moderators FoMO, self-control and impulsivity to the model would affect the results. We included these moderators both as direct predictors and in interaction terms with relative social media screen time reduction. The analyses revealed that the extent to which participants reduced their social media screen time did not predict any change in attentional performance and emotional well-being nor was any moderator significantly influential (all p 's > 0.025)⁹.

4. Discussion

In the past decade, we have witnessed an increase in studies focusing on the complex associations between the use of the smartphone and its (mobile) social media apps on the one hand, and attentional functioning (Fitz et al., 2019; Judd, 2014; Marty-Dugas, Ralph, Oakman, & Smilek, 2018; Rosen et al., 2013; Ward et al., 2017; Wei et al., 2012) as well as emotional well-being (Aalbers, McNally, Heeren, De Wit, & Fried, 2019; Brailovskaia et al., 2020; Escobar-Viera et al., 2018; Frison & Eggermont, 2017; Stieger & Lewetz, 2018; Tromholt, 2016; Twenge & Campbell, 2018, 2019; Twenge et al., 2018) on the other hand. While research in this field is not without criticism, among others for its over-reliance on self-report data and cross-sectional survey methodologies, the concerns over the potential harm of mobile social media use have nonetheless given impetus to the development of screen time apps that can help people to protect themselves from harm by restricting their social media use. The current study explored the effects of such a social media screen time restriction on sustained attention and emotional well-being.

The findings show that, first of all, the intervention did not have the intended effect. Specifically, we implemented a 50% restriction in social media screen time for an experimental group, and compared this to a control group with a 10% restriction. Yet, this screen time manipulation failed mostly because participants in the control group reduced their social media app use on average with 38%, which was much more than the intended 10%. We deliberately opted to not include a 0% reduction control group in our design, in order to avoid Hawthorne(-like) effects (cf. McCambridge et al., 2014; Taylor, 2004) – hence, in order to provide also the control group participants with a full-blown sense of being involved in an experiment. The current finding that a non-zero percent reduction for a control group may trigger additional – and more problematic – side effects than the Hawthorne(-like) effects that we aimed to prevent with it, is an interesting finding in itself. It provides clear

suggestions for optimal implementation of control groups in intervention studies of the current type, and deserves to be followed up as a target of investigation in itself. Indeed, some participants indicated that they felt uncomfortable when encountering a time limit. It is imaginable that participants reduced their screen time more than they needed to in order to avoid that situation. Alternatively, the failed manipulation may be due to a placebo effect (cf. Stewart-Williams & Podd, 2004). In this case, the mere expectation of receiving a social media reduction may have sufficed in promoting behavior change in the form of reduced social media use. Similar placebo effects were found in marketing research (Irmak, Block, & Fitzsimons, 2005).

To deal with the failed screen time manipulation, we provided analyses both for *treatment-as-intended* and *treatment-as-is*, with the latter set of analyses disregarding the intervention conditions but rather exploring linear associations between the degree of relative screen time reduction based on the data we obtained. Interestingly, neither analyses revealed a noticeable effect on the outcome measures. This finding suggests an alternative explanation for the lack of findings, namely that there may not be any negative association between social media screen time and the outcome measures to begin with. Indeed, the pre-test data – which are unaffected by the failed screen time manipulation – did not show any of the hypothesized correlations between social media screen time, emotional well-being and attentional performance. On the contrary, the only relationships found between social media screen time and the outcome measures ran counter to what one might expect: Heavier social media users reported experiencing less attentional lapses and negative emotions. The lack of any negative association between social media screen time and the outcome measures may explain why reducing this screen time has no causal impact: If social media screen time does not affect these outcomes much, altering it will unlikely cause much change in them.

This finding is interesting in light of recent debates in the field over the validity of screen time studies. A recurring concern voiced in these debates is that self-report measures of screen time are flawed to such an extent that their use can lead to biased interpretations (Kaye et al., 2020; Sewall, Bear, Merranko, & Rosen, 2020). A key strength of the current study is that we used a behavioral measure of screen time. The fact that this measure shows no relationship to cognitive performance nor emotional well-being, calls into question the 'moral panic' over social media screen time (Orben, 2020).

An alternative explanation that should be mentioned here, is that despite the randomization of participants, the control and experimental group were not fully equivalent in terms of their smartphone behavior in the week prior to the experiment. The control group appeared to consist of heavier Instagram users whereas the experimental group consisted of heavier WhatsApp users. It is thinkable that this non-equivalence has had some influence on our findings. After all, for the light Instagram users in the experimental group, a 50% reduction in Instagram use may not have been very impactful, whereas for the heavy Instagram users in the control group, the actually enforced relative reduction of 35% may have had a more profound impact, thus leveling out any difference between the two groups. Future researchers thus need to carefully consider their experimental procedures to maximize the chances of equivalence between conditions.

While we believe that a strength of our current study is the use of actual smartphone data and performance based measures of attention, the paucity of the use of such measures in previous work prevented us from conducting an appropriate a priori power analysis, resulting in a sample size that may have been too small – as indeed indicated by for example the accidental but significant differences between conditions in terms of their baseline app use (see above). We hope that our study can serve to that purpose in the future.

While the manipulation did not resort an effect, the findings of our study did show that – disregarding of the condition they were in – people reported experiencing less cognitive errors and attentional lapses at the post-test. This is interesting, given that their actual attentional

⁹ Three effects were significant based on a non-corrected alpha of 0.05, but did not comply with theoretical predictions. Namely, FoMO ($b = 45.30, p = .042$) and its interaction with relative reduction of social media screen time ($b = -0.94, p = .026$) were significant predictors of the pre- to post-test change of SART response time, and the interaction between self-control and relative reduction of social media screen time was a significant predictor of the pre- to post-test change in experienced negative affect ($b = -0.01, p = .025$).

performances did not improve. Again, these findings are interesting in light over the recent debates over the use of self-report measures in research on the associations between screen time and psychological functioning. Recent studies show that the use of self-report measures leads to an artificial inflation of effect sizes of these associations (Sewall et al., 2020; Shaw et al., 2020), that self-reports of especially smartphone use are inaccurate (Boase & Ling, 2013; Ellis et al., 2019; Vanden Abeele et al., 2013), and that the discrepancies between self-reported and behavioral measures of smartphone use are themselves correlated with psychosocial functioning (Sewall et al., 2020). The mixed findings in research on the effects of screen time have led to a call for greater conceptual and methodological thoroughness (e.g., Sewall et al., 2020; Shaw et al., 2020; Kaye et al., 2020; Whitlock & Masur, 2019), with a specific call to prioritize behavioral measures over self-report measures. The discrepancy between the behavioral and self-report attention measures may be an artifact of this shortcoming of self-report methodology.

The null-results of FoMO, self-control and impulsivity as influential moderators should be elaborated on here. It was expected that a screen time intervention would negatively impact the emotional well-being of individuals, especially those high on FoMO, since reduced social media screen time also reduces the possibility to stay up-to-date. However, our results could not corroborate this notion. Several authors have suggested that rather than being a predictor of social media use, FoMO may be a consequence of such online behavior (e.g., Alutaybi, Al-thani, McAlaney & Ali, 2020; Buglass, Binder, Bets, & Underwood, 2017; Hunt et al., 2018). In the three-week intervention study of Hunt et al. (2018) for example, reduced social media use actually reduced feelings of FoMO. With our data, we could test this possibility. Hence, we executed a repeated measures ANOVA with FoMO as within-subjects factor and condition as between-subjects factor. This analysis revealed that the intervention had no significant effect on experienced FoMO (i.e., the experimental group did not experience larger changes in FoMO than the control group: $F(1,74) = 0.09, p = .762$). However, there was an effect of time on FoMO: at the post-test, FoMO was significantly lower than at the pre-test ($M_{dif} = 0.18, F(1,74) = 6.65, p = .012$). Perhaps this is indicative of an “intervention effect”, since our manipulation had failed and all participant significantly reduced their social media use during the intervention week.

Also, an overall finding of this study, which aligns with what prior research has found, was that participants were not able to estimate their screen time accurately: While participants’ actual screen time decreased during the intervention week, their *self-reported* screen time did not differ over time. Interestingly, participants did report a decrease in habitual use and problematic use. This may suggest that people may have a vague sense of their behavior (“I reduced my smartphone use”), but are unable to convert this adequately into numbers such as screen time in minutes. Alternatively, participants may have provided a socially desirable answer. Either case, our findings aligned with both recent and older studies showing that subjective screen time measures deviate from objective measures (e.g., Andrews et al., 2015; Boase & Ling, 2013, Vanden Abeele et al., 2013; Verbeij, Pouwels, Beyens, & Valkenburg, 2021).

4.1. Limitations and future directions

This study is among the first to examine the effectiveness of a social media screen time reduction on sustained attention and emotional well-being. One of its strengths is the inclusion of behavioral measures, both for screen time and for sustained attention. The study is not without limitations, however. A number of methodological choices were made that significantly limit comparability with other findings in the field. The

lack of a true control group (in which no intervention was implemented) and the limited sample size are major limitations to the current study. Future research should include more participants and should consider the use of a true control group, in which no intervention is implemented. Moreover, future research might look at different degrees of screen time reductions, ranging from no reduction to complete abstinence, to better address to what extent the magnitude of the restriction matters. To add, future work ought to consider how to account for individuals’ unique smartphone app repertoires. For instance, some individuals in our study were super users of mobile games rather than of social media. While this may lower generalizability, researchers might account for unique app repertoires by setting time restrictions on an individual’s top 5 apps, or on screen time in-total. Also, a one-week intervention is short. It is likely that a longer intervention is needed to produce an effect on the outcomes examined. Overall, a general observation that we make is that future research on screen time interventions needs to carefully question and compare (1) which types of interventions affect (2) which outcomes, (3) for whom and (4) under which conditions, and (5) because of which theoretical mechanisms.

An additional limitation is that, although they were kept blind about which condition they were in, participants were informed about what the experiment was about because willingness to set a restriction to one’s screen time was an important eligibility criterion; installing such a timer without the participants’ informed consent was deemed unethical. Given that the timers were installed on participants’ personal phones, it was easy for participants to look up what restriction was enforced on them. Future research might explore if participants can be kept in the blind. Perhaps this can be attained via the development of a screen time app tailored to this purpose. Notably, even though we found no increase in the use of social media on alternative devices, it should be acknowledged that social media can be accessed from other devices than smartphones alone, something that could be accounted for in future work. In this context, it is relevant to mention Meier and Reinecke’s (2020) taxonomy of computer-mediated communication. Meier and Reinecke advice researchers to carefully consider which level of analysis they are focusing on, most notably that of the device (i.e., a ‘channel-based’ approach) versus that of the functionality or interaction one has through the device. Decisions regarding the level of analysis are typically grounded in theoretical assumptions about the mechanisms explaining effects. We consider this observation relevant to researchers studying ‘digital detoxes’ or screen time interventions, as they similarly have to consider what it is exactly that they want participants to ‘detox’ from, the device, a particular app or functionality, or a type of interaction. Careful consideration of this issue is important, as it may be key to understanding why the extant research shows mixed evidence. In the current study we attempted to address the type of interaction people have with social media, targeting especially ‘passive social media use’ by enforcing only a partial restriction, but we only focused on mobile social media. Future researchers may wish consider more explicitly their level of analysis and how to operationalize it in an intervention.

Finally, as other research also shows (e.g., Ohme, Araujo, de Vreese, & Piotrowski, 2020), research designs that include behavioral measures of smartphone use are both ethically and methodologically challenging. In the current study, we only invited participants to the lab with smartphones running on recent versions of iOS or Android. However, some participants showed up unaware of the operating system of their phone. Others used older versions, on which the screen time monitoring features did not function, or had forgotten to activate the screen time monitoring feature prior to the baseline measurement (which we had also specified as an eligibility criterion). This led to exclusion of several participants. Additionally, in a pilot study of the experiment, we noticed

that different phone brands and types use different interfaces to display screen time information. This led to confusion, for instance, over whether the displayed numbers were weekly or daily totals. Hence, to avoid errors, we chose not to let participants record their own screen time but rather explicitly asked participants to hand over their phone to a trained researcher who copied the information into a spreadsheet and installed the timers. Participants who felt uncomfortable with this procedure were invited to closely monitor the researcher, or – if desired – to navigate the interface themselves. Although only a handful of students chose this option, this shows that there are ethical implications to using data donation procedures that researchers have to consider.

To circumvent these issues in future studies, participants could be instructed to install the same app. However, this will increase the demands placed on participants. Participation in studies of this nature are already highly demanding and intensive, since participants have to undergo a multi-day intervention on behavior that is intrinsic to their daily lives, and with sharing of personal information. Additionally, asking participants to install a specific app that potentially remotely monitors their phone use can raise ethical concerns, especially when using a commercial app that makes profit of monitoring (and selling) user data.

Overall, it became clear that it is difficult to achieve the required sample size to investigate complex designs of this nature. Nonetheless, the contrasting findings in extant research call for more research on causal relations between social media use on the one hand, and emotional well-being and cognitive functioning on the other hand. This can only be achieved by the use of slow science and large resources.

5. Conclusion

This study explored whether a one-week 50% reduction in the time

people spend on Facebook, Instagram, Snapchat and YouTube leads to greater improvements in sustained attention and emotional well-being than a 10% reduction. The intervention did not have an effect. Because the manipulation failed, we explored whether participants' social media screen time reduction predicted changes in attentional performance and emotional well-being, independent of the condition participants were in. This was not the case. Overall, the study calls for further research on the effect of screen time restrictions on attention and emotional well-being. While we encourage scholars to embed behavioral measures into their research design, future studies should be attentive to the methodological implications of using such measures.

CRedit authorship contribution statement

Marloes M.C. Wezel: Conceptualization, Methodology, Formal analysis, Writing - original draft, Writing - review & editing. **Elger L. Abrahamse:** Methodology, Formal analysis, Writing - review & editing. **Mariek M.P. Vanden Abeele:** Conceptualization, Methodology, Formal analysis, Writing - review & editing, Supervision.

Declaration of Competing Interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

Appendix A

See [Table A1](#)

Table A1
Summary of smartphone usage at time of pre-test and post-test for the control group (N = 36).

Variable	Pre-test			N	Post-test			
	M (95% CI)	% reduction installed	SD		M (95% CI)	% reduction observed	SD	N
Overall screen time	266.88 (234.81, 300.45)		103.24	36	221.79 (191.74, 251.47)		95.53	36
Overall pickups	130.42 (113.48, 149.55)		54.62	36	126.95 (110.76, 145.55)		50.45	36
Overall notifications	325.57 (229.97, 438.20)		294.50	32	344.16 (250.17, 464.57)		312.00	33
WhatsApp								
Screen time	42.41 (33.85, 52.00)		27.31	35	40.84 (32.77, 49.35)		25.40	35
Pickups	33.27 (24.78, 43.04)		25.45	31	34.90 (27.33, 43.61)		24.24	32
Notifications	267.17 (157.71, 406.77)		363.18	31	219.30 (147.87, 302.69)		220.30	31
Facebook								
Screen time	24.26 (18.05, 30.73)		18.73	30	13.06 (8.53, 18.09)		13.17	30
Installed timer	22.09 (15.74, 28.98)	8.9%	17.23	28		48.01%		
Pickups	12.95 (6.82, 20.86)		18.04	26	8.18 (4.43, 12.88)		11.58	27
Notifications	3.16 (1.94, 4.55)		3.19	21	2.58 (1.37, 4.09)		3.58	26
Instagram								
Screen time	58.83 (49.16, 69.81)		32.39	36	37.23 (29.69, 45.72)		25.40	36
Installed timer	52.15 (42.04, 63.20)	11.4%	29.83	32		35.0%		
Pickups	25.15 (18.95, 32.00)		19.58	32	17.61 (12.88, 22.51)		14.67	32
Notifications	15.11 (10.01, 21.71)		16.17	29	13.20 (6.62, 22.66)		24.88	31
Snapchat								
Screen time	20.15 (12.73, 29.36)		22.77	30	14.52 (9.19, 20.74)		16.51	30
Installed timer	18.35 (12.20, 27.16)	8.9%	21.17	28		26.8%		
Pickups	18.72 (13.87, 24.62)		15.30	27	16.59 (11.08, 23.58)		16.99	27
Notifications	84.96 (44.12, 136.53)		110.80	24	62.16 (35.98, 96.23)		82.35	26
YouTube								
Screen time	40.10 (26.54, 56.52)		40.36	29	21.03 (10.81, 33.80)		33.03	33
Installed timer	33.51 (20.17, 48.97)	16.4%	36.89	25		53.8%		
Pickups	4.71 (2.73, 6.94)		5.70	28	2.71 (1.32, 4.31)		4.05	28
Notifications	2.31 (0.89, 3.88)		3.31	17	1.35 (0.38, 2.49)		2.93	26

Appendix B

See [Table B1](#)

Table B1
Summary of smartphone usage at time of pre-test and post-test for the experimental group (N = 40).

Variable	Pre-test			N	Post-test			
	M (95% CI)	% reduction installed	SD		M (95% CI)	% reduction observed	SD	N
Overall screen time	281.92 (245.14, 318.33)		117.39	40	231.66 (199.43, 265.70)		106.60	40
Overall pickups	126.63 (108.32, 145.39)		59.75	36	135.07 (116.34, 155.80)		60.37	38
Overall notifications	422.45 (273.75, 627.77)		587.32	35	315.37 (255.35, 373.14)		188.94	36
WhatsApp								
Screen time	57.21 (44.89, 75.40)		49.25	40	55.22 (41.68, 71.69)		50.72	40
Pickups	56.32 (38.53, 77.04)		61.79	36	53.30 (37.51, 74.08)		56.63	37
Notifications	338.60 (189.07, 545.43)		548.80	35	212.95 (170.85, 259.30)		138.54	35
Facebook								
Screen time	26.53 (19.36, 34.80)		24.83	36	10.98 (7.91, 15.26)		11.69	37
Installed timer	13.38 (9.62, 17.57)	49.9%	12.52	35		58.3%		
Pickups	9.96 (5.97, 14.33)		12.50	32	5.07 (3.19, 7.37)		6.50	34
Notifications	3.30 (1.81, 5.45)		4.79	29	2.68 (1.89, 3.57)		2.50	30
Instagram								
Screen time	40.01 (32.58, 48.06)		23.83	39	17.87 (13.58, 21.88)		13.62	39
Installed timer	20.13 (16.38, 23.98)	49.7%	11.68	39		53.7%		
Pickups	16.10 (11.96, 20.62)		13.58	36	7.75 (5.67, 9.99)		6.64	37
Notifications	17.63 (9.80, 28.01)		24.37	31	7.35 (4.84, 10.12)		7.81	34
Snapchat								
Screen time	22.30 (14.87, 31.83)		25.25	35	11.21 (7.74, 14.92)		11.08	35
Installed timer	11.41 (7.57, 16.14)	48.8%	12.48	35		38.6%		
Pickups	25.57 (13.40, 44.71)		48.00	31	11.25 (8.21, 14.55)		9.62	32
Notifications	111.61 (52.27, 198.17)		218.91	31	51.85 (37.50, 66.60)		42.88	31
YouTube								
Screen time	25.08 (15.05, 36.35)		32.59	32	8.87 (5.12, 13.45)		12.89	33
Installed timer	12.86 (7.88, 18.97)	48.7%	16.10	32		66.3%		
Pickups	2.41 (1.46, 3.44)		2.61	25	0.84 (0.38, 1.44)		1.38	29
Notifications	2.79 (0.75, 5.67)		5.52	18	1.14 (0.51, 1.83)		1.71	26

Appendix C

See [Table C1](#)

Table C1
Independent samples t-test of smartphone use to compare the control group (N = 36) with the experimental group (N = 40) at the pre-test.

Variable	M _{dif}	SD _{dif}	95% CI	t	df	p
Overall screen time	15.04	25.48	-35.74, 65.82	0.59	74	0.557
Overall pickups	-3.79	13.71	-31.15, 23.58	-0.28	68	0.783
Overall notifications	96.88	115.19	-133.17, 326.93	0.84	65	0.403
WhatsApp						
Screen time	14.80	9.38	-3.90, 33.50	1.58	73	0.119
Pickups	23.04	11.27	0.39, 45.70	2.04	47.97	0.046*
Notifications	71.43	116.16	-160.63, 303.43	0.62	64	0.541
Facebook						
Screen time	3.66	5.15	-6.61, 13.93	0.71	74	0.480
Pickups	-2.99	4.02	-11.04, 5.06	-0.74	56	0.460
Notifications	0.14	1.20	-2.27, 2.56	0.12	48	0.905
Instagram						
Screen time	-19.82	6.53	-32.84, -6.80	-3.03	74	0.003*
Pickups	-9.05	4.13	-17.33, -0.76	-2.12	54.38	0.033*
Notifications	2.51	5.38	-8.25, 13.27	0.47	58	0.642
Snapchat						
Screen time	2.72	5.40	-8.04, 13.49	0.51	74	0.615
Pickups	6.85	9.65	-12.48, 26.18	0.71	56	0.481
Notifications	26.65	48.98	-71.59, 124.89	0.54	53	0.589
YouTube						
Screen time	-12.24	8.08	-28.35, 3.87	-1.51	74	0.134
Pickups	-2.30	1.20	-4.73, 0.12	-1.93	38.80	0.062
Notifications	0.48	1.55	-2.67, 3.64	0.31	33	0.758

Note: * p < .05

Appendix D

See [Table D1](#)

Table D1
Descriptive statistics of the timer analysis.

	Did participants see and respected a timer?			
	Never (N = 5)	Seen and respected (N = 19)	Seen and violated at least once (N = 38)	Always violated (N = 4)
Gender				
Male	1	5	15	2
Female	4	14	23	2
Phone type				
Android	5	12	28	2
iPhone	0	7	10	2
Condition				
Experimental	1	10	23	2
Control	4	9	15	2

Appendix E

See [Table E1](#)

Table E1
Independent samples *t*-test results of differences in ignoring and reaching timers between conditions and operating system.

		M	SD	95% CI Bootstrap N = 1,000	df	t	p
<i>Violated</i>							
	Condition				64	1.42	0.160
	Control	2.33	4.12	1.00, 4.03			
	Experimental	4.06	5.47	2.42, 6.03			
	Operating system				50.61	1.51	0.136
	iPhone	1.84	3.48	0.63, 3.61			
	Android	3.85	5.35	2.47, 5.52			
	Gender				30.30	1.16	0.254
	Male	4.39	6.51	2.09, 7.34			
	Female	2.67	3.82	1.61, 3.75			
<i>Reached</i>							
	Condition*				55.97	3.55	0.001*
	Control	2.67	2.34	1.87, 3.55			
	Experimental	5.61	4.27	4.22, 7.00			
	Operating system				64	0.80	0.428
	iPhone	3.68	2.77	2.47, 4.90			
	Android	4.51	4.15	3.35, 5.76			
	Gender				64	-0.49	0.625
	Male	3.96	3.05	2.79, 5.21			
	Female	4.44	4.17	3.33, 5.74			

Note. * *p* < .05

Appendix F

See [Table F1](#)

Table F1
Correlations between (social media) screen time and outcome variables at baseline measurement.

	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
1. Overall Screen Time	–	0.612***	-0.010	0.052	0.163	-0.112	-0.002	0.148	-0.094	-0.024	0.119	0.014
2. Social Media Screen Time	<0.001***	–	0.013	0.093	0.106	-0.291**	-0.036	0.158	-0.096	-0.110	0.160	-0.135
3. SART Response Time	0.930	0.912	–	0.613***	0.047	-0.056	-0.028	-0.034	-0.091	-0.076	0.050	0.108
4. SART Accuracy	0.654	0.426	<0.001***	–	-0.185	-0.237**	-0.287**	-0.009	0.068	-0.012	0.170	-0.169
5. MRT Variability	0.159	0.364	0.689	0.110	–	0.271**	0.137	-0.073	0.064	0.126	-0.019	0.340**
6. Attentional Lapses	0.334	0.011**	0.629	0.040**	0.018**	–	0.638***	-0.262**	0.114	0.358**	-0.539***	0.441***

(continued on next page)

Table F1 (continued)

	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
7. Cognitive Errors Due to Attentional Lapses	0.986	0.760	0.811	0.012**	0.237	<0.001***	–	-0.244**	-0.042	0.170	-0.628***	0.484***
8. Positive Emotions	0.201	0.174	0.768	0.941	0.532	0.022**	0.033**	–	0.093	-0.158	0.169	-0.207
9. Negative Emotions	0.421	0.407	0.434	0.561	0.584	0.325	0.721	0.423	–	0.261**	-0.072	-0.143
10. FoMO (pre-test)	0.837	0.343	0.512	0.918	0.278	0.001***	0.142	0.173	0.023**	–	-0.268**	0.202
11. Self-control	0.304	0.167	0.669	0.143	0.873	<0.001***	<0.001***	0.144	0.536	0.019	–	-0.414
12. Impulsivity	0.903	0.245	0.355	0.145	0.003**	<0.001***	<0.001***	0.073	0.217	0.080	<0.001***	–

Note. Above diagonal = Pearson's r, below diagonal = p-value.

* p < .10, ** p < .05, *** p < .001

References

- Aalbers, G., McNally, R. J., Heeren, A., De Wit, S., & Fried, E. I. (2019). Social media and depression symptoms: A network perspective. *Journal of Experimental Psychology: General*, 148(8), 1454–1462. <https://doi.org/10.1037/xge0000528>.
- Andrews, S., Ellis, D. A., Shaw, H., & Piwek, L. (2015). Beyond self-report: Tools to compare estimated and real-world smartphone use. *PLoS ONE*, 10(10), Article e0139004. <https://doi.org/10.1371/journal.pone.0139004>.
- Baumeister, R. F., Vohs, K. D., & Tice, D. M. (2007). The strength model of self-control. *Current directions in psychological science*, 16(6), 351–355. <https://doi.org/10.1111/j.1467-8721.2007.00534.x>.
- Bianchi, A., & Phillips, J. G. (2005). Psychological predictors of problem mobile phone use. *CyberPsychology & Behavior*, 8(1), 39–51. <https://doi.org/10.1089/cpb.2005.8.39>.
- Blackwell, D., Leaman, C., Tramposch, R., Osborne, C., & Liss, M. (2017). Extraversion, neuroticism, attachment style and fear of missing out as predictors of social media use and addiction. *Personality and Individual Differences*, 116, 69–72. <https://doi.org/10.1016/j.paid.2017.04.039>.
- Boase, J., & Ling, R. (2013). Measuring mobile phone use: Self-report versus log data. *Journal of Computer-Mediated Communication*, 18(4), 508–519. <https://doi.org/10.1111/jcc4.12021>.
- Brailovskaia, J., Ströbe, F., Schillack, H., & Margraf, J. (2020). Less Facebook use—More well-being and a healthier lifestyle? An experimental intervention study. *Computers in Human Behavior*, 108, Article 106332. <https://doi.org/10.1016/j.chb.2020.106332>.
- Brevers, D., & Turel, O. (2019). Strategies for self-controlling social media use: Classification and role in preventing social media addiction symptoms. *Journal of Behavioral Addictions*, 8, 554–563. <https://doi.org/10.1556/2006.8.2019.49>.
- Brown, L., & Kuss, D. J. (2020). Fear of missing out, mental well-being, and social connectedness: A seven-day social media abstinence trial. *International Journal of Environmental Research and Public Health*, 17(12), 4566.
- Carriere, J. S., Cheyne, J. A., & Smilek, D. (2008). Everyday attention lapses and memory failures: The affective consequences of mindlessness. *Consciousness and cognition*, 17(3), 835–847. <https://doi.org/10.1016/j.concog.2007.04.008>.
- de Best, R. (2019). Number of individuals using the leading social media platforms in the Netherlands in 2019, by social network (in million users). Retrieved from <https://bit.ly/2C5kqze>.
- Deng, T., Kanthawala, S., Meng, J., Peng, W., Kononova, A., Hao, Q., ... & David, P. (2019). Measuring smartphone usage and task switching with log tracking and self-reports. *Mobile Media & Communication*, 7(1), 3–23. DOI: 10.1177/2050157918761491.
- Ellis, D. A., Davidson, B. I., Shaw, H., & Geyer, K. (2019). Do smartphone usage scales predict behavior? *International Journal of Human-Computer Studies*, 130, 86–92. <https://doi.org/10.1016/j.ijhcs.2019.05.004>.
- Escobar-Viera, C. G., Shensa, A., Bowman, N. D., Sidani, J. E., Knight, J., James, A. E., & Primack, B. A. (2018). Passive and active social media use and depressive symptoms among United States adults. *Cyberpsychology, Behavior, and Social Networking*, 21(7), 437–443. <https://doi.org/10.1089/cyber.2017.0668>.
- Esterman, M., & Rothlein, D. (2019). Models of sustained attention. *Current opinion in psychology*, 29, 174–180. <https://doi.org/10.1016/j.copsyc.2019.03.005>.
- Fioravanti, G., Probst, A., & Casale, S. (2020). Taking a Short Break from Instagram: The effects on subjective well-being. *Cyberpsychology, Behavior, and Social Networking*, 23(2), 107–112. <https://doi.org/10.1089/cyber.2019.0400>.
- Fitz, N., Kushlev, K., Jagannathan, R., Lewis, T., Paliwal, D., & Ariely, D. (2019). Batching smartphone notifications can improve well-being. *Computers in Human Behavior*, 101, 84–94. <https://doi.org/10.1016/j.chb.2019.07.016>.
- Franchina, V., Vanden Abeele, M., Van Rooij, A. J., Lo Coco, G., & De Marez, L. (2018). Fear of missing out as a predictor of problematic social media use and phubbing behavior among Flemish adolescents. *International journal of environmental research and public health*, 15(10), 2319. <https://doi.org/10.3390/ijerph15102319>.
- Frisson, E., & Eggermont, S. (2017). Browsing, posting, and liking on Instagram: The reciprocal relationships between different types of Instagram use and adolescents' depressed mood. *Cyberpsychology, Behavior, and Social Networking*, 20(10), 603–609. <https://doi.org/10.1089/cyber.2017.0156>.
- Graham, S., Mason, A., Riordan, B., Winter, T., & Scarf, D. (2020). Taking a Break from Social Media Improves Well-being Through Sleep Quality. *Cyberpsychology, Behavior, and Social Networking*. <https://doi.org/10.1089/cyber.2020.0217>.
- Hall, J. A., Xing, C., Ross, E. M., & Johnson, R. M. (2021). Experimentally manipulating social media abstinence: Results of a four-week diary study. *Media Psychology*, 24(2), 259–275. <https://doi.org/10.1080/15213269.2019.1688171>.
- Hanley, S. M., Watt, S. E., & Coventry, W. (2019). Taking a break: The effect of taking a vacation from Facebook and Instagram on subjective well-being. *Plos one*, 14(6), Article e0217743. <https://doi.org/10.1371/journal.pone.0217743>.
- Hilbert, S., Nakagawa, T. T., Schuett, S., & Zihl, J. (2014). Mirror reading of words and numbers: Practice and transfer effects. *Visual Cognition*, 22(2), 173–192. <https://doi.org/10.1080/13506285.2014.889261>.
- Hiniker, A., Hong, S. R., Kohno, T., & Kientz, J. A. (2016). MyTime: designing and evaluating an intervention for smartphone non-use. In Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems (pp. 4746–4757). ACM. DOI: 10.1145/2858036.2858403.
- Hinkle, D. E., Wiersma, W., & Jurs, S. G. (2003). Vol. 663. *Applied statistics for the behavioral sciences*. Houghton Mifflin College Division.
- Hunt, M. G., Marx, R., Lipson, C., & Young, J. (2018). No more FOMO: Limiting social media decreases loneliness and depression. *Journal of Social and Clinical Psychology*, 37(10), 751–768. <https://doi.org/10.1521/jscp.2018.37.10.751>.
- Irmak, C., Block, L. G., & Fitzsimons, G. J. (2005). The placebo effect in marketing: Sometimes you just have to want it to work. *Journal of marketing research*, 42(4), 406–409. <https://doi.org/10.1509/jmkr.2005.42.4.406>.
- Judd, T. (2014). Making sense of multitasking: The role of Facebook. *Computers & Education*, 70, 194–202. <https://doi.org/10.1016/j.compedu.2013.08.013>.
- Kaye, L. K., Orben, A., Ellis, D. A., Hunter, S. C., & Houghton, S. (2020). The conceptual and methodological mayhem of “screen time”. *International Journal of Environmental Research and Public Health*, 17(10), 3661. <https://doi.org/10.3390/ijerph17103661>.
- Kushlev, K., Proulx, J., & Dunn, E. W. (2016). Silence your phones: Smartphone notifications increase inattention and hyperactivity symptoms. In Proceedings of the 2016 CHI conference on human factors in computing systems (pp. 1011–1020). ACM. DOI: 10.1145/2858036.2858359.
- Madore, K. P., Khazenzon, A. M., Backes, C. W., Jiang, J., Uncapher, M. R., Norcia, A. M., & Wagner, A. D. (2020). Memory failure predicted by attention lapsing and media multitasking. *Nature*, 587(7832), 87–91. <https://doi.org/10.1038/s41586-020-2870-z>.
- Marty-Dugas, J., Ralph, B. C. W., Oakman, J. M., & Smilek, D. (2018). The relation between smartphone use and everyday inattention. *Psychology of Consciousness: Theory, Research, and Practice*, 5(1), 46–62. <https://doi.org/10.1037/cns0000131>.
- McCambridge, J., Witton, J., & Elbourne, D. R. (2014). Systematic review of the Hawthorne effect: New concepts are needed to study research participation effects. *Journal of clinical epidemiology*, 67(3), 267–277. <https://doi.org/10.1016/j.jclinepi.2013.08.015>.
- McCoy, C. E. (2017). Understanding the intention-to-treat principle in randomized controlled trials. *Western Journal of Emergency Medicine*, 18(6), 1075. <https://doi.org/10.5811/westjem.2017.8.35985>.
- Meshi, D., Morawetz, C., & Heekeren, H. R. (2013). Nucleus accumbens response to gains in reputation for the self relative to gains for others predicts social media use. *Frontiers in human neuroscience*, 7, 439. <https://doi.org/10.3389/fnhum.2013.00439>.
- Monsell, S. (2003). Task switching. *Trends in cognitive sciences*, 7(3), 134–140. [https://doi.org/10.1016/S1364-6613\(03\)00028-7](https://doi.org/10.1016/S1364-6613(03)00028-7).
- Montag, C., Markowitz, A., Blaszkiwicz, K., Andone, I., Lachmann, B., Sariyska, R., ... Weber, B. (2017). Facebook usage on smartphones and gray matter volume of the nucleus accumbens. *Behavioural brain research*, 329, 221–228. <https://doi.org/10.1016/j.bbr.2017.04.035>.
- Nigg, J. T. (2017). Annual Research Review: On the relations among self-regulation, self-control, executive functioning, effortful control, cognitive control, impulsivity, risk-taking, and inhibition for developmental psychopathology. *Journal of child psychology and psychiatry*, 58(4), 361–383. <https://doi.org/10.1111/jcpp.12675>.
- Ohme, J., Araujo, T., de Vreese, C. H., & Piotrowski, J. T. (2020). Mobile data donations: Assessing self-report accuracy and sample biases with the iOS Screen Time function. *Mobile Media & Communication*, 2050157920959106, 55. <https://doi.org/10.1177/2050157920959106>.

- Ophir, E., Nass, C., & Wagner, A. D. (2009). Cognitive control in media multitaskers. *Proceedings of the National Academy of Sciences*, 106(37), 15583–15587. <https://doi.org/10.1073/pnas.0903620106>.
- Orben, A. (2020). The Sisyphean Cycle of Technology Panics. *Perspectives on Psychological Science*, 15(5), 1143–1157. <https://doi.org/10.1177/1745691620919372>.
- Orben, A., & Przybylski, A. K. (2019a). Screens, teens, and psychological well-being: Evidence from three time-use-diary studies. *Psychological science*, 30(5), 682–696. <https://doi.org/10.1177/0956797619830329>.
- Orben, A., & Przybylski, A. K. (2019b). The association between adolescent well-being and digital technology use. *Nature Human Behaviour*, 3(2), 173–182. <https://doi.org/10.1038/s41562-018-0506-1>.
- Oulasvirta, A., Rattenbury, T., Ma, L., & Raita, E. (2012). Habits make smartphone use more pervasive. *Personal and Ubiquitous Computing*, 16(1), 105–114. <https://doi.org/10.1007/s00779-011-0412-2>.
- Patton, J. H., Stanford, M. S., & Barratt, E. S. (1995). Factor structure of the Barratt impulsiveness scale. *Journal of clinical psychology*, 51(6), 768–774. [https://doi.org/10.1002/1097-4679\(199511\)51:6<768::AID-JCLP2270510607>3.0.CO;2-1](https://doi.org/10.1002/1097-4679(199511)51:6<768::AID-JCLP2270510607>3.0.CO;2-1).
- Przybylski, A. K., Murayama, K., DeHaan, C. R., & Gladwell, V. (2013). Motivational, emotional, and behavioral correlates of fear of missing out. *Computers in Human Behavior*, 29(4), 1841–1848. <https://doi.org/10.1016/j.chb.2013.02.014>.
- Przybylski, A. K., Thuy-vy, T. N., Law, W., & Weinstein, N. (2021). Does Taking a Short Break from Social Media Have a Positive Effect on Well-being? Evidence from Three Preregistered Field Experiments. *Journal of Technology in Behavioral Science*, 1–8. <https://doi.org/10.1007/s41347-020-00189-w>.
- Przybylski, A. K., & Weinstein, N. (2017). A large-scale test of the Goldilocks Hypothesis: Quantifying the relations between digital-screen use and the mental well-being of adolescents. *Psychological Science*, 28(2), 1–12. <https://doi.org/10.1177/0956797616678438>.
- Ralph, B. C., Thomson, D. R., Cheyne, J. A., & Smilek, D. (2014). Media multitasking and failures of attention in everyday life. *Psychological research*, 78(5), 661–669. <https://doi.org/10.1007/s00426-013-0523-7>.
- Robertson, I. H., Manly, T., Andrade, J., Baddeley, B. T., & Yiend, J. (1997). Oops!': Performance correlates of everyday attentional failures in traumatic brain injured and normal subjects. *Neuropsychologia*, 35(6), 747–758. [https://doi.org/10.1016/S0028-3932\(97\)00015-8](https://doi.org/10.1016/S0028-3932(97)00015-8).
- Rooksby, J., Asadzadeh, P., Rost, M., Morrison, A., & Chalmers, M. (2016). Personal tracking of screen time on digital devices. In Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems (pp. 284–296). ACM. DOI: 10.1145/2858036.2858055.
- Rosen, L. D., Carrier, L. M., & Cheever, N. A. (2013). Facebook and texting made me do it: Media-induced task-switching while studying. *Computers in Human Behavior*, 29(3), 948–958. <https://doi.org/10.1016/j.chb.2012.12.001>.
- Seli, P., Cheyne, J. A., & Smilek, D. (2013). Wandering minds and wavering rhythms: Linking mind wandering and behavioral variability. *Journal of experimental psychology: Human perception and performance*, 39(1), 1–5. <https://doi.org/10.1037/a0030954>.
- Sewall, C. J., Bear, T. M., Merranko, J., & Rosen, D. (2020). How psychosocial well-being and usage amount predict inaccuracies in retrospective estimates of digital technology use. *Mobile Media & Communication*. <https://doi.org/10.1177/2050157920902830>.
- Shaw, H., Ellis, D. A., Geyer, K., Davidson, B. I., Ziegler, F. V., & Smith, A. (2020). *Subjective reports overstate the relationship between screen time and mental health.* <https://doi.org/10.31234/osf.io/mpxra>.
- Stewart-Williams, S., & Podd, J. (2004). The Placebo Effect: Dissolving the Expectancy Versus Conditioning Debate. *Psychological Bulletin*, 130(2), 324–340. <https://doi.org/10.1037/0033-2909.130.2.324>.
- Stieger, S., & Lewetz, D. (2018). A week without using social media: Results from an ecological momentary intervention study using smartphones. *Cyberpsychology, Behavior, and Social Networking*, 21(10), 618–624. <https://doi.org/10.1089/cyber.2018.0070>.
- Taylor, F. W. (2004). *Scientific management*. Routledge.
- Tromholt, M. (2016). The Facebook experiment: Quitting Facebook leads to higher levels of well-being. *Cyberpsychology, behavior, and social networking*, 19(11), 661–666. <https://doi.org/10.1089/cyber.2016.0259>.
- Turel, O., Cavagnaro, D. R., & Meshi, D. (2018). Short abstinence from online social networking sites reduces perceived stress, especially in excessive users. *Psychiatry Research*, 270, 947–953. <https://doi.org/10.1016/j.psychres.2018.11.017>.
- Twenge, J. M., & Campbell, W. K. (2018). Associations between screen time and lower psychological well-being among children and adolescents: Evidence from a population-based study. *Preventive medicine reports*, 12, 271–283. <https://doi.org/10.1016/j.pmedr.2018.10.003>.
- Twenge, J. M., & Campbell, W. K. (2019). Media use is linked to lower psychological well-being: Evidence from three datasets. *Psychiatric Quarterly*, 90(2), 311–331. <https://doi.org/10.1007/s11126-019-09630-7>.
- Twenge, J. M., Martin, G. N., & Campbell, W. K. (2018). Decreases in psychological well-being among American adolescents after 2012 and links to screen time during the rise of smartphone technology. *Emotion*, 18(6), 765–780. <https://doi.org/10.1037/emo0000403>.
- Uncapher, M. R., Lin, L., Rosen, L. D., Kirkorian, H. L., Baron, N. S., Bailey, K., ... Wagner, A. D. (2017). Media multitasking and cognitive, psychological, neural, and learning differences. *Pediatrics*, 140(Supplement 2), S62–S66. <https://doi.org/10.1542/peds.2016-1758D>.
- Valkenburg, P. M., Beyens, I., Pouwels, J., van Driel, I. I., & Keijsers, L. (2021, January 8). Social Media Browsing and Adolescent Well-Being: Challenging the “Passive Social Media Use Hypothesis”. DOI: 10.31234/osf.io/gzu3y.
- Van Deursen, A. J., Bolle, C. L., Hegner, S. M., & Kommers, P. A. (2015). Modeling habitual and addictive smartphone behavior: The role of smartphone usage types, emotional intelligence, social stress, self-regulation, age, and gender. *Computers in human behavior*, 45, 411–420. <https://doi.org/10.1016/j.chb.2014.12.039>.
- Vanden Abeele, M. M. P. (2020). Digital Well-being as a dynamic construct. *Communication Theory*. <https://doi.org/10.1093/ct/qtaa024>.
- Vanden Abeele, M., Beullens, K., & Roe, K. (2013). Measuring mobile phone use: Gender, age and real usage level in relation to the accuracy and validity of self-reported mobile phone use. *Mobile Media & Communication*, 1(2), 213–236. <https://doi.org/10.1177/2050157913477095>.
- Verbeij, T., Pouwels, J. L., Beyens, I., & Valkenburg, P. M. (2021). *The Accuracy and Validity of Self-Reported Social Media Use Measures Among Adolescents.* <https://doi.org/10.31234/osf.io/p4yb2>.
- Verplanken, B., & Orbell, S. (2003). Reflections on past behavior: A self-report index of habit strength. *Journal of applied social psychology*, 33(6), 1313–1330. <https://doi.org/10.1111/j.1559-1816.2003.tb01951.x>.
- Ward, A. F., Duke, K., Gneezy, A., & Bos, M. W. (2017). Brain drain: The mere presence of one's own smartphone reduces available cognitive capacity. *Journal of the Association for Consumer Research*, 2(2), 140–154. <https://doi.org/10.1086/691462>.
- Watson, D., Clark, L. A., & Tellegen, A. (1988). Development and validation of brief measures of positive and negative affect: The PANAS scales. *Journal of personality and social psychology*, 54(6), 1063–1070. <https://doi.org/10.1037/0022-3514.54.6.1063>.
- Wei, F. Y. F., Wang, Y. K., & Klausner, M. (2012). Rethinking college students' self-regulation and sustained attention: Does text messaging during class influence cognitive learning? *Communication Education*, 61(3), 185–204. <https://doi.org/10.1080/03634523.2012.672755>.
- Whitlock, J., & Masur, P. K. (2019). Disentangling the Association of Screen Time With Developmental Outcomes and Well-being: Problems, Challenges, and Opportunities. *JAMA pediatrics*, 173(11), 1021–1022. <https://doi.org/10.1001/jamapediatrics.2019.3191>.
- Wilmer, H. H., & Chein, J. M. (2016). Mobile technology habits: Patterns of association among device usage, intertemporal preference, impulse control, and reward sensitivity. *Psychonomic Bulletin & Review*, 23, 1607–1614. <https://doi.org/10.3758/s13423-016-1011-z>.