

Tilburg University

A shifting paradigm?

Bredenoort, Myrthe; Roeg, Diana; van Vugt, M.D.

Published in:
International Journal of Law and Psychiatry

DOI:
[10.1016/j.ijlp.2022.101812](https://doi.org/10.1016/j.ijlp.2022.101812)

Publication date:
2022

Document Version
Publisher's PDF, also known as Version of record

[Link to publication in Tilburg University Research Portal](#)

Citation for published version (APA):
Bredenoort, M., Roeg, D., & van Vugt, M. D. (2022). A shifting paradigm? A scoping review of the factors influencing recovery and rehabilitation forensic research. *International Journal of Law and Psychiatry*, 83, Article 101812. <https://doi.org/10.1016/j.ijlp.2022.101812>


General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.



A shifting paradigm? A scoping review of the factors influencing recovery and rehabilitation in recent forensic research

M. Bredenoort^{a,b,*}, D.P.K. Roeg^{c,d}, M.D. van Vugt^{e,f}

^a Junior researcher at Tilburg University, department Tranzo, Prof. Cobbenhagenlaan 125, 5000, LE, Tilburg, the Netherlands

^b Junior researcher at Stichting Kwintes, Laan van Vollenhove 3213, 3706, AR, Zeist, the Netherlands

^c Head of Research at Stichting Kwintes, Laan van Vollenhove 3213, 3706, AR, Zeist, the Netherlands

^d Senior researcher at Tilburg University, department Tranzo, Prof. Cobbenhagenlaan 125, 5000, LE, Tilburg, the Netherlands

^e Senior researcher HVO-Querido, Eerste Ringdijkstraat 5, 1097, BC, Amsterdam, the Netherlands

^f Senior researcher at Trimbos-Instituut, Postbus 725, 3500 AS, Utrecht, the Netherlands

ARTICLE INFO

Keywords:

Forensic care
Recovery
Rehabilitation
Desistance
Recidivism
Influencing factor

ABSTRACT

Forensic research and practice have historically focused on risk assessment and prevention. This risk-oriented paradigm is shifting towards a more recovery-oriented perspective.

The aim of this scoping review is to provide an overview of research on the factors influencing rehabilitation and recovery and discuss the recovery paradigm in a forensic setting.

We performed a systematic search of the literature from the past 10 years, in Pubmed, Cinahl and PsycInfo, on recovery and rehabilitation. All types of study designs were included. Data was analysed and charted using an Excel template with various data items of interest.

Clinical, personal, social, functional and forensic factors were found to be of influence on recovery and rehabilitation. A number of these overlapped with factors of influence on recidivism and desistance, others did not. Most studies on recovery and rehabilitation focused on a clinical forensic setting.

This study provides an overview of the current body of knowledge on the factors influencing recovery and rehabilitation in forensic clients, and encourages researchers and practitioners in their focus on the recovery paradigm in forensic care. The body of evidence on rehabilitation and recovery is not yet as profound as that on recidivism and desistance. More knowledge on recovery trajectories for offenders in prison or ambulatory care, for example, is required.

1. Introduction

1.1. Background

Knowing what factors influence an offending individual to act differently and what helps in this personal process towards change is important. Most offenders are eventually released from prison to society (Hughes & Wilson, 2002), but recidivism rates remain high. A recent Dutch study showed a recidivism percentage for ex-prisoners of 47% after two years (Weijters, Verweij, Tollenaar, & Hill, 2019). After a stay in detention under a hospital order this percentage is lower. Approximately 19% recidivates within two years after release from detention under an unconditional hospital order, and after a conditional order this percentage is 23% (Drieschner, Hill, & Weijters, 2018).

It is important for forensic practitioners to understand which factors influence recidivism, desistance, rehabilitation and recovery, especially because of the movement towards community-based forensic care (Manguno-Mire, Coffman, DeLand, Thompson Jr., & Myers, 2014). Positive psychology, which encourages looking beyond the illness (Seligman & Csikszentmihalyi, 2000) and utilising personal strengths and resources (Bannink & Jackson, 2011), has received growing attention. Therefore, in addition to punishment, it is important to address rehabilitation during and after detention. Research shows that this reduces recidivism, for example, with positive empirical outcomes of risk-need-responsivity model (RNR)-based interventions (Andrews, Bonta, & Wormith, 2011).

Recovery is a broadly accepted and applied concept in regular mental health practice (Shepherd, Boardman, & Slade, 2008; Van

* Corresponding author at: Tilburg University, department Tranzo, Prof. Cobbenhagenlaan 125, 5000, LE, Tilburg, the Netherlands.

E-mail addresses: m.bredenoort@tilburguniversity.edu (M. Bredenoort), diana.roeg@kwintes.nl (D.P.K. Roeg), maaike.van.vugt@hvoquerido.nl (M.D. van Vugt).

Weeghel, Van Zelst, Boertien, & Hasson-Ohayon, 2019) with the commonly used definition of recovery by Anthony (1993, p.525) being that 'it is a way of living a life that is satisfying, hopeful and contributing, even with limitations caused by illness'. Leamy, Bird, Le Boutillier, Williams, and Slade (2011) formulated a framework that describes five processes of recovery: connectedness, hope and optimism about the future, identity, a meaningful life and empowerment (CHIME). Research on recovery in forensic settings, however, is limited (Viljoen, Nicholls, Greaves, de Ruiter, & Brink, 2011). Shepherd, Doyle, Sanders, and Shaw (2016) created a framework for recovery in the forensic domain with three main themes: hope and social networks, safety and security and work on identity.

Forensic research and practice have a history of focusing on risk assessment and prevention. Research used to focus on the question of why offenders start their risky behaviour rather than why they decide to stop (Laub & Sampson, 2002). The leading model in forensic practice is the RNR for offender assessment and treatment (Andrews et al., 2011). RNR consists of multiple principles for rehabilitation based on extensive research with risk, need and responsivity as the most important themes. The model contains eight central risk/need factors to reduce recidivism (Andrews, Bonta, & Wormith, 2006). These include the first 'big four' static risk/need factors: antisocial associates, antisocial cognitions, antisocial personality pattern and history of antisocial behaviour. The four dynamic factors are substance abuse and circumstances in the domains family and marital, school and work and leisure and recreation (Andrews et al., 2006, 2011). The minor risk/need factors include personal and emotional distress, mental disorder, physical health issues, fear of official punishment, physical conditioning, low intelligence, social class of origin, seriousness of current offence and other factors unrelated to offending (Andrews et al., 2006).

Evidently, the focus on risks is important, but strengths-based perspectives such as the good lives model (GLM) framework are gaining attention in forensic research and practice. GLM is a framework for offender rehabilitation and has tentatively emerged as an empirically supported model (Mallion, Wood, & Mallion, 2020). Where RNR contains risk/need factors, GLM contains classes of 'primary goods' that describe goals to strive for a 'good life': life, knowledge, excellence in work, excellence in play, excellence in agency, inner peace, friendship, community, spirituality, pleasure and creativity (Ward & Fortune, 2013).

To describe processes in which an individual renounces criminal behaviour and strives for a productive, socially responsible life (Ward & Maruna, 2007), terms such as reintegration, rehabilitation, re-entry, desistance and correctional treatment have been used (Ward, Fox, & Garber, 2014). Anthony's (1993) definition of recovery has similarities with the essence of rehabilitation as described above. The label 'rehabilitation' is often used by psychologists and 'reintegration' by criminologists (Laws & Ward, 2011; Ward & Laws, 2010; Ward et al., 2014).

1.2. Aim of the study

There is a vast amount of evidence regarding factors that influence recidivism and the processes of desistance and rehabilitation. Recovery is a relatively new theme in forensic research and practice. Therefore, with this scoping review we map the current state of research on rehabilitation and recovery and discuss the body of knowledge on the recovery paradigm in a forensic setting. To be thorough and to be able to compare the findings, we also explore whether the past 10 years of research have yielded any new factors of interest for recidivism and desistance. To our best knowledge, no literature studies to date have presented an overview of a combination of research on recidivism and desistance as well as on recovery and rehabilitation.

The operationalisation and measurements of the constructs of strengths and protective factors have been applied in various ways (Miller, 2015), as have risk factors. We sought available evidence on what influences recidivism, desistance, recovery and rehabilitation.

Our article focuses on offenders in general as well as in specific forensic settings, such as prisons, parole or forensic clinics.

2. Method

2.1. Study design

A scoping study maps relevant literature in a certain field to examine the extent, range and nature of research activity. It summarises and disseminates findings and identifies gaps in literature (Arksey & O'Malley, 2005). We followed the framework for scoping reviews as described by Arksey and O'Malley (2005): 1) identifying the research question (for our study, the research aim); 2) identifying relevant studies; 3) selecting studies; 4) charting the data; and 5) collating, summarising and reporting the results.

2.2. Eligibility criteria

We included studies conducted in Western countries in a forensic setting and with an adult target group (≥ 18 years). We define a forensic setting as a context where the sample has been convicted of a crime. This can describe a population of offenders in general or refer to a sample staying in or released or discharged from prison, a forensic clinic or a treatment or re-entry program. It can also describe a population of offenders under supervision, on probation or serving a community sentence. For the themes of recidivism, desistance and rehabilitation, we included only follow-up studies and meta-analyses since there is a range of research on this topic and these designs provide a fair level of evidence (Evans, 2003). Since recovery is a relatively new concept in forensic practice, we present a more comprehensive overview of the literature in this area. All types of study designs reporting on factors that influence recovery were included.

2.3. Search strategy

We systematically searched the bibliographical databases Pubmed, PsycInfo and Cinahl for literature (in November 2020). We used a combination of search terms regarding a) setting and population (*forensic*), b) the outcome of the study (*mental health recover**, *rehabilitat**, *desistance*, *recidivism*, *reoffend**, *repeat offend**) and c) the sample group (*not youth*, *not juvenile*). To identify relevant studies, we used *published from January 2010–November 2020*, *English and Dutch language*, *peer reviewed* and ≥ 18 years as search filters. No additional sources were consulted.

2.4. Study selection

After removing duplicate articles, the first author (MB) made a selection of the remaining studies in three rounds, screening for relevance based on 1) title, 2) abstract and 3) full-text assessment. The second author (DR) randomly assessed 20 studies in each round as well as the studies that raised doubt to enhance interrater reliability. We discussed differences in selection until we reached consensus. When doubt persisted, we included the study in the next round to make a more careful decision.

2.5. Data charting and data analysis

According to Arksey and O'Malley's framework, data charting is a technique for synthesising and interpreting data by sorting it according to key themes. Doing so allows us to present our narrative account of the findings through both descriptive and qualitative content analysis.

First, we assigned the included studies into two categories: recidivism and/or desistance and rehabilitation and/or recovery. For each of the two categories, we produced an Excel template to list information: first author, year of publication, country, study design, sample group

and setting, type of offence and main findings. Many papers investigated multiple factors in addition to the main factor(s) of research. In our Excel sheets, ‘main findings’ refer to the conclusion of the researchers on the main factor(s) of their research. The Excel sheets are listed as an appendix.

For the recidivism and desistance studies, we assigned the main factors that were investigated to an overarching theme (e.g., intimate relationships and contact with peers to ‘social variables’). These factors are categorized in Table 5, done by the first author (MB). When in doubt, there was consultation with the other authors. Not all factors indeed influenced recidivism or desistance. We categorized for positive effect (i.e. lower levels of recidivism, protective factor or contributing to desistance), no effect and negative effect (i.e. risk factor for recidivism). This can refer to relationships as well as associations.

Next, we listed the data on offender recovery and rehabilitation. The essence of recovery overlaps with the definition of offender rehabilitation, therefore we assigned these papers into one category. For this category we also included qualitative studies. Qualitative studies do not

provide statistical information. With the papers in this category, we extracted the factors that the sample groups mentioned as helpful (positive effect) or impeding (negative effect) in their processes of recovery and rehabilitation.

For both of the categories, our categorization is dichotomous, we did not categorize effect size or explained variance.

3. Results

The search resulted in 4798 articles, resulting into 95 studies after the selection process (Table 1).

3.1. Rehabilitation and recovery

Eighteen studies focused on rehabilitation and/or recovery among offenders. Half of these studies were qualitative and half were quantitative (all follow-up studies) (Table 2). We categorized emerging factors according to the four types of recovery (clinical, personal, social and

Table 1
Prisma flow chart.




Table 2
Study characteristics.

Rehabilitation and/or recovery N = 18	
Study design	Number of studies
Follow up	9
Qualitative	9
Country	
Australia	1
United States of America	6
Canada	3
European country	8
Forensic setting	
(Ex-)prisoners	3
Offenders on probation/supervision/ parole	1
(Ex-)forensic clinic, evaluation or (outpatient) treatment patients	10
General offender population	4
Duration of follow-up	
(mean) ≤ 3 years	4
(mean) > 3 years	5

functional recovery) following [Aga, Laenen, Vandeveld, Vermeersch, and Vanderplasschen \(2019\)](#). Additionally, we found a fifth category in the data: forensic recovery. Most recovery studies have been conducted in a clinical setting and therefore refer to their sample group as ‘patients’ ([Table 3](#)).

3.1.1. Clinical factors

Fourteen studies reported on clinical factors that influence recovery and/or rehabilitation. Ten of these studies were conducted in a clinical forensic setting. Nine studies had a qualitative design, and five were quantitative studies.

The studies indicate that medication and forms of treatment or therapy ([Aga et al., 2019](#); [Ferrito et al., 2012](#); [Mezey et al., 2010](#); [Olsson, Strand, & Kristiansen, 2014](#); [Viljoen et al., 2011](#)) are helpful when a patient is open to them. However, not all patients think they need this assistance ([Mezey et al., 2010](#)), and regarding medication substituted for drug use, opinions vary ([Senker & Green, 2016](#)). Therapy was found to be useful when it helped patients gain insight into their mental illness and the role it played in their offence. A good relationship with the staff, the skills of the professionals ([Adshead et al., 2015](#); [Ferrito et al., 2012](#); [Mezey et al., 2010](#); [Nijdam-Jones et al., 2015](#)) and experiencing safety in the facility (e.g., reduced coercive measures or transfer to a quieter ward; [Olsson, Strand, & Kristiansen, 2014](#)) were essential to achieve this.

Mental health problems pose challenges for individuals at every stage of the criminal justice process from arrest to reintegration and can complicate successful community re-entry ([Bakken & Visher, 2018](#); [Dias et al., 2018](#)). In one sample, women with mental health problems were at greater risk of poor re-entry outcomes in comparison to men ([Bakken & Visher, 2018](#)). Women who made a ‘successful return’ (i.e., did not return to the hospital) experienced more protective factors and had significantly fewer risk factors than individuals still in recovery did ([Viljoen et al., 2011](#)). Having fewer ‘incidents’ (e.g., relapse into psychosis or treatment nonadherence) during the program was also related to ‘success’ (i.e., not having probation revoked; [Manguno-Mire et al., 2014](#)).

When assessing protective factors in treated violent offenders, improvements in protective scores are linked to both a decrease in recidivism, as well as linked to an increase in positive community outcomes ([Coupland & Olver, 2020](#)).

3.1.2. Personal factors

Five qualitative studies described factors that influence personal

Table 3
Factors influencing rehabilitation or recovery in 2010–2020 literature.

Number of studies reporting on this factor (N)	Reference
Clinical factors (n = 14)	Adshead, Ferrito, and Bose (2015) , Aga et al. (2019) , Bakken and Visher (2018) , Coupland and Olver (2020) , Dias, Kinner, Heffernan, Waghorn, and Ware (2018) , Ferrito, Vetere, Adshead, and Moore (2012) , Manguno-Mire et al. (2014) , Mezey, Kavuma, Turton, Demetriou, and Wright (2010) , Nijdam-Jones, Livingston, Verdun-Jones, and Brink (2015) , Olsson, Strand, Asplund, and Kristiansen (2014) , Olsson, Strand, and Kristiansen (2014) , Pollak, Palmstierna, Kald, and Ekstrand (2018) , Senker and Green (2016) , Viljoen et al. (2011) .
Positive effect	
Medication	
Treatment variables	
Clinical staff skills and relationships	
Positive changes in protective factors	
Negative effect	
Mental health problems	
Risk of substance abuse	
Mixed evidence	
Substitute medication	
Personal factors (n = 5)	Adshead et al. (2015) , Aga et al. (2019) , Ferrito et al. (2012) , Olsson, Strand, and Kristiansen (2014) , Pollak et al. (2018) .
Positive effect	
Personal development	
Acceptance	
Autonomy	
Tranquillity	
Hope	
Social factors (n = 10)	Aga et al. (2019) , Ferrito et al. (2012) , Folk, Mashek, Tangney, Stuewig, and Moore (2016) , Mezey et al. (2010) , Mowen and Boman (2019) , Moore, Stuewig, and Tangney (2016) , Nijdam-Jones et al. (2015) , Olsson, Strand, & Kristiansen, 2014 Pollak et al. (2018) , Viljoen et al. (2011) .
Positive effect	
Helping others	
Supportive network	
Peers	
Belonging	
Connectedness to community	
Negative effect	
Stigma	
Connectedness to criminal community	
Functional factors (n = 8)	Aga et al. (2019) , Bakken and Visher (2018) , Dias et al. (2018) , Manguno-Mire et al. (2014) , Nijdam-Jones et al. (2015) , Olsson, Strand, and Kristiansen (2014) , Senker and Green (2016) , Visher and Bakken (2014) .
Positive effect	
Financial resources	
Daily structure with activities and programs	
Practical resources	
New skills	
Housing	
Employment	
Negative effect	
Limited post release employment	
No appropriate housing	
Forensic factors (n = 6)	Adshead et al. (2015) , Ferrito et al. (2012) , Mezey et al. (2010) , Nijdam-Jones et al. (2015) , Pollak et al. (2018) , Senker and Green (2016) .
Positive effect	
Acknowledgement and understanding of the offence	
Perception of identity	
Being in a secure setting	
Rules and norms of the facility	
Forms of repayment	
Negative effect	
Length of stay	

recovery and/or rehabilitation.

Internal factors such as personal development, acceptance, autonomy, tranquillity, rest ([Aga et al., 2019](#)) and being able to relax and think positively ([Olsson, Strand, & Kristiansen, 2014](#)) help patients in their personal recovery. During this process, it is important to experience hope ([Ferrito et al., 2012](#); [Pollak et al., 2018](#)) and resiliency during times of relapse ([Senker & Green, 2016](#)).

3.1.3. Social factors

Ten studies mention various social variables that influence recovery and/or rehabilitation. Six of these studies had a qualitative design and four a quantitative design.

Findings regarding social support indicate that an offender’s social network plays an important but complex part in reintegration ([Mowen & Boman, 2019](#); [Visher & Bakken, 2014](#)). Social variables associated with recovery include a sense of belonging ([Aga et al., 2019](#)), helping others

and having a social network with supportive contacts and meaningful relationships (with friends, family, staff and other patients; [Aga et al., 2019](#); [Ferrito et al., 2012](#); [Mezey et al., 2010](#); [Nijdam-Jones et al., 2015](#); [Viljoen et al., 2011](#)). Feeling connected to the community positively predicts community adjustment ([Folk et al., 2016](#)).

The stigma associated with mental illness and being an offender is a factor that holds back recovery ([Mezey et al., 2010](#)) and negatively influences reintegration ([Moore et al., 2016](#)). [Dias et al. \(2018\)](#) address that disclosure support for ex-prisoners could help with sharing information in their workplace that can trigger employer stigma.

3.1.4. Functional factors

Functional variables that influence recovery and/or rehabilitation are reported in eight studies, half of which were qualitative and half quantitative.

To achieve functional aspects of recovery, patients having a daily structure with activities and involvement in programs is important ([Aga et al., 2019](#); [Nijdam-Jones et al., 2015](#); [Olsson, Strand, & Kristiansen, 2014](#); [Viljoen et al., 2011](#)). [Dias et al. \(2018\)](#) stress the importance of vocational rehabilitation after release from prison. For employment as a rehabilitation target, these researchers refer to the evidence-based approach to supported employment, namely individual placement and support. Acquiring and committing to new skills helps patients connect to others and has a positive effect on their self-identity. Vocational skills are viewed as ‘opening doors to recovery and successful community reintegration’ ([Nijdam-Jones et al., 2015](#)).

Additionally, a stable financial situation is helpful ([Manguno-Mire et al., 2014](#); [Aga et al., 2019](#); [Visher & Bakken, 2014](#)), as are practical resources such as having a driver’s license, internet and a mobile phone. These resources are mostly regarded as important for connecting to other people and are therefore closely linked to social resources ([Aga et al., 2019](#)). Inappropriate housing (i.e., going back to the ‘old’ neighbourhood with drug dealers) hinders the process ([Senker & Green, 2016](#)).

3.1.5. Forensic factors

In addition to the four known forms of recovery (clinical, personal, social and functional), some studies mention a fifth form specifically for the forensic domain. [Aga et al. \(2019, p.1\)](#) define this ‘forensic recovery’ as ‘an additional mechanism, besides more established recovery dimensions, that is unique to mentally ill offenders’. Six qualitative studies have reported on factors of influence for this form of recovery.

Forms of repayment are described as a factor relating to these kind of experiences. The reality of incarceration creates a turning point for some offenders and provides a feeling of making amends ([Ferrito et al., 2012](#)). Being in a secure setting with the rules and norms of the forensic facility is also regarded as helpful ([Mezey et al., 2010](#); [Nijdam-Jones et al., 2015](#)).

Patients sometimes experience the time spent in the facility as an impediment to recovery because it makes patients feel sad, desperate and hopeless ([Nijdam-Jones et al., 2015](#)) or feels like a waste of time ([Pollak et al., 2018](#)). However, the length of the stay gives some patients time to rationalise and understand their offence. It is helpful to discuss the perception of identity with regard to the offence ([Nijdam-Jones et al., 2015](#)). Exploring and narrating their life story helps participants regain an understanding of their own identity after having committed a crime ([Adshead et al., 2015](#); [Ferrito et al., 2012](#)).

3.2. Recidivism and desistance

The 77 included studies on recidivism and/or desistance consist of 71 follow-up studies and six meta-analyses, most of which are from the US and Europe (Table 4). We categorized the duration of follow-up in mean ≤ 3 years of >3 years since follow-up of three years is common ([Alper, Durose, & Markman, 2018](#)). Thirteen themes with an influence on recidivism and desistance were found, of which only adult victimisation

Table 4
Study characteristics.

Recidivism and/or desistance N = 77	
Study design	Number of studies
Meta-analyses	6
Follow-up studies	71
Country (follow-ups)	
European country	20
Australia	4
United States of America	38
Canada	8
Russia	1
Forensic setting (follow-ups)	
(Ex-)prisoners	29
Ex-prisoners in a reentry program	2
Offenders in a halfway house	1
Offenders on probation/supervision/parole	11
(Ex-)forensic clinic, evaluation or (outpatient) treatment patients	13
General offender population	15
Duration of follow-up	
(mean) ≤ 3 years	41
(mean) > 3 years	30

is not one of the previous known described by the RNR and GLM models (Table 5).

3.2.1. Adult victimisation

Four studies reported on adult victimisation as a direct or indirect factor that influenced recidivism. [Taylor \(2015\)](#) examined to what extent recent victimisation is associated with reoffending. More frequent and recent victimisation showed a direct effect on recidivism, and the likelihood of reoffending was much greater for offenders who had recently experienced victimisation. [Tripodi et al. \(2019\)](#) found a relation between child abuse and adult victimisation, specifically intimate partner violence, in a sample of women. These researchers state that the effect of child abuse on recidivism is indirect with depression as an intervening variable and that child abuse has a significant relationship with intimate partner violence as an adult. [Miller and Marshal \(2019\)](#) examined risk factors for sexual and nonsexual recidivism in a group of female sex offenders. The results provide support for prior victimisation as a gender-specific risk factor. More specifically, this includes sexual abuse as a child as well as experiencing physical abuse as an adult. [Zweig et al. \(2015\)](#) examined the relationship between in-prison victimisation and recidivism. They saw that prisoners are vulnerable to physical and sexual violence during incarceration. They found that men and women who experience in-prison assault have negative emotional reactions to these experiences (i.e., hostility and depression). This was found to increase negative behaviour when they were released and can have consequences for their mental health and wellbeing in the long term.

4. Discussion

Forensic research and practice have historically focused on risk assessment and prevention. This risk-oriented paradigm is shifting towards a more recovery-oriented perspective.

With this scoping review, we provide an overview of research on factors influencing rehabilitation and recovery and discuss the recovery paradigm in a forensic setting. To be thorough, we also provide an update of the past 10 years of research on recidivism and desistance.

Adult victimisation occurs as a risk factor for recidivism. It is not a part of the central eight risk factors, but the importance of this risk factor is emphasised in various studies. In offenders in detention under a hospital order, [Hilterman and De Graaf \(2011\)](#) found adult victimisation as a risk factor of recidivism in a sample of patients in the Netherlands.

Table 5
Factors influencing recidivism and/or desistance in 2010–2020 literature.

Number of studies reporting on this factor (N)	Reference
Social variables (N = 19)	Adams, Morash, Smith, and Cobbina (2017), Atkin-Plunk and Armstrong (2018), Barr and Simons (2015), Barrick, Lattimore, and Visser (2014), Bouman, de Ruiter, and Schene (2010), Cobbina, Huebner, and Berg (2012), Cochran (2014), Greiner, Law, and Brown (2015), Kendler, Lönn, Sundquist, and Sundquist (2017), Kras (2019), Mitchell, Spooner, Jia, and Zhang (2016), Mowen and Boman (2018), Orrick et al. (2011), Shannon, Jones, Newell, and Payne (2018), Spjeldnes, Jung, Maguire, and Yamatani (2012), Taylor (2016), Ullrich and Coid (2011), Van der Knaap et al. (2012), Walker, Kazemian, Lussier, and Na (2020).
<u>Positive effect</u>	
Parenthood activities	
High quality relationships	
Family support / family ties	
Ties to social institutions	
Prison visitation	
Associates	
Marriage	
Closeness to others	
Spare time spent with family / friends	
<u>Negative effect</u>	
Criminal peers / family	
<u>Mixed evidence / No effect</u>	
Intimate social network members	
Social support	
Instrumental family support	
Marriage	
Prison visitation	
Gender (N = 2)	Becker, Andel, Boaz, and Constantine (2011), Zgoba and Salerno (2017).
<u>Negative effect</u>	
Male gender	
Employment or school (N = 9)	Aaltonen (2016), Bunting, Staton, Winston, and Pangburn (2019), Delaney, Laux, Piazza, Ritchie, and Jenkins (2014), Greiner et al. (2015), Makarios, Steiner, Travis, and III. (2010), Ramakers, Nieuwbeerta, Van Wilsem, and Dirkzwager (2017), Tripodi, Kim, and Bender (2010), Ullrich and Coid (2011), van der Knaap, Alberda, Oosterveld, and Born (2012).
<u>Positive effect</u>	
Employment	
Training	
Childhood trauma and victimisation (N = 4)	Dalsklev et al. (2019), Fowler, Cantos, and Miller (2016), Krona et al. (2017), Nunes, Hermann, Renee Malcom, and Lavoie (2013).
<u>Negative effect</u>	
Childhood trauma	
Interparental violence	
Receiving child abuse	
Childhood adversities	
Childhood sexual abuse	
Adult victimisation (N = 4)	Marshall and Miller (2019), Taylor (2015), Tripodi et al. (2019), Zweig, Yahner, Visser, and Lattimore (2015).
<u>Negative effect</u>	
Victimisation (and history)	
Victimisation during incarceration	
Mental health variables (N = 31)	Abracen et al. (2014), Anderson, Walsh, and Kosson (2018), Baillargeon et al. (2010), Cale and Lussier (2012), Cimino, Mendoza, Thieleman, Shively, and Kunz (2015), Delaney et al. (2014), Ducat, McEwan, and Ogloff (2015), Fazel and Yu (2011), Golenkov, Large, and Nielsen (2013), Håkansson and Berglund (2012), Hirschel, Hutchison, and Shaw (2010), Houser, Saum, and Hiller (2019), Langevin and Curnoe (2011), Lund, Forsman, Anckarsäter, and Nilsson (2012), Makarios et al. (2010), Marshall and Miller (2019), O'Driscoll, Larney, Indig, and Basson (2012), Pflueger, Franke, Graf, and Hachtel (2015), Rezansoff, Moniruzzaman, Gress, and Somers (2013), Shannon et al. (2018), Shepherd, Campbell, and Ogloff (2018), Skeem, Winter, Kennealy, Loudon, and Tatar 2nd. (2014), Sturup and Lindqvist (2014), van der Knaap et al. (2012), van Horn, Eisenberg, van Kuik, and van Kinderen (2012), Vasiljevic, Öjehagen, and Andersson (2017), Walter, Wiesbeck, Dittmann, and Graf (2011), Webster, Dickson, Staton-Tindall, and Leukefeld (2015), Wilson, Draine, Hadley, Metraux,
<u>Negative effect</u>	
Comorbid disorder	
Psychopathy (some forms of) Mental illness	
Outpatient treatment	
Substance use/abuse	
Receiving any therapeutic response	
Antisocial behaviour in youth (in conjunction with actuarial indicators)	
Alcohol dependence	
ADHD	
Personality disorder	
Antisocial personality disorder	
<u>Mixed evidence/ No effect</u>	
Psychosis	
Personality disorder	
Mental health disorder in general	

Table 5 (continued)

Number of studies reporting on this factor (N)	Reference
	and Evans (2011), Wilson and Wood (2014), Yu, Geddes, and Fazel (2012).
Legal variables (N = 12)	De Rooy, Bennett, and Sydes (2019), Caudy, Durso, and Taxman (2013), Delaney et al. (2014), Ducat et al. (2015), Fries, Rossegger, Endrass, and Sing (2013), Lund et al. (2012), Lund, Hofvander, Forsman, Anckarsäter, and Nilsson (2013), Pflueger et al. (2015), Shannon et al. (2018), Sturup and Lindqvist (2014), Wakeling, Freemantle, Beech, and Elliott (2011), Zgoba and Salerno (2017), Langevin and Curnoe (2011).
<u>Negative effect</u>	
Criminal history / sanctions	
Number of convictions together with age at index crime	
Prison discipline allegations	
Offence type	
Victim variables	
Physical variables (N = 1)	
<u>Negative effect</u>	
Brain dysfunction	
Housing (N = 4)	Golenkov et al. (2013), Stahler et al. (2013), Ullrich and Coid (2011), van der Knaap et al. (2012).
<u>Positive effect</u>	
Immediate accommodation after release	
<u>Negative effect</u>	
Problems with accommodation	
Living in a rural area	
Living in an area with high recidivism rates	
Attitude (N = 3)	Helmus, Hanson, Babchishin, and Mann (2013), Tangney, Stuewig, and Martinez (2014), Walters and Cohen (2016).
<u>Positive effect</u>	
Shame proneness	
<u>Negative effect</u>	
Guilt proneness	
Attitudes supportive of offending / criminal thinking	
Religion (N = 2)	Stansfield and Mowen (2019), Ullrich and Coid (2011).
<u>Positive effect</u>	
Involvement in religious activities	
Returning to a religious county	
<u>No effect</u>	
Individual religious involvement	
Age (N = 9)	De Rooy et al. (2019), Delaney et al. (2014), Fries et al. (2013), Katsiyannis, Whitford, Zhang, and Gage (2018), Pflueger et al. (2015), Shannon et al. (2018), Wakeling et al. (2011), Webster et al. (2015), Zgoba and Salerno (2017).
<u>Positive effect</u>	
Older age	
Age	
<u>Negative effect</u>	
Younger age	
Sets of factors (N = 5)	Miller (2015), Lowder, Desmarais, Rade, Coffey, and Van Dorn (2017), Nilsson, Wallinius, Gustavson, Anckarsäter, and Kerekes (2011), Wilpert, van Horn, and Boonmann (2018), Eisenberg et al. (2019).
<u>Positive effect</u>	
Protective strengths items	
START strength total scores	
<u>Negative effect</u>	
Central Eight	
START vulnerability total scores	
<u>Mixed evidence</u>	
Central Eight	
Ethnicity (N = 2)	De Rooy et al. (2019), Webster et al. (2015).
<u>No effect</u>	
Ethnicity	

Among a group of female forensic patients, 54% had experienced adult victimisation (De Vogel, Stam, Bouman, Ter Horst, & Lancel, 2014). The prevalence and importance of being aware of adult victimisation is also indicated in studies with severe mental illness (SMI) patients and individuals living in supported housing. Recently, a Dutch 10-year research program on violence against psychiatric patients was completed. Several studies revealed a high prevalence of adult victimisation among individuals with SMI, outpatients and clients in sheltered housing. In a study by Kamperman et al. (2014), 47% of the sample group of outpatients with SMI had become a victim of a crime in the past year. The prevalence of victimisation for this group was significantly higher than for the general population. Individuals living in supported housing have found to be at greater risk of becoming a victim, and more awareness on this is needed (Albers, Roeg, Nijssen, Van Weeghel, & Bongers, 2018; Zarchev et al., 2021). In forensic care, there can be thin

line between creating a victim and becoming one. It is important that both men and women have the opportunity to discuss what has happened to them or what can be done to prevent them becoming a victim.

Reentry experiences of men and women have important differences (Bakken & Visser, 2018; van der Knaap et al., 2012). Most criminological studies investigate a male sample group, but interest in and need for research regarding women's risks and needs is growing (Slotboom, Hoeve, Ezinga, & van der, 2013). In the Netherlands, the Female Additional Manual (FAM) was developed (De Vogel, De Vries Robbé, Van Kalmthout, & Place, 2011) as an additional assessment tool. The FAM assesses the risk of violence against others and the risk of general criminal behaviour. Additionally, the FAM assesses self-destructive behaviour, which appears more in women, as well as victimisation and trauma (De Vogel et al., 2011; De Vogel et al., 2014).

In addition to clinical, functional, personal and social factors influencing recovery and rehabilitation, included studies attended to forensic factors influencing recovery that are unique to offenders. Shepherd et al. (2016) created a framework for recovery in the forensic domain with three main themes: hope and social networks, safety and security and work on identity. In comparison to the other domains of recovery, safety and security is uniquely important for the forensic group (Shepherd et al., 2016). The forensic influencers of recovery regarding the role of forms of repayment, rules and norms in the forensic facility, length of stay and regaining insight and understanding of identity after an offence adhere to Shepherd and colleagues' description of this process. Cynicism and a traditional attitude towards punishment among professionals can negatively influence the way professionals adhere to a rehabilitative attitude (Kras, Dmello, Meyer, Butterfield, & Rudes, 2019). The experiences described by Nijdam-Jones et al. (2015) and Pollak et al. (2018) regarding the forensic factors holding back recovery, such as the feeling that the time spent in the facility is a waste of time and feeling desperate and hopeless, show similarities to the concept of hospitalisation in regular mental health care. Hospitalisation describes a phenomenon where the patient becomes less independent during treatment, increasingly relying on professionals, and experiences apathy (Donker, 1993).

It is important to emphasize that the various forms of recovery do not stand on their own but influence each other and can overlap (Davidson, Borg, Topor, & Mezzina, 2015). The recovery studies focused mostly on mentally ill offenders in a clinical forensic setting. Less is known about what would help offenders in the process of forensic recovery when they do not reside in a clinic but rather in prison, supported housing or outpatient care. Knowledge of recovery in regular mental health care could potentially be useful in prison or probation offices, for example.

4.1. Strengths and limitations

The integrated focus on factors influencing recidivism, desistance and recovery and rehabilitation is an important strength of this study. To our knowledge, this study is unique in forensic research since most studies focus on either recidivism and desistance or recovery and rehabilitation. This trend reflects the complex gap in forensic care where an important task is to prevent recidivism and protect society by providing treatment and security (Drieschner & Weijters, 2018), but there is growing awareness that this task can coexist with and even enhance helping offenders recover. In particular, the knowledge of the combination may assist practitioners in helping offenders in their process of reintegration.

Regarding appraisal of sources of evidence, we did not consult research protocols of the papers included. We based our results on articles published in peer reviewed journals only.

The number of studies and level of evidence regarding factors influencing rehabilitation and recovery in the forensic setting is relatively low so far. Half of the included papers on this subject have a qualitative design. These described experiences provide a first indicator of what hinders and enables recovery and rehabilitation and should

inspire additional quantitative research to confirm their influence. Lastly it is important to emphasize the heterogeneity of the studies. The variety in offence type, setting and sample group makes it difficult to compare or generalise the results. For a scoping review, however, this is not uncommon since it prioritises aspects of the literature providing an overview or exploration and guiding future research (Arksey & O'Malley, 2005).

5. Conclusion

The body of evidence on rehabilitation and recovery is not yet as profound as that on recidivism and desistance. Most recovery studies focus on a clinical forensic setting. Recovery-oriented care in general mental health practice is well established. In forensic care, the paradigm is also shifting from focusing on risks only to a more recovery-oriented climate. Included studies on rehabilitation and recovery revealed a first indicator of clinical, personal, social, functional and forensic factors that influence these processes. The stigma that rests on offenders was one of the factors holding back recovery and can hinder forensic professionals in embracing the recovery paradigm. With our article, we hope to inspire researchers and practitioners to pursue more recovery-oriented research and care in the forensic domain.

This study provides a first exploration and overview of recent literature and encourages researchers and practitioners to focus on the recovery paradigm in forensic care. More knowledge on recovery trajectories for offenders in prison or ambulatory care, for example, is required. A second recommendation is to examine if and in which way influencing factors interrelate for recidivism and the processes of desistance, rehabilitation and recovery. It is expected that they influence each other, but further study will have to determine whether this stands true, to what extent and for which individuals.

Funding

This work was funded by Quality Forensic Care (www.kfz.nl). Quality Forensic Care is organised by Expertise Center Forensic Psychiatry (www.efp.nl) as a programme where forensic care professionals collaborate to improve and optimise the quality of forensic care. Quality Forensic Care had no involvement regarding study design, collection, analysis and interpretation of data, in writing the report and the decision to submit this article for publication.

Open access

This article was submitted for open-access publication.

Declaration of Competing Interest

None.

Appendix A. Supplementary data

Supplementary data to this article can be found online at <https://doi.org/10.1016/j.ijlp.2022.101812>.

References

- Aaltonen, M. (2016). Post-release employment of desisting inmates. *British Journal of Criminology*, 56(2), 350–369. <https://doi.org/10.1093/bjc/azv047>
- Abracen, J., Langton, C. M., Looman, J., Gallo, A., Ferguson, M., Axford, M., & Dickey, R. (2014). Mental health diagnoses and recidivism in paroled offenders. *International Journal of Offender Therapy and Comparative Criminology*, 58(7), 765–779. <https://doi.org/10.1177/0306624X13485930>
- Adams, E. A., Morash, M., Smith, S. W., & Cobbina, J. E. (2017). Women's experience of motherhood, violations of supervision requirements and arrests. *British Journal of Criminology*, 57(6), 1420–1441.

- Adshad, G., Ferrito, M., & Bose, S. (2015). Recovery after homicide: Narrative shifts in therapy with homicide perpetrators. *Criminal Justice and Behavior*, 42(1), 70–81. <https://doi.org/10.1177/0093854814550030>
- Aga, N., Laenen, F. V., Vandevelde, S., Vermeersch, E., & Vanderplassen, W. (2019). Recovery of offenders formerly labeled as not criminally responsible: Uncovering the ambiguity from first-person narratives. *International Journal of Offender Therapy and Comparative Criminology*, 63(6), 919–939. <https://doi.org/10.1177/0306624X17730617>
- Albers, W. M. M., Roeg, D. P. K., Nijssen, Y., Van Weeghel, J., & Bongers, I. (2018). Profiling of victimization, perpetration, and participation: A latent class analysis among people with severe mental illness. *PLoS One*, 13(11), e0208457. <https://doi.org/10.1371/journal.pone.0208457>
- Alper, M., Durose, M. R., & Markman, J. (2018). *2018 update on prisoner Recidivism: A 9-year follow-up period (2005–2014)*. U.S. Department of Justice. Bureau of Justice Statistics. <https://bjs.ojp.gov/content/pub/pdf/18upr9yfup0514.pdf>
- Anderson, J. R., Walsh, Z., & Kosson, D. S. (2018, Dec). Psychopathy, self-identified race/ethnicity, and nonviolent recidivism: A longitudinal study. *Law and Human Behavior*, 42(6), 531–544. <https://doi.org/10.1037/lhb0000302>
- Andrews, D., Bonta, J., & Wormith, J. S. (2006). The recent past and near future of risk and/or need assessment. *Crime & Delinquency*, 52(1), 7–27. <https://doi.org/10.1177/0011128705281756>
- Andrews, D., Bonta, J., & Wormith, J. S. (2011). The risk-need-responsivity (RNR) model. Does adding the good lives model contribute to effective crime prevention? *Criminal Justice and Behavior*, 38(7), 735–755. <https://doi.org/10.1177/0093854811406356>
- Anthony, W. A. (1993). Recovery from mental illness: The guiding vision of the mental health service system in the 1990s. *Psychosocial Rehabilitation Journal*, 16(4), 11–23. <https://doi.org/10.1037/h0095655>
- Arksey, H., & O'Malley, L. (2005). Scoping studies: Towards a methodological framework. *International Journal of Social Research Methodology*, 8(1), 19–32. <https://doi.org/10.1080/1364557032000119616>
- Atkin-Plunk, C. A., & Armstrong, G. S. (2018). Disentangling the relationship between social ties, prison visitation, and recidivism. *Criminal Justice and Behavior*, 45(10), 1507–1526. <https://doi.org/10.1177/0093854818772320>
- Baillargeon, J., Penn, J. V., Knight, K., Harzke, A. J., Baillargeon, G., & Becker, E. A. (2010). Risk of reincarceration among prisoners with co-occurring severe mental illness and substance use disorders. *Administration and Policy in Mental Health and Mental Health Services Research*, 37(4), 367–374. <https://doi.org/10.1007/s10488-009-0252-9>
- Bakken, N. W., & Visher, C. A. (2018). Successful reintegration and mental health: An examination of gender differences among reentering offenders. *Criminal Justice and Behavior*, 45(8), 1121–1135. <https://doi.org/10.1177/0093854818774384>
- Bannink, F., & Jackson, P. (2011). Positive psychology and solution focus - looking at similarities and differences. *InterAction - The Journal of Solution Focus in Organisations*, 3(1), 8–20.
- Barr, A. B., & Simons, R. L. (2015 Jun). Different dimensions, different mechanisms? Distinguishing relationship status and quality effects on desistance. *Journal of Family Psychology*, 29(3), 360–370. <https://doi.org/10.1037/fam0000079>
- Barrick, K., Lattimore, P. K., & Visher, C. A. (2014). Reentering women: The impact of social ties on long-term recidivism. *The Prison Journal*, 94(3), 279–304. <https://doi.org/10.1177/0032885514537596>
- Becker, M. A., Andel, R., Boaz, T., & Constantine, R. (2011 Jan). Gender differences and risk of arrest among offenders with serious mental illness. *The Journal of Behavioral Health Services & Research*, 38(1), 16–28. <https://doi.org/10.1007/s11414-010-9217-8>
- Bouman, Y. H. A., de Ruiter, C., & Schene, A. H. (2010). Social ties and short-term self-reported delinquent behaviour of personality disordered forensic outpatients. *Legal and Criminological Psychology*, 15(2), 357–372. <https://doi.org/10.1348/135532509X444528>
- Bunting, A. M., Staton, M., Winston, E., & Pangburn, K. (2019). Beyond the employment dichotomy: An examination of recidivism and days remaining in the community by post-release employment status. *International Journal of Offender Therapy and Comparative Criminology*, 63(5), 712–733. <https://doi.org/10.1177/0306624X18808685>
- Cale, J., & Lussier, P. (2012). Merging developmental and criminal career perspectives: Implications for risk assessment and risk prediction of violent/sexual recidivism in adult sexual aggressors of women. *Sexual Abuse: A Journal of Research & Treatment*, 24(2), 107–132.
- Caudy, M. S., Durso, J. M., & Taxman, F. S. (2013). How well do dynamic needs predict recidivism? Implications for risk assessment and risk reduction. *Journal of Criminal Justice*, 41(6), 458–466. <https://doi.org/10.1016/j.jcrimjus.2013.08.004>
- Cimino, A. N., Mendoza, N., Thieleman, K., Shively, R., & Kunz, K. (2015). Women reentering the community: Understanding addiction and trauma-related characteristics of recidivism. *Journal of Human Behavior in the Social Environment*, 25(5), 468–476. <https://doi.org/10.1080/10911359.2014.983257>
- Cobbina, J. E., Huebner, B. M., & Berg, M. T. (2012). Men, women, and postrelease offending: An examination of the nature of the link between relational ties and recidivism. *Crime & Delinquency*, 58(3), 331–361. <https://doi.org/10.1177/0011128710382348>
- Cochran, J. C. (2014). Breaches in the wall: Imprisonment, social support, and recidivism. *Journal of Research in Crime and Delinquency*, 51(2), 200–229. <https://doi.org/10.1177/0022427813497963>
- Coupland, R. B. A., & Olver, M. E. (2020). Assessing protective factors in treated violent offenders: Associations with recidivism reduction and positive community outcomes. *Psychological Assessment*, 32(5), 493–508. <https://doi.org/10.1037/pas0000807>
- Dalsklev, M., Cunningham, T., Travers, Á., McDonagh, T., Shannon, C., Downes, C., & Hanna, D. (2019). Childhood trauma as a predictor of reoffending in a northern Irish probation sample. *Child Abuse & Neglect*, 97. <https://doi.org/10.1016/j.chiabu.2019.104168>
- Davidson, L., Borg, M., Topor, A., & Mezzina, R. (2015). Processes of recovery in serious mental illness: Findings from a multinational study. *American Journal of Psychiatric Rehabilitation*, 8(3), 177–201. <https://doi.org/10.1080/15487760500339360>
- De Rooy, K., Bennett, S., & Sydes, M. (2019). Women released from custody: Investigating risk factors and reoffending. *International Journal of Offender Therapy and Comparative Criminology*, 63(13), 2239–2263. <https://doi.org/10.1177/0306624X19845778>
- De Vogel, V., De Vries Robbé, M., Van Kalmthout, W., & Place, C. (2011). *Female Additional Manual (FAM). Aanvullende richtlijnen bij de HCR-20 voor het inschatten van geweldadig gedrag bij vrouwen*. Van der Hoeven Stichting.
- De Vogel, V., Stam, J., Bouman, Y., Ter Horst, P., & Lancel, M. (2014). Gewelddadige vrouwen: een multicenteronderzoek naar kenmerken van vrouwelijke forensisch psychiatrische patiënten. *Tijdschrift voor Psychiatrie*, 56(7), 439–477. https://www.researchgate.net/publication/263970558_Gewelddadige_vrouwen_een_multicenteronderzoek_naar_kenmerken_van_vrouwelijke_forensisch_psychiatrische_patiënten
- Delaney, R. B., Laux, J. M., Piazza, N. J., Ritchie, M. H., & Jenkins, M. (2014). Predicting desistance or persistence in the substance-abusing, mentally ill, supervised offender population using Laub and Sampson's (2001) social controls and individual factors theory. *Journal of Addictions & Offender Counseling*, 35(1), 2–14. <https://doi.org/10.1002/j.2161-1874.2014.00020.x>
- Dias, S., Kinner, S. A., Heffernan, E., Waghorn, G., & Ware, R. (2018). Identifying rehabilitation priorities among ex-prisoners vulnerable to mental illness and substance abuse. *Journal of Rehabilitation*, 84(3), 46–56.
- Donker, M. (1993). Psychiatriebeleid in Nederland. *Beleid en Maatschappij*, 6, 273–276 (Available at ugp.rug.nl).
- Drieschner, K., Hill, J., & Weijters, G. (2018). Recidive na tbs, ISD en overige forensische zorg. *Wetenschappelijk Onderzoek- en Documentatiecentrum. Cahier*, 2018–2022.
- Ducat, L., McEwan, T. E., & Ogloff, J. R. P. (2015). An investigation of firesetting recidivism: Factors related to repeat offending. *Legal and Criminological Psychology*, 20(1), 1–18. <https://doi.org/10.1111/lcrp.12052>
- Eisenberg, M. J., van Horn, J. E., Dekker, J. M., Assink, M., van der Put, C. E., Hendriks, J., & Stams, G. J. J. M. (2019). Static and dynamic predictors of general and violent criminal offense recidivism in the forensic outpatient population: A meta-analysis. *Criminal Justice and Behavior*, 46(5), 732–750. <https://doi.org/10.1177/0093854819826109>
- Evans, D. (2003). Hierarchy of evidence: A framework for ranking evidence evaluating healthcare interventions. *Journal of Clinical Nursing*, 12(1), 77–84.
- Fazel, S., & Yu, R. (2011). Psychotic disorders and repeat offending: Systematic review and meta-analysis. *Schizophrenia Bulletin*, 37(4), 800–810. doi:schbul/sbp135.
- Ferrito, M., Vetere, A., Adshad, G., & Moore, E. (2012). Life after homicide: Accounts of recovery and redemption of offender patients in a high security hospital—A qualitative study. *Journal of Forensic Psychiatry & Psychology*, 23(3), 327–344. <https://doi.org/10.1080/14789949.2012.668211>
- Folk, J. B., Mashek, D., Tangney, J., Stuewig, J., & Moore, K. E. (2016). Connectedness to the criminal community and the community at large predicts 1-year post-release outcomes among felony offenders. *European Journal of Social Psychology*, 46(3), 341–355. <https://doi.org/10.1002/ejsp.2155>
- Fowler, D. R., Cantos, A. L., & Miller, S. A. (2016). Exposure to violence, typology, and recidivism in a probation sample of domestic violence perpetrators. *Child Abuse & Neglect*, 59, 66–77. <https://doi.org/10.1016/j.chiabu.2016.07.007>
- Fries, D., Rossegger, S., Endrass, J., & Sing, J. P. (2013). The prediction of criminal recidivism using routinely available file information. *International Journal of Psychological Research*, 6(2), 8–14. <https://doi.org/10.21500/20112084.671>
- Golenkov, A., Large, M., & Nielsen, O. (2013). A 30-year study of homicide recidivism and schizophrenia. *Criminal Behaviour and Mental Health*, 23(5), 347–355. <https://doi.org/10.1002/cbm.1876>
- Greiner, L. E., Law, M. A., & Brown, S. L. (2015). Using dynamic factors to predict recidivism among women: A four-wave prospective study. *Criminal Justice and Behavior*, 42(5), 457–480. <https://doi.org/10.1177/0093854814553222>
- Håkansson, A., & Berglund, M. (2012). Risk factors for criminal recidivism — A prospective follow-up study in prisoners with substance abuse. *BMC Psychiatry*, 12. <https://doi.org/10.1186/1471-244X-12-111>
- Helmus, L., Hanson, R. K., Babchishin, K. M., & Mann, R. E. (2013). Attitudes supportive of sexual offending predict recidivism: A Meta-analysis. *Trauma, Violence & Abuse*, 14(1), 34–53. <https://doi.org/10.1177/1524838012462244>
- Hilterman, E. L. B., Philippe, M. W. G., & De Graaf, N. D. (2011). Assessment of offending during leave: Development of the leave risk assessment in a sample of Dutch forensic psychiatric patients. *International Journal of Forensic Mental Health*, 10(3), 233–243. <https://doi.org/10.1080/14999013.2011.598601>
- Hirschel, D., Hutchison, I. W., & Shaw, M. (2010). The interrelationship between substance abuse and the likelihood of arrest, conviction, and re-offending in cases of intimate partner violence. *Journal of Family Violence*, 25(1), 81–90. <https://doi.org/10.1007/s10896-009-9272-1>
- van Horn, J. E., Eisenberg, M. J., van Kuik, S., & van Kinderen, G. M. (2012). Psychopathology and recidivism among violent offenders with a dual diagnosis. A comparison with other subgroups of violent offenders. *Tijdschrift voor Psychiatrie*, 54(6), 497–507 (Psychiatrische stoornissen en recidive bij geweldplegers met dubbele diagnose; vergelijking met andere subgroepen geweldplegers.)
- Houser, K. A., Saum, C. A., & Hiller, M. L. (2019). Mental health, substance abuse, co-occurring disorders, and 3-year recidivism of felony parolees. *Criminal Justice and Behavior*, 46(9), 1237–1254. <https://doi.org/10.1177/0093854819856924>
- Hughes, T., & Wilson, D. (2002). *Reentry trends in the U.S.* Washington, DC: U.S. BJS. <https://www.bjs.gov/content/reentry/reentry.cfm>

- Kamperman, A. M., Henrichs, J., Bogaerts, S., Lesaffre, E. M. E. H., Wiersma, A. I., Ghauharali, R. R. R., ... Mulder, C. L. (2014). Criminal victimisation in people with severe mental illness: A multi-site prevalence and incidence survey in the Netherlands. *PLoS One*, 9(3), e91029. <https://doi.org/10.1371/journal.pone.0091029>
- Katsiyannis, A., Whitford, D. K., Zhang, D., & Gage, N. A. (2018). Adult recidivism in United States: A Meta-analysis 1994–2015. *Journal of Child and Family Studies*, 27(3), 686–696. <https://doi.org/10.1007/s10826-017-0945-8>
- Kendler, K. S., Lönn, S. L., Sundquist, J., & Sundquist, K. (2017 Dec). The role of marriage in criminal recidivism: A longitudinal and co-relative analysis. *Epidemiology and Psychiatric Sciences*, 26(6), 655–663. <https://doi.org/10.1017/s2045796016000640>
- van der Knaap, L. M., Alberda, D. L., Oosterveld, P., & Born, M. P. (2012). The predictive validity of criminogenic needs for male and female offenders: Comparing the relative impact of needs in predicting recidivism. *Law and Human Behavior*, 36(5), 413–422. <https://doi.org/10.1037/h0093932>
- Kras, K. R. (2019). Can social support overcome the individual and structural challenges of being a sex offender? Assessing the social support-recidivism link. *International Journal of Offender Therapy and Comparative Criminology*, 63(1), 32–54. <https://doi.org/10.1177/0306624X18784191>
- Kras, K. R., Dmello, J. R., Meyer, K. S., Butterfield, A. E., & Rudes, D. S. (2019). Attitudes toward punishment, organizational commitment, and cynicism: A multilevel analysis of staff responses in a juvenile justice agency. *Criminal Justice and Behavior*, 46(3), 475–491. <https://doi.org/10.1177/0093854818810857>
- Krona, H., Nyman, M., Andreasson, H., Vicencio, N., Anckarsäter, H., Wallinius, M., Nilsson, T., & Hofvander, B. (2017). Mentally disordered offenders in Sweden: Differentiating recidivists from non-recidivists in a 10-year follow-up study. *Nordic Journal of Psychiatry*, 71(2), 102–109. <https://doi.org/10.1080/08039488.2016.1236400>
- Langevin, R., & Curnoe, S. (2011). Psychopathy, ADHD, and brain dysfunction as predictors of lifetime recidivism among sex offenders. *International Journal of Offender Therapy and Comparative Criminology*, 55(1), 5–26. <https://doi.org/10.1177/0306624X09360968>
- Laub, J. H., & Sampson, R. J. (2002). Understanding desistance from crime. *Crime and Justice*, 28, 1–69. <https://doi.org/10.1086/652208>
- Laws, D. R., & Ward, T. (2011). *Desistance from sexual offending: alternatives to throwing away the keys*. The Guilford Press.
- Leamy, M., Bird, V., Le Boutillier, C., Williams, J., & Slade, M. (2011). Conceptual framework for personal recovery in mental health: Systematic review and narrative synthesis. *The British Journal of Psychiatry: the Journal of Mental Science*, 199(6), 445–452. <https://doi.org/10.1192/bjp.bp.110.083733>
- Lowder, E. M., Desmarais, S. L., Rade, C. B., Coffey, T., & Van Dorn, R. A. (2017). Models of protection against recidivism in justice-involved adults with mental illnesses. *Criminal Justice and Behavior*, 44(7), 893–911. <https://doi.org/10.1177/009385481710966>
- Lund, C., Forsman, A., Anckarsäter, H., & Nilsson, T. (2012). Early criminal recidivism among mentally disordered offenders. *International Journal of Offender Therapy and Comparative Criminology*, 56(5), 749–768. <https://doi.org/10.1177/0306624X11411677>
- Lund, C., Hofvander, B., Forsman, A., Anckarsäter, H., & Nilsson, T. (2013). Violent criminal recidivism in mentally disordered offenders: A follow-up study of 13–20 years through different sanctions. *International Journal of Law and Psychiatry*, 36(3/4), 250–257. <https://doi.org/10.1016/j.ijlp.2013.04.015>
- Makarios, M., Steiner, B., Travis, L. F., & Ill. (2010). Examining the predictors of recidivism among men and women released from prison in Ohio. *Criminal Justice and Behavior*, 37(12), 1377–1391. <https://doi.org/10.1177/0093854810382876>
- Mallion, J., Wood, J. L., & Mallion, A. (2020). Systematic review of 'good lives' assumptions and interventions. *Aggression and Violent Behavior*, 55. <https://doi.org/10.1016/j.avb.2020.101510>
- Manguno-Mire, G. M., Coffman, K. L., DeLand, S. M., Thompson, J. W., Jr., & Myers, L. (2014 Sep). What factors are related to success on conditional release/discharge? Findings from the New Orleans forensic aftercare clinic: 2002–2013. *Behavioral Sciences & the Law*, 32(5), 641–658. <https://doi.org/10.1002/bsl.2138>
- Marshall, E. A., & Miller, H. A. (2019). Examining gender-specific and gender-neutral risk factors in women who sexually offend. *Criminal Justice and Behavior*, 46(4), 511–527. <https://doi.org/10.1177/0093854818796872>
- Mezey, G. C., Kavuma, M., Turton, P., Demetriou, A., & Wright, C. (2010). Perceptions, experiences and meanings of recovery in forensic psychiatric patients. *Journal of Forensic Psychiatry & Psychology*, 21(5), 683–696. <https://doi.org/10.1080/14789949.2010.489953>
- Miller, H. A. (2015 Feb). Protective strengths, risk, and recidivism in a sample of known sexual offenders. *Sexual Abuse*, 27(1), 34–50. <https://doi.org/10.1177/1079063214564389>
- Mitchell, M. M., Spooner, K., Jia, D., & Zhang, Y. (2016). The effect of prison visitation on reentry success: A meta-analysis. *Journal of Criminal Justice*, 47, 74–83. <https://doi.org/10.1016/j.jcrimjus.2016.07.006>
- Moore, K. E., Stuewig, J. B., & Tangney, J. P. (2016). The effect of stigma on criminal offenders' functioning: A longitudinal mediational model. *Deviant Behavior*, 37(2), 196–218. <https://doi.org/10.1080/01639625.2014.1004035>
- Mowen, T. J., & Boman, J. H. I. V. (2018). The duality of the peer effect: The interplay between peer support and peer criminality on offending and substance use during reentry. *Crime & Delinquency*, 64(8), 1094–1116. <https://doi.org/10.1177/0011128717740529>
- Mowen, T. J., & Boman, J. H. I. V. (2019). Do we have it all wrong? The protective roles of peers and criminogenic risks from family during prison reentry. *Crime & Delinquency*, 65(5), 681–704. <https://doi.org/10.1177/0011128718800286>
- Nijdam-Jones, A., Livingston, J. D., Verdun-Jones, S., & Brink, J. (2015 Jul). Using social bonding theory to examine "recovery" in a forensic mental health hospital: A qualitative study. *Crim Behav Ment. Health*, 25(3), 157–168. <https://doi.org/10.1002/cbm.1918>
- Nilsson, T., Wallinius, M., Gustavson, C., Anckarsäter, H., & Kerekes, N. (2011). Violent recidivism: A long-time follow-up study of mentally disordered offenders. *PLoS One*, 6(10). <https://doi.org/10.1371/journal.pone.0025768>
- Nunes, K. L., Hermann, C. A., Renee Malcom, J., & Lavoie, K. (2013 Sep). Childhood sexual victimization, pedophilic interest, and sexual recidivism. *Child Abuse & Neglect*, 37(9), 703–711. <https://doi.org/10.1016/j.chiabu.2013.01.008>
- O'Driscoll, C., Larney, S., Indig, D., & Basson, J. (2012). The impact of personality disorders, substance use and other mental illness on re-offending. *Journal of Forensic Psychiatry & Psychology*, 23(3), 382–391. <https://doi.org/10.1080/14789949.2012.686623>
- Olsson, H., Strand, S., Asplund, K., & Kristiansen, L. (2014). Turning towards recovery in forensic psychiatric inpatients - a study based on staff experience. *Nordic Nursing Research / Nordisk Sygeplejeforskning*, 4(3), 175–188.
- Olsson, H., Strand, S., & Kristiansen, L. (2014). Reaching a turning point—How patients in forensic care describe trajectories of recovery. *Scandinavian Journal of Caring Sciences*, 28(3), 505–514. <https://doi.org/10.1111/scs.12075>
- Orrick, E. A., Worrall, J. L., Morris, R. G., Piquero, A. R., Bales, W. D., & Wang, X. (2011). Testing social support theory: A multilevel analysis of recidivism. *Journal of Criminal Justice*, 39(6), 499–508. <https://doi.org/10.1016/j.jcrimjus.2011.09.005>
- Pflueger, M. O., Franke, I., Graf, M., & Hachtel, H. (2015 Mar 29). Predicting general criminal recidivism in mentally disordered offenders using a random forest approach. *BMC Psychiatry*, 15, 62. <https://doi.org/10.1186/s12888-015-0447-4>
- Pollak, C., Palmstierna, T., Kald, M., & Ekstrand, P. (2018). "It had only been a matter of time before I had relapsed into crime": Aspects of care and personal recovery in forensic mental health. *Journal of Forensic Nursing*, 14(4), 230–237. <https://doi.org/10.1097/JFN.0000000000000210>
- Ramakers, A., Nieuwbeerta, P., Van Wilsem, J., & Dirkzwager, A. (2017). Not just any job will do: A study on employment characteristics and recidivism risks after release. *International Journal of Offender Therapy and Comparative Criminology*, 61(16), 1795–1818. <https://doi.org/10.1177/0306624X16636141>
- Rezansoff, S. N., Moniruzzaman, A., Gress, C., & Somers, J. M. (2013). Psychiatric diagnoses and multiyear criminal recidivism in a Canadian provincial offender population. *Psychology, Public Policy, and Law*, 19(4), 443–453. <https://doi.org/10.1037/a0033907>
- Seligman, M. E. P., & Csikszentmihalyi, M. (2000). Positive psychology: An introduction. *American Psychologist*, 55(1), 5–14. <https://doi.org/10.1037/0003-066X.55.1.5>
- Senker, S., & Green, G. (2016). Understanding recovery: The perspective of substance misusing offenders. *Drugs & Alcohol Today*, 16(1), 16–28. <https://doi.org/10.1108/DAT-07-2015-0032>
- Shannon, L. M., Jones, A. J., Newell, J., & Payne, C. (2018). Examining individual characteristics and program performance to understand two-year recidivism rates among drug court participants: Comparing graduates and terminators. *International Journal of Offender Therapy and Comparative Criminology*, 62(13), 4196–4220. <https://doi.org/10.1177/0306624X18769602>
- Shepherd, A., Doyle, M., Sanders, C., & Shaw, J. (2016). Personal recovery within forensic settings— Systematic review and meta-synthesis of qualitative methods studies. *Criminal behaviour and mental health: CBMH*, 26(1), 59–75. <https://doi.org/10.1002/cbm.1966>
- Shepherd, G., Bairdman, J., & Slade, M. (2008). Making recovery a reality. *This is a policy paper from Sainsbury Centre for Mental Health*. <https://www.centreformentalhealth.org.uk/publications/making-recovery-reality>
- Shepherd, S. M., Campbell, R. E., & Ogloff, J. R. P. (2018). Psychopathy, antisocial personality disorder, and reconviction in an Australian sample of forensic patients. *International Journal of Offender Therapy and Comparative Criminology*, 62(3), 609–628. <https://doi.org/10.1177/0306624X16653193>
- Skeem, J. L., Winter, E., Kennealy, P. J., Louden, J. E., & Tatar, J. R., 2nd. (2014, Ju). Offenders with mental illness have criminogenic needs, too: Toward recidivism reduction. *Law and Human Behavior*, 38(3), 212–224. <https://doi.org/10.1037/lhb0000054>
- Slotboom, A., Hoeve, M., Ezinga, M., & van der Helm, P. (2013). *Criminele meisjes en vrouwen: Achtergronden en aanpak*. Boom Lemma Uitgevers.
- Spijldnes, R., Jung, H., Maguire, L., & Yamatani, H. (2012). Positive family social support: Counteracting negative effects of mental illness and substance abuse to reduce jail ex-inmate recidivism rates. *Journal of Human Behavior in the Social Environment*, 22(2), 130–147. <https://doi.org/10.1080/10911359.2012.646846>
- Stahler, G. J., Mennis, J., Belenko, S., Welsh, W. N., Hiller, M. L., & Zajac, G. (2013). Predicting recidivism for released state prison offenders: Examining the influence of individual and neighborhood characteristics and spatial contagion on the likelihood of reincarceration. *Criminal Justice and Behavior*, 40(6), 690–711. <https://doi.org/10.1177/0093854812469609>
- Stansfield, R., & Mowen, T. J. (2019). Religious involvement, moral community and social ecology: New considerations in the study of religion and reentry. *Journal of Quantitative Criminology*, 35(3), 493–516. <https://doi.org/10.1007/s10940-018-9394-9>
- Sturup, J., & Lindqvist, P. (2014). Homicide offenders 32 years later - a Swedish population-based study on recidivism. *Criminal Behaviour and Mental Health*, 24(1), 5–17. <https://doi.org/10.1002/cbm.1896>
- Tangney, J. P., Stuewig, J., & Martinez, A. G. (2014). Two faces of shame: The roles of shame and guilt in predicting recidivism. *Psychological Science*, 25(3), 799–805. <https://doi.org/10.1177/0956797613508790>

- Taylor, C. J. (2015). Recent victimization and recidivism: The potential moderating effects of family support. *Violence and Victims*, 30(2), 342–360. <https://doi.org/10.1891/0886-6708.vv-d-13-00139>
- Taylor, C. J. (2016). The family's role in the reintegration of formerly incarcerated individuals: The direct effects of emotional support. *The Prison Journal*, 96(3), 331–354. <https://doi.org/10.1177/0032885516635085>
- Tripodi, S., Pettus-Davis, C., Bender, K., Fitzgerald, M., Renn, T., & Kennedy, S. (2019). Pathways to recidivism for women released from prison: A mediated model of abuse, mental health issues, and substance use. *Criminal Justice and Behavior*, 46(9), 1219–1236. <https://doi.org/10.1177/0093854819867119>
- Tripodi, S. J., Kim, J. S., & Bender, K. (2010). Is employment associated with reduced recidivism?: The complex relationship between employment and crime. *International Journal of Offender Therapy and Comparative Criminology*, 54(5), 706–720. <https://doi.org/10.1177/0306624X09342980>
- Ullrich, S., & Coid, J. (2011). Protective factors for violence among released prisoners—Effects over time and interactions with static risk. *Journal of Consulting and Clinical Psychology*, 79(3), 381–390. <https://doi.org/10.1037/a0023613>
- Van Weeghel, J., Van Zelst, C., Boertien, D., & Hasson-Ohayon, I. (2019). Conceptualizations, assessments, and implications of personal recovery in mental illness: A scoping review of systematic reviews and meta-analyses. *Psychiatric Rehabilitation Journal*, 42(2), 169–181. <https://doi.org/10.1037/prj0000356>
- Vasiljevic, Z., Öjehagen, A., & Andersson, C. (2017). Using self-report inventories to assess recidivism risk among prisoners about to be released on parole supervision in Sweden. *Journal of Scandinavian Studies in Criminology and Crime Prevention*, 18(2), 191–199. <https://doi.org/10.1080/14043858.2017.1386441>
- Viljoen, S., Nicholls, T., Greaves, C., de Ruiter, C., & Brink, J. (2011). Resilience and successful community reintegration among female forensic psychiatric patients: A preliminary investigation. *Behavioral Sciences & the Law*, 29(5), 752–770. <https://doi.org/10.1002/bsl.1001>
- Visher, C. A., & Bakken, N. W. (2014). Reentry challenges facing women with mental health problems. *Women & Health*, 54(8), 768–780. <https://doi.org/10.1080/03630242.2014.932889>
- Wakeling, H. C., Freemantle, N., Beech, A. R., & Elliott, I. A. (2011). Identifying predictors of recidivism in a large sample of United Kingdom sexual offenders: A prognostic model. *Psychological Services*, 8(4), 307–318. <https://doi.org/10.1037/a0025516>
- Walker, A., Kazemian, L., Lussier, P., & Na, C. (2020). The role of family support in the explanation of patterns of desistance among individuals convicted of a sexual offense. *Journal of Interpersonal Violence*, 35(17/18), 3643–3665. <https://doi.org/10.1177/0886260517712273>
- Walter, M., Wiesbeck, G. A., Dittmann, V., & Graf, M. (2011). Criminal recidivism in offenders with personality disorders and substance use disorders over 8 years of time at risk. *Psychiatry Research*, 186(2–3), 443–445. <https://doi.org/10.1016/j.psychres.2010.08.009>
- Walters, G. D., & Cohen, T. H. (2016 Aug). Criminal thought process as a dynamic risk factor: Variable- and person-oriented approaches to recidivism prediction. *Law, Hum Behav*, 40(4), 411–419. <https://doi.org/10.1037/lhb0000185>
- Ward, T., & Fortune, C. (2013). The good lives model: Aligning risk reduction with promoting Offenders' personal goals. *European Journal of Probation*, 5(2), 29–46. <https://doi.org/10.1177/206622031300500203>
- Ward, T., Fox, K. J., & Garber, M. (2014). Restorative justice, offender rehabilitation and desistance. *Restorative Justice: An International Journal*, 2(1), 24–42. <https://doi.org/10.5235/20504721.2.1.24>
- Ward, T., & Laws, D. (2010). Desistance from sexual offending: motivating change, enriching practice. *International Journal of Forensic Mental Health*, 9(1), 11–23. <https://doi.org/10.1080/14999011003791598>
- Ward, T., & Maruna, S. (2007). *Rehabilitation: beyond the risk assessment paradigm*. Routledge.
- Webster, J. M., Dickson, M. F., Staton-Tindall, M., & Leukefeld, C. G. (2015). Predictors of recidivism among rural and urban drug-involved prisoners. *Journal of Offender Rehabilitation*, 54(8), 539–555. <https://doi.org/10.1080/10509674.2015.1087444>
- Weijters, G., Verweij, S., Tollenaar, N., & Hill, J. (2019). *Recidive onder justitiabelen in Nederland. Verslag over de periode 2006-2018*. Wetenschappelijk Onderzoeks- en documentatiecentrum. Cahier 2019–10.
- Wilpert, J., van Horn, J. E., & Boonmann, C. (2018). Comparing the central eight risk factors: Do they differ across age groups of sex offenders? *International Journal of Offender Therapy and Comparative Criminology*, 62(13), 4278–4294. <https://doi.org/10.1177/0306624X18758899>
- Wilson, A. B., Draine, J., Hadley, T., Metraux, S., & Evans, A. (2011). Examining the impact of mental illness and substance use on recidivism in a county jail. *International Journal of Law and Psychiatry*, 34(4), 264–268.
- Wilson, J. A., & Wood, P. B. (2014). Dissecting the relationship between mental illness and return to incarceration. *Journal of Criminal Justice*, 42(6), 527–537. <https://doi.org/10.1016/j.jcrimjus.2014.09.005>
- Yu, R., Geddes, J. R., & Fazel, S. (2012). Personality disorders, violence, and antisocial behavior: A systematic review and Meta-regression analysis. *Journal of Personality Disorders*, 26(5), 775–792. <https://doi.org/10.1521/pedi.2012.26.5.775>
- Zarhev, M., Mulder, C. L., Henrichs, J., Roeg, D. P. K., Bogaerts, S., Van Weeghel, J., & Kamperman, A. M. (2021). Victimization of individuals with serious mental illness living in sheltered housing: Differential impact on risk factors related to clinical and demographical characteristics. *BJPsych Open*, 7(3), Article e97. <https://doi.org/10.1192/bjo.2021.57>
- Zgoba, K. M., & Salerno, L. M. (2017). A three-year recidivism analysis of state correctional releases. *Criminal Justice Studies: A Critical Journal of Crime, Law & Society*, 30(4), 331–345. <https://doi.org/10.1080/1478601X.2017.1364641>
- Zweig, J. M., Yahner, J., Visher, C. A., & Lattimore, P. K. (2015). Using general strain theory to explore the effects of prison victimization experiences on later offending and substance use. *The Prison Journal*, 95(1), 84–113. <https://doi.org/10.1177/0032885514563283>