

TILBURG UNIVERSITY
KATHOLIEKE
UNIVERSITEIT
BRABANT

POSTBOX 90153
5000 LE TILBURG
THE NETHERLANDS

ON COLORING j -UNIT SPHERE GRAPHS

René Peeters

FEW 512

DEPARTMENT OF ECONOMICS
RESEARCH MEMORANDUM

ON COLORING j -UNIT SPHERE GRAPHS

René Peeters

FEW 512

On Coloring j -Unit Sphere Graphs

René Peeters

ABSTRACT

In this article we will discuss the chromatic number problem for j -unit sphere graphs. If $j = 1$ there is a linear algorithm that solves the problem, but if $j = 2$, even the 3-colorability problem is NP-complete.

1 Introduction

The chromatic number problem for graphs is the problem of determining the minimum number of colors needed to color the vertices of a graph so that adjacent vertices get different colors. Let $G = (V, E)$ be the graph considered, then this optimal value is denoted with $\chi(G)$. A subset $C \subseteq V$ is called a clique if any two of its vertices are adjacent. The size of the biggest clique of G is denoted with $\omega(G)$. Clearly $\chi(G) \geq \omega(G)$, because if C is a clique of G , all vertices in C must have different colors.

In this article we will discuss the chromatic number problem for j -unit sphere graphs. They are defined as follows:

Definition: $G = (V, E)$ is called a j -unit sphere graph if there is a one to one function f from V into Euclidean j -space so that for all vertices $v \neq w$ in V :

$$vw \in E \Leftrightarrow d[f(v), f(w)] \leq 1,$$

where $d[\alpha, \beta]$ is the Euclidean distance.

In this article we will identify a vertex with its corresponding point in the Euclidean space.

For $i = 1$ these graphs are called unit interval graphs or indifference graphs. These graphs were characterized by Roberts[5]. For $j = 2$ they are called unit disk graphs, a class of graphs introduced by Hale[3]. By definition, if G is a j -unit sphere graph and $k \geq j$, G is a k -unit sphere graph as well.

2 Unit Interval Graphs

For unit interval graphs there exists an easy linear coloring algorithm that gives a minimum coloring. Suppose $G = (V, E)$ is a unit interval graph with vertex set $\{v_1, v_2, \dots, v_n\}$ for which $v_1 \leq v_2 \leq \dots \leq v_n$. Apply a first-fit coloring on this vertex sequence, that means, using the positive integers as the color set, assign to each successive vertex the least color possible subject to maintaining a proper coloring.

Claim: The coloring we find this way is minimum.

Proof: Suppose we used p colors (so $\chi(G) \leq p$) and let v_k be the first vertex that is colored with the p -th color. This vertex was colored with the p -th color because for $j = 1, 2, \dots, p-1$ there was a vertex $v_{i(j)} \leq v_k$ adjacent to v_k colored with the j -th color. This means that $v_k - v_{i(j)} \leq 1$ for $j = 1, 2, \dots, p-1$ and hence $|v_{i(j_1)} - v_{i(j_2)}| \leq 1$ for $j_1, j_2 \in \{1, 2, \dots, p-1\}$ which means that the vertices $v_{i(1)}, \dots, v_{i(p-1)}, v_k$ form a clique of size p . So $\chi(G) \geq p$ and hence $\chi(G) = p$. \square

3 Unit Disk Graphs

It is proven in [2] that the 3-coloration problem for general graphs (3C), that means finding out whether $\chi(G) \leq 3$, is NP-complete. In this part we will prove that even if we restrict the question to unit disk graphs, the problem remains NP-complete.

Hale[3] already mentioned the NP-completeness of the graph coloring problem restricted to unit disk graphs, but without a proof or a reference. As a result it is not likely that there exists a polynomial time algorithm that solves the chromatic number problem for unit disk graphs. The 3-coloration problem for unit disk graphs (3CUD) is defined as follows:

Name: 3CUD.

Input: A unit disk graph $G(V, E)$.

Question: Is $\chi(G) \leq 3$?

Theorem: 3CUD is NP-complete.

Proof: We show that 3C is polynomially reducible to 3CUD ($3C \propto 3CUD$). The proof of this theorem is essentially the same as the proof of the NP-completeness of the 3-coloration problem for planar graphs (3CP), see Even[1] pp. 221-223. There it is proved that $3C \propto 3CP$ by constructing a planar graph $f(I)$ for a given input $I = G(V, E)$ such that $f(I)$ is 3-colorable if and only if I is 3-colorable. That proof is based on the work of Stockmeyer[6] and Garey, Johnson and Stockmeyer[2]. Let $G(V, E)$ be the input I to the 3C problem. We construct a unit disk graph $f(I)$ for which two vertices are adjacent if and only if their distance is at most 2. This construction is only slightly different from the one to prove the NP-completeness of the 3-coloration problem for planar graphs. The arguments why this construction works, that means, proves the theorem, are exactly the same.

Consider the diamond unit disk graph D of Figure 1. It is up to the reader to check that two vertices are adjacent if and only if their distance is at most 2. Any valid 3-coloring of D gives the same color to u and u' , and the same color to v and v' , The color of u and v may or may not be the same. Thus, D , effectively performs a crossover of the coloring of u to u' , of v to v' , while no constraint as to the equality or inequality of the colors of u and v is introduced.

We construct $f(I)$ in two steps. First, construct a general layout as demonstrated




Figure 1: The graph D

in Figure 2 for the case of $n = 4$. This general layout depends only on n , and not on E . This layout has $n - 1$ main layers of vertices and n main columns of vertices; these vertices are denoted u_{ij} , where $1 \leq i \leq n - 1$ and $1 \leq j \leq n$. The distance between two neighbour vertices is taken $7\frac{1}{2}$. If $i + j$ is even then a copy of D is included and connected with the vertices $u_{ij}, u_{i(j+1)}, u_{(i+1)j}$ and $u_{(i+1)(j+1)}$ as is shown in Figure 2. If $i < n - 1$ and even then u_{i1} and $u_{(i+1)1}$ are connected via 5 new vertices as shown in Figure 2 in the case of u_{21} and u_{31} . If $i < n - 1$ and $i + n$ is even then u_{in} is connected, similarly, to $u_{(i+1)n}$; see u_{24} and u_{34} in Figure 2. This completes the construction of the layout. It is easy to see that this graph is a unit disk graph. The number of vertices is altogether: $n(n - 1) + 21/2(n - 1)(n - 2) + 5(n - 2)$.

Assume all vertices are colored using only three colors. Clearly, $u_{11}, u_{22}, \dots, u_{(n-1)(n-1)}$ are all colored identically. If $i > 1$ and odd then $u_{1i}, u_{2(i+1)}, \dots, u_{(n-i+1)n}, u_{(n-i+2)n}, u_{(n-i+3)(n-1)}, \dots, u_{(n-1)(n-i+3)}$ are all colored identically. Also, if n is even, $u_{1n}, u_{2(n-1)}, \dots, u_{(n-1)2}$ is such a track, and if $i < n$ and even then $u_{1i}, u_{2(i-1)}, \dots, u_{i1}, u_{(i+1)1}, u_{(i+2)2}, \dots, u_{(n-1)(n-i-1)}$ is such a track. Let us call the track that begins at u_{1i} , the i -th track.

Now, for every two tracks there is at least one $1 \leq i \leq n - 1$ and $1 \leq j < n$ such that u_{ij} is on one of these tracks and $u_{i(j+1)}$ is on the other. For the proof we refer to Even[1]. If this happens, we say that these two tracks are adjacent at the i -th level.

Now we turn to the second part of the reduction. If v_i and v_j are adjacent in G , make a construction using 6 new vertices to connect u_{kl} and $u_{k(l+1)}$ in the layout, as is shown in Figure 3, where u_{kl} is on the i -th track (or the j -th track) and $u_{k(l+1)}$ is on the j -th track (or the i -th track). Such a k and l can be found since every two tracks are adjacent somewhere. Notice that, by this construction, in case of a 3-coloring, u_{kl} and $u_{k(l+1)}$ don't have the same color. The new vertices can be added to the layout so that two vertices are adjacent if and only if their distance is at most 2, see Figure 4,




Figure 2:



Figure 3:

where the big dots represent two vertices with the same coordinates.

Now, if G is 3-colorable, color all the vertices of the i -th track with the color of v_i . Clearly the remaining vertices of $f(I)$ can also be legally colored. Conversely, if $f(I)$ is 3-colorable, each track i is uniformly colored, and we can assign v_i , in G , the same color. No two adjacent vertices in G get the same color, because of the construction connecting the two corresponding tracks in $f(I)$, and since $f(I)$ is legally colored, the colors of these two tracks are different. \square

Notice that the graph we have constructed is a planar graph as well, so in fact we have proved the stronger result that the 3-colorability problem for a planar unit disk graph is NP-complete.

If we order the vertices of a unit disk graph G lexicographically according to their coordinates in the plane and apply a first-fit algorithm as we did for unit interval graphs, we won't get arbitrary bad results. More precisely: if $p(G)$ is the number of colors we use applying the algorithm, the following inequality holds:




Figure 4:




Figure 5:

Lemma:

$$p(G) \leq 3\omega(G) - 2$$

Proof: Let v_1, v_2, \dots, v_n be the vertices of G in lexicographic order and let v_k be a vertex that is assigned the $p(G)$ -th color. Look at all the vertices v_i adjacent to v_k with $i < k$. They are situated on one half of a disk with radius one and center v_k . We can divide this sector in 3 sectors of size 60° . The distance between two points from the same sector is always at most 1. This means that the vertices from the same sector together with v_k form a clique. Thus, there were at most $3(\omega(G) - 1)$ forbidden colors for v_k . \square

Figure 3 shows a unit disk graph for which we find equality. The numbers represent the colors assigned by a first-fit algorithm.

For generalizing this result to higher dimensions we have to know in how many parts with diameter at most 1 one half of a j -dimensional unit sphere with radius one can be partitioned. Because we want our bound to be as sharp as possible, we are interested in the smallest cardinality possible of such a partition. These numbers, however, are not known in general, but grow rapidly for higher dimensions as can be seen in [4]. So, if we apply a first-fit coloring algorithm on j -unit sphere graphs, we may expect worse results for higher j .

References

- [1] S. Even, *Graph Algorithms*, Pitman, (1979).
- [2] M.R. Garey, D.S. Johnson and L.J. Stockmeyer, Some Simplified NP-Complete Graph Problems, *Theor. Comput. Sci.*, 1 (1976) 237-267.
- [3] W.K. Hale, Frequency Assignment: Theory and Applications, *Proc. IEEE*, 68 (1980) 1497-1514.
- [4] A.M. Odlyzko and N.J.A. Sloane, New Bounds on the Number of Unit Spheres that can touch a Unit Sphere in n Dimensions, *Journal of Combinatorial Theory (A)*, 26 (1979) 210-214.
- [5] F.S. Roberts, Indifference Graphs, *Proof Techniques in Graph Theory*, (ed. F. Harary) Academic Press, New York (1969) 139-146.
- [6] L.J. Stockmeyer, Planar 3-Colorability is NP-Complete, *SIGACT News*, 5 #3 (1973) 19-25.

IN 1990 REEDS VERSCHENEN

- 419 Bertrand Melenberg, Rob Alessie
A method to construct moments in the multi-good life cycle consumption model
- 420 J. Kriens
On the differentiability of the set of efficient (μ, σ^2) combinations in the Markowitz portfolio selection method
- 421 Steffen Jørgensen, Peter M. Kort
Optimal dynamic investment policies under concave-convex adjustment costs
- 422 J.P.C. Blanc
Cyclic polling systems: limited service versus Bernoulli schedules
- 423 M.H.C. Paardekooper
Parallel normreducing transformations for the algebraic eigenvalue problem
- 424 Hans Gremmen
On the political (ir)relevance of classical customs union theory
- 425 Ed Nijssen
Marketingstrategie in Machtspectief
- 426 Jack P.C. Kleijnen
Regression Metamodels for Simulation with Common Random Numbers: Comparison of Techniques
- 427 Harry H. Tigelaar
The correlation structure of stationary bilinear processes
- 428 Drs. C.H. Veld en Drs. A.H.F. Verboven
De waardering van aandelenwarrants en langlopende call-opties
- 429 Theo van de Klundert en Anton B. van Schaik
Liquidity Constraints and the Keynesian Corridor
- 430 Gert Nieuwenhuis
Central limit theorems for sequences with $m(n)$ -dependent main part
- 431 Hans J. Gremmen
Macro-Economic Implications of Profit Optimizing Investment Behaviour
- 432 J.M. Schumacher
System-Theoretic Trends in Econometrics
- 433 Peter M. Kort, Paul M.J.J. van Loon, Mikuláš Luptacik
Optimal Dynamic Environmental Policies of a Profit Maximizing Firm
- 434 Raymond Gradus
Optimal Dynamic Profit Taxation: The Derivation of Feedback Stackelberg Equilibria

- 435 Jack P.C. Kleijnen
Statistics and Deterministic Simulation Models: Why Not?
- 436 M.J.G. van Eijs, R.J.M. Heuts, J.P.C. Kleijnen
Analysis and comparison of two strategies for multi-item inventory systems with joint replenishment costs
- 437 Jan A. Weststrate
Waiting times in a two-queue model with exhaustive and Bernoulli service
- 438 Alfons Daems
Typologie van non-profit organisaties
- 439 Drs. C.H. Veld en Drs. J. Grazell
Motieven voor de uitgifte van converteerbare obligatieleningen en warrantobligatieleningen
- 440 Jack P.C. Kleijnen
Sensitivity analysis of simulation experiments: regression analysis and statistical design
- 441 C.H. Veld en A.H.F. Verboven
De waardering van conversierechten van Nederlandse converteerbare obligaties
- 442 Drs. C.H. Veld en Drs. P.J.W. Duffhues
Verslaggevingsaspecten van aandelenwarrants
- 443 Jack P.C. Kleijnen and Ben Annink
Vector computers, Monte Carlo simulation, and regression analysis: an introduction
- 444 Alfons Daems
"Non-market failures": Imperfecties in de budgetsector
- 445 J.P.C. Blanc
The power-series algorithm applied to cyclic polling systems
- 446 L.W.G. Strijbosch and R.M.J. Heuts
Modelling (s,Q) inventory systems: parametric versus non-parametric approximations for the lead time demand distribution
- 447 Jack P.C. Kleijnen
Supercomputers for Monte Carlo simulation: cross-validation versus Rao's test in multivariate regression
- 448 Jack P.C. Kleijnen, Greet van Ham and Jan Rotmans
Techniques for sensitivity analysis of simulation models: a case study of the CO₂ greenhouse effect
- 449 Harrie A.A. Verbon and Marijn J.M. Verhoeven
Decision-making on pension schemes: expectation-formation under demographic change

- 450 Drs. W. Reijnders en Drs. P. Verstappen
Logistiek management marketinginstrument van de jaren negentig
- 451 Alfons J. Daems
Budgeting the non-profit organization
An agency theoretic approach
- 452 W.H. Haemers, D.G. Higman, S.A. Hobart
Strongly regular graphs induced by polarities of symmetric designs
- 453 M.J.G. van Eijs
Two notes on the joint replenishment problem under constant demand
- 454 B.B. van der Genugten
Iterated WLS using residuals for improved efficiency in the linear
model with completely unknown heteroskedasticity
- 455 F.A. van der Duyn Schouten and S.G. Vanneste
Two Simple Control Policies for a Multicomponent Maintenance System
- 456 Geert J. Almekinders and Sylvester C.W. Eijffinger
Objectives and effectiveness of foreign exchange market intervention
A survey of the empirical literature
- 457 Saskia Oortwijn, Peter Borm, Hans Keiding and Stef Tijs
Extensions of the τ -value to NTU-games
- 458 Willem H. Haemers, Christopher Parker, Vera Pless and
Vladimir D. Tonchev
A design and a code invariant under the simple group Co_3
- 459 J.P.C. Blanc
Performance evaluation of polling systems by means of the power-
series algorithm
- 460 Leo W.G. Strijbosch, Arno G.M. van Doorne, Willem J. Selen
A simplified MOLP algorithm: The MOLP-S procedure
- 461 Arie Kapteyn and Aart de Zeeuw
Changing incentives for economic research in The Netherlands
- 462 W. Spanjers
Equilibrium with co-ordination and exchange institutions: A comment
- 463 Sylvester Eijffinger and Adrian van Rixtel
The Japanese financial system and monetary policy: A descriptive
review
- 464 Hans Kremers and Dolf Talman
A new algorithm for the linear complementarity problem allowing for
an arbitrary starting point
- 465 René van den Brink, Robert P. Gilles
A social power index for hierarchically structured populations of
economic agents

IN 1991 REEDS VERSCHENEN

- 466 Prof.Dr. Th.C.M.J. van de Klundert - Prof.Dr. A.B.T.M. van Schaik
Economische groei in Nederland in een internationaal perspectief
- 467 Dr. Sylvester C.W. Eijffinger
The convergence of monetary policy - Germany and France as an example
- 468 E. Nijssen
Strategisch gedrag, planning en prestatie. Een inductieve studie binnen de computerbranche
- 469 Anne van den Nouweland, Peter Borm, Guillermo Owen and Stef Tijs
Cost allocation and communication
- 470 Drs. J. Grazell en Drs. C.H. Veld
Motieven voor de uitgifte van converteerbare obligatieleningen en warrant-obligatieleningen: een agency-theoretische benadering
- 471 P.C. van Batenburg, J. Kriens, W.M. Lammerts van Bueren and R.H. Veenstra
Audit Assurance Model and Bayesian Discovery Sampling
- 472 Marcel Kerkhofs
Identification and Estimation of Household Production Models
- 473 Robert P. Gilles, Guillermo Owen, René van den Brink
Games with Permission Structures: The Conjunctive Approach
- 474 Jack P.C. Kleijnen
Sensitivity Analysis of Simulation Experiments: Tutorial on Regression Analysis and Statistical Design
- 475 C.P.M. van Hoesel
An $O(n \log n)$ algorithm for the two-machine flow shop problem with controllable machine speeds
- 476 Stephan G. Vanneste
A Markov Model for Opportunity Maintenance
- 477 F.A. van der Duyn Schouten, M.J.G. van Eijs, R.M.J. Heuts
Coordinated replenishment systems with discount opportunities
- 478 A. van den Nouweland, J. Potters, S. Tijs and J. Zarzuelo
Cores and related solution concepts for multi-choice games
- 479 Drs. C.H. Veld
Warrant pricing: a review of theoretical and empirical research
- 480 E. Nijssen
De Miles and Snow-typologie: Een exploratieve studie in de meubelbranche
- 481 Harry G. Barkema
Are managers indeed motivated by their bonuses?

- 482 Jacob C. Engwerda, André C.M. Ran, Arie L. Rijkeboer
Necessary and sufficient conditions for the existence of a positive definite solution of the matrix equation $X + A^T X^{-1} A = I$
- 483 Peter M. Kort
A dynamic model of the firm with uncertain earnings and adjustment costs
- 484 Raymond H.J.M. Gradus, Peter M. Kort
Optimal taxation on profit and pollution within a macroeconomic framework
- 485 René van den Brink, Robert P. Gilles
Axiomatizations of the Conjunctive Permission Value for Games with Permission Structures
- 486 A.E. Brouwer & W.H. Haemers
The Gewirtz graph - an exercise in the theory of graph spectra
- 487 Pim Adang, Bertrand Melenberg
Intratemporal uncertainty in the multi-good life cycle consumption model: motivation and application
- 488 J.H.J. Roemen
The long term elasticity of the milk supply with respect to the milk price in the Netherlands in the period 1969-1984
- 489 Herbert Hamers
The Shapley-Entrance Game
- 490 Rezaul Kabir and Theo Vermaelen
Insider trading restrictions and the stock market
- 491 Piet A. Verheyen
The economic explanation of the jump of the co-state variable
- 492 Drs. F.L.J.W. Manders en Dr. J.A.C. de Haan
De organisatorische aspecten bij systeemontwikkeling een beschouwing op besturing en verandering
- 493 Paul C. van Batenburg and J. Kriens
Applications of statistical methods and techniques to auditing and accounting
- 494 Ruud T. Frambach
The diffusion of innovations: the influence of supply-side factors
- 495 J.H.J. Roemen
A decision rule for the (des)investments in the dairy cow stock
- 496 Hans Kremers and Dolf Talman
An SLSPP-algorithm to compute an equilibrium in an economy with linear production technologies

- 497 L.W.G. Strijbosch and R.M.J. Heuts
Investigating several alternatives for estimating the compound lead time demand in an (s,Q) inventory model
- 498 Bert Bettonvil and Jack P.C. Kleijnen
Identifying the important factors in simulation models with many factors
- 499 Drs. H.C.A. Roest, Drs. F.L. Tijssen
Beheersing van het kwaliteitsperceptieproces bij diensten door middel van keurmerken
- 500 B.B. van der Genugten
Density of the F-statistic in the linear model with arbitrarily normal distributed errors
- 501 Harry Barkema and Sytse Douma
The direction, mode and location of corporate expansions
- 502 Gert Nieuwenhuis
Bridging the gap between a stationary point process and its Palm distribution
- 503 Chris Veld
Motives for the use of equity-warrants by Dutch companies
- 504 Pieter K. Jagersma
Een etiologie van horizontale internationale ondernemingsexpansie
- 505 B. Kaper
On M-functions and their application to input-output models
- 506 A.B.T.M. van Schaik
Productiviteit en Arbeidsparticipatie
- 507 Peter Borm, Anne van den Nouweland and Stef Tijs
Cooperation and communication restrictions: a survey
- 508 Willy Spanjers, Robert P. Gilles, Pieter H.M. Ruys
Hierarchical trade and downstream information
- 509 Martijn P. Tummers
The Effect of Systematic Misperception of Income on the Subjective Poverty Line
- 510 A.G. de Kok
Basics of Inventory Management: Part 1
Renewal theoretic background
- 511 J.P.C. Blanc, F.A. van der Duyn Schouten, B. Pourbabai
Optimizing flow rates in a queueing network with side constraints